



> 1 ASSOC CITY: BURBANK 4 STATE: CA LOC ID: BUR FAA SITE NR: 01353.\*A  
 > 2 AIRPORT NAME: BOB HOPE 5 COUNTY: LOS ANGELES CA  
 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

**GENERAL**

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: BURBANK-GLENDALE-PASADENA APT  
 > 12 ADDRESS: 2627 HOLLYWOOD WAY  
 BURBANK, CA 91505  
 > 13 PHONE NR: 818-840-8840  
 > 14 MANAGER: THOMAS HENDERSON, DIRECTOR OF OPS  
 > 15 ADDRESS: 2627 HOLLYWOOD WAY  
 BURBANK, CA 91505  
 > 16 PHONE NR: 818-840-8830  
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 34-12-02.5000N ESTIMATED  
 20 ARPT LONG: 118-21-31.2000W  
 21 ARPT ELEV: 778.0 SURVEYED  
 22 ACREAGE: 555  
 > 23 RIGHT TRAFFIC: 08, 15  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGY  
 > 26 FAR 139 INDEX: I C S 05/1973

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: I  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

**SERVICES**

> 70 FUEL: 100LL A A+  
 > 71 AIRFRAME RPRS: MAJOR  
 > 72 PWR PLANT RPRS: MAJOR  
 > 73 BOTTLE OXYGEN: HIGH  
 > 74 BULK OXYGEN: HIGH  
 75 TSNT STORAGE: HGR  
 76 OTHER SERVICES:  
 AFRT, AVNCS, CARGO, CHTR, INSTR,  
 RNTL, SALES

**FACILITIES**

> 80 ARPT BCN: WG  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED : SS-SR  
 > 82 UNICOM: 122.950  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: HAWTHORNE  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**BASED AIRCRAFT**

90 SINGLE ENG: 22  
 91 MULTI ENG: 6  
 92 JET: 42  
 93 HELICOPTERS: 11  
 TOTAL: 81  
 94 GLIDERS: 0  
 95 MILITARY: 0  
 96 ULTRA-LIGHT: 0

**OPERATIONS**

100 AIR CARRIER: 68,714  
 102 AIR TAXI: 28,241  
 103 G A LOCAL: 26,063  
 104 G A ITNRNT: 28,453  
 105 MILITARY: 445  
 TOTAL: 151,916  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING: 02/28/2023

	08/26	15/33		
	5,802	6,886		
	150	150		
	ASPH-CONC-E	ASPH-CONC-E		
	GRVD	GRVD		
	120.0	120.0		
	201.0	201.0		
	352.0	352.0		
	839.0	839.0		
	58 /R/B/W/T	58 /R/B/W/T		
	HIGH	MED		
	PIR - G / NPI - G	NPI - G / NPI - G	- / -	- / -
	P4L /	V4L / P4L	/	/
	72 /	34 / 62	/	/
	3.00 /	3.25 / 3.20	/	/
	N - N / N - N	N - N / N - N	- / -	- / -
	T - Y / R - N	- N / - N	- / -	- / -
	N / Y	Y / Y	/	/
	MALSR /	/	/	/
	PIR / B(V)	B(V) / B(V)	/	/
	/	909 / 350	/	/
	ROAD / POLE	RR / POLE	/	/
	/	/	/	/
	14 / 40	30 / 31	/	/
	300 / 245	200 / 201	/	/
	0B / 410R	250L / 240R	/	/
	7:1 / 1:1	0:1 / 0:1	/	/
	N / Y	Y / Y	/	/
	5,801 / 5,801	6,885 / 6,885	/	/
	5,801 / 5,801	6,885 / 6,885	/	/
	5,801 / 5,801	6,885 / 6,885	/	/
	5,801 / 5,801	5,976 / 6,535	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 043 RWY 15 VASI UNUSBL BYD 5 DEGREES OF CNTRLN.  
 A 043 RWY 33 PAPI UNUSBL BYD 2 DEG RIGHT OF CNTRLN.  
 A 057 RWY 15 APCH RATIO 36:1 TO DSPLCD THR.  
 A 057 RWY 26 APCH RATIO 11:1 TO THR.  
 A 057 RWY 33 APCH RATIO 22:1 TO DSPLCD THR.  
 A 058 +15 FT ROAD 100-200 FT FROM RY END; +14 FT BLAST FENCE; MULTIPLE LIGHT STANDARDS 15 FT FROM END OF RY.  
 A 058 RWY 26 +28' SIGN 90 FT FM RY THLD, +14 FT BLAST FENCE AT THLD.  
 A 058 RWY 33 +20 FT POLE 198 FT FROM RY THR; +14 FT BLAST FENCE AT THR.  
 A 110-001 ACFT IN TFC PAT (1225 FT AGL) AT WHITEMAN AIRPARK 5 MI NW.  
 A 110-003 TURBULENT CONDS NEAR ARPT AT TIMES OF HIGH WINDS FROM NORTH & EAST. DOWNDRAFTS/WINDSHEAR MAY OCCUR AT LIFTOFF OR ON FINAL.  
 A 110-006 BIRD ACTIVITY NORTH END RY 15/33 AND WEST END RY 08/26.  
 A 110-009 RWY 08 CLSD TKOF ACFT GTR THAN 12500 LBS.  
 A 110-011 HANG GLIDER ACTIVITY BTN 5 & 10 NM NORTH OF ARPT 6000 FT AGL SR-SS.  
 A 110-012 TWY G RSTRD TO ACFT WITH WINGSPAN OF 95 FT OR LESS.  
 111 INSPECTOR: (S) 112 LAST INSP: 10/31/2023 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: BUR FAA SITE NR: 01353.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED :  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-014 POWER ENGINE RUN-UPS FOR ACFT GTR THAN 1200 LBS PROHIBITED IN ALL AREAS EXC ON TWY D RUN-UP AREA OR AS COORDINATED WITH ATCT.
- A 110-016 14 FT BLAST FENCE 35 FT FM DEP END RY 15.
- A 110-017 14 FT BLAST FENCE 93 FT FM DEP END RY 33.
- A 110-018 8 FT BLAST FENCE 260 FT FM DEP END OF RY 26.
- A 110-020 14 FT BLAST FENCE 256 FT FROM DEP END RY 08.
- A 110-021 TWY A RESTRICTED TO ACFT WITH WINGSPAN OF 171 FT OR LESS.
- A 110-023 PILOTS SHOULD CALL AHEAD FOR ARPT NOISE RULES (818) 840-8840.
- A 110-024 RSTRNS AND FINES EFF 2200-0700 FOR STAGE 2 JETS, CERTAIN PROPS, RUN-UPS AND FLT TRG ACT, CALL (818) 840-8840 BFR OPRG.
- A 110-025 HELICOPTER ARRIVALS RESTRICTED TO RY 08/26 AND 15/33.
- A 110-027 TWY B RESTRICTED TO ACFT WITH WINGSPAN OF 79 FT OR LESS BEGINNING 300 FT NORTH OF TWY D AND CONTINUING NORTH.
- A 110-028 NO GA ACFT PARKING AT TERMINAL RAMP.

111 INSPECTOR: (S) 112 LAST INSP: 10/31/2023 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: BUR FAA SITE NR: 01353.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-030 ACFT WILL USE EASY PWR WHEN LVG ASGND GATE. CTN MUST BE USED WHEN TAXIING FM TRML AREA DUE TO CLOSE PROXIMITY TO THE TRML. PSNL AND GND EQUIP IN AREA.
- A 110-031 ACFT WITH WINGSPAN GTR THAN 95 FT EXP BACK TAXI ON RWY 15/33 FOR A RWY 33 DEP.
- A 110-032 ACFT RSTRD FROM TAXIING SB PAST GATE B1 ON TRML RAMP.
- A 110-033 ACFT WITH WINGSPAN GTR THAN 79 FT RSTRD FROM USING TWY C W OF TWY C8.
- A 110-034 RWY 26 CLSD TO TKOF/JET ACFT WITH FOUR OR MORE ENGS.
- A 110-035 X-BLEED STARTS PROHIBITED IN ALL NON-MOVMT AREAS INCLG THE AIRLINE TRML RAMP. ATC MAY APV X-BLEED STARTS ON TWY A NORTH OF TWY D, ALL OTHER REQS MUST BE COORDD AND APVD BY OPS.
- A 110-036 WHEN KBUR LDG RWY 08 USE CTN FOR TCAS RA DUE TO ACFT IN KVNY RWY 16L/34R TFC PAT (TPA 1802 MSL).

111 INSPECTOR: (S) 112 LAST INSP: 10/31/2023 113 LAST INFO REQ: