

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

A 013	ARPT OPNS 24 HRS. (424) 646-5292.
A 016	LAX ARPT OPNS - CARY BUCHANAN 424-646-8257.
A 039	RWY 06L/24R PCR VALUE: 610/R/A/W/T
A 039	RWY 06R/24L PCR VALUE: 980/R/A/W/T
A 039	RWY 07L/25R PCR VALUE: 870/R/A/W/T
A 039	RWY 07R/25L PCR VALUE: 1070/R/A/W/T
A 049	RWY 24R ALSF2 OPERATES AS SSALR TILL WX GOES BELOW VFR.
A 049	RWY 25L ALSF2 OPERATES AS SSALR TILL WX GOES BELOW VFR.
A 057	RWY 06R APCH RATIO 50:1 TO DSPLCD THR.
A 057	RWY 25R APCH RATIO 33:1 TO DSPLCD THR. CTLG OBS IS A +29' SIGN LOCATED 1450' FM DSPLCD THR AND 500' R OF CNTRLN.
A 058	RWY 24L ALS LIGHT BENCH AT 200'.
A 058	RWY 25R 14 FT BLAST FENCE AT 180 FT.
A 110-002	NMRS BIRDS ON AND IN VCNTY OF ARPT.
A 110-003	TURB MAY BE DEFLECTED UPWARD FM THE BLAST FENCE 180 FT E OF RWY 25R.
A 110-010	NOISE SENS ARPT ON WESTERLY TAKEOFFS NO TURNS BEFORE CROSSING SHORELINE OVER-OCEAN APCHS UTILIZED 0000-0630
111 INSPECTOR:	(F)
112 LAST INSP:	07/25/2024
113 LAST INFO REQ:	

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: CA

6 REGION/ADO: AWP/LAX

LOC ID: LAX

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 01818.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-016PRACTICE INSTRUMENT APPROACHES & TOUCH AND GO LANDINGS ARE PROHIBITED.

A 110-024RWY 7R/25L PREFERRED EMERG RWY.

A 110-028SIMUL ACFT OPNS PROHIBITED ON TWYS L AND H9 BTWN RWYS 07L/25R AND 07R/25L.

A 110-031SIMUL ACFT OPNS PROHIBITED ON TWY H2 AND G BTN RWYS 07L/25R AND 07R/25L.

A 110-038MILITARY RSTD: ALL MIL ACFT OFFL BUS ONLY, MIN 24 HR PPR, CTC 61 ABW/CP FLT OPS DSN 633-3779/4014, C310-653-3779/4014.

A 110-039MILITARY AF: ALL MIL AIRCREWS MUST CTC 61 ABW/CP FLT OPS FOR PRKG LCTN/INSTRNS. NO GOVT TRNSPN, QTRS OR SECURITY AVBL. VIP NOTIFICATION PROCS APPLY. USER FEES ASSESSED USING AVCARD CREDIT. CTC SIGNATURE FLIGHT SUPPORT FBO 130.6 INBD. INBD RELAY ETA, VIP CODE, SVC REQ 30 MIN PRIOR TO ARR.

A 110-042TWY D BTN TWY D7 AND D8 (N OF TRML ONE) CLSD TO ACFT WITH WINGSPAN GTR THAN 157 FT.

A 110-043WEST REMOTE GATES: ACFT USE OF OPEN GATES AS TAXI PATH IS PROHIBITED (GATES 406, 407, 408, 409).

A 110-047ACFT USE MINIMAL PWR WHEN TXG VCNTY TRMLS DUE BLAST HAZ.

A 110-048FOR ACFT WITH WINGSPAN GTR THAN 214 FT CTC LAX AIRSIDE OPS (424)-646-5292 FOR ARPT RESTRICTIONS.

A 110-049MAJOR CONSTRUCTION ON AIRPORT, DAILY.

111 INSPECTOR:(F)

112 LAST INSP:07/25/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: CA

6 REGION/ADO: AWP/LAX

LOC ID: LAX

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 01818.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-052AMERICAN EAGLE TRML SOUTHBOUND TAXING ACFT USE MNM PWR DUE TO BLAST HAZ.

A 110-053SBND TURN NOT AVBL FROM WEST REMOTE GATE 408 AND WEST REMOTE GATE 409

A 110-054ANY ACFT THAT COMES TO A STOP OR HAS ITS MOMENTUM INTRPD WHILE TURNING AND TAXING INTO ITS PRKG PSN, MUST STOP AND BE TOWED.

A 110-056ACFT WITH LEN GTR THAN 240 FT ARE PROHIBITED ON TXLS C7, C8 AND C9 BTN TXL C AND TWY B.

A 110-059ACFT WITH WINGSPAN GTR THAN 198 FT OBND FM TXL D8 MAY NOT TURN WBND ONTO TXL D.

A 110-062RWY STATUS LGTS IN OPN.

A 110-063ACFT WITH WINGSPAN GTR THAN 155 FT WB ON TXL C ARE NOT AUTHD TO MAKE LEFT TURN ON TWY C10 UNDER PWR.

A 110-064PILOTS SHOULD USE CTN FOR POSS LASER ACT IN THE LAX AREA.

A 110-065LAX SVC TXL K AND TXL L LAWA RAMP TWR OPN CTC LAWA RAMP TWR 131.075.

A 110-066LAX SVC TXL M LAWA RAMP TWR OPN CTC LAWA RAMP TWR 131.975.

111 INSPECTOR:(F)

112 LAST INSP:07/25/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: CA

6 REGION/ADO: AWP/LAX

LOC ID: LAX

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 01818.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 07/25/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025