

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

> 1 ASSOC CITY: MEMPHIS

> 2 AIRPORT NAME: MEMPHIS INTL

3 CBD TO AIRPORT (NM): 03 S

4 STATE: TN

6 REGION/ADO: ASO/MEM

LOC ID: MEM

5 COUNTY: SHELBY TN

7 SECT AERO CHT: MEMPHIS

FAA SITE NR: 23097.*A

GENERAL

10 OWNERSHIP: PUBLIC

> 11 OWNER: MEMPHIS SHELBY CNTY ARPT AUTH

> 12 ADDRESS: 2491 WINCHESTER RD.
MEMPHIS, TN 38116-3856

> 13 PHONE NR: 901-922-8000

> 14 MANAGER: TERRY BLUE

> 15 ADDRESS: 2491 WINCHESTER RD., SUITE 113
MEMPHIS, TN 38116-3856

> 16 PHONE NR: 901-922-8000

> 17 ATTENDANCE SCHEDULE:

ALL

ALL

ALL

SERVICES

70 FUEL: 100LL A A+ A++

71 AIRFRAME RPRS: MAJOR

72 PWR PLANT RPRS: MAJOR

73 BOTTLE OXYGEN:

74 BULK OXYGEN: HIGH/LOW

75 TSNT STORAGE: HGR, TIE

76 OTHER SERVICES:
AFRT, AVNCS, CARGO, CHTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG

81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR

82 UNICOM: 122.950

83 WIND INDICATOR: YES-L

84 SEGMENTED CIRCLE: NONE

85 CONTROL TWR: YES

86 FSS: JACKSON

87 FSS ON ARPT: NO

88 FSS PHONE NR:

89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

09/27	18C/36C	18L/36R	18R/36L
8,946	11,120	9,000	9,320
150	150	150	150
CONC-G	CONC-G	CONC-G	CONC-G
GRVD	GRVD	GRVD	GRVD
120.0	120.0	120.0	120.0
250.0	250.0	250.0	250.0
550.0	550.0	550.0	550.0
1120.0	1120.0	1120.0	1120.0

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSi:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

HIGH	HIGH	HIGH	HIGH
PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
/ P4L	/ P4L	P4L / P4R	/ P4L
/ 69	/ 71	73 / 69	/ 73
/ 3.00	/ 3.00	3.00 / 3.00	/ 3.00
Y - / Y -	Y - Y / Y - Y	Y - Y / Y - Y	Y - Y / Y - Y
TR - N / TR - N	TMR - N / TMR - N	TMR - N / TMR - N	TMR - N / TMR - N
N / N	N / N	N / N	N / N
MALSR / MALSR	MALSR / ALSF2	MALSR / ALSF2	MALSR / ALSF2

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

PIR / PIR	PIR / PIR	PIR / PIR	PIR / PIR
/	/	/	/
POLE / POLE	POLE / TREE	/ TREES	/ TREE
/	/	/	/
27 / 50	64 / 36	/ 101	/ 30
1,243 / 1,707	2,593 / 1,849	/ 2,780	/ 1,284
607L / 662R	804R / 745L	/ 739R	/ 662L
38:1 / 30:1	37:1 / 45:1	50:1 / 25:1	50:1 / 36:1
N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

8,946 / 8,946	11,120 / 11,120	9,000 / 9,000	9,320 / 9,320
8,946 / 8,946	11,120 / 11,120	9,000 / 9,000	9,320 / 9,320
8,946 / 8,946	11,120 / 10,715	9,000 / 9,000	9,320 / 9,320
8,946 / 8,946	11,120 / 10,715	9,000 / 9,000	9,320 / 9,320

> 110 REMARKS

A 026 INDEX D ARFF EQUIP H24.

A 030 RWY 18R/36L A-GEAR: ENGRD MTRL EMAS 316 FT LEN 178 FT WID DEP END RWY 18R.

A 037 RWY 18C/36C SINGLE BELLY TWIN TANDEM LNDG GEAR - 621.

A 037 RWY 18L/36R SINGLE BELLY TWIN TANDEM LNDG GEAR - 621.

A 037 RWY 18R/36L SINGLE BELLY TWIN TANDEM LNDG GEAR - 621.

A 039 RWY 09/27 PCR VALUE: 1253/R/C/W/T

A 039 RWY 18C/36C PCR VALUE: 1253/R/C/W/T

A 039 RWY 18L/36R PCR VALUE: 1207/R/C/W/T

A 039 RWY 18R/36L PCR VALUE: 1253/R/C/W/T

A 049 RWY 36R ALSF2 UNMNTD.

A 110-004 ANG RAMP OFFL BUS ONLY; PPR - V966-8131. TSNT ACFT RQR FOLLOW ME ASSIST ENTERING ANG RAMP.

A 110-005 HELI OPS TO/FM TRML BLDG NA.

A 110-006 BIRDS INVOF ARPT.

A 110-021 TWY N NORTH OF TWY V, TWY C NORTH OF TWY V, TWY S NORTH OF TWY V AND TWY V WEST OF TWY N DESIGNATED AS NON-MOVEMENT AREAS.

111 INSPECTOR: (F)

112 LAST INSP: 04/08/2022

113 LAST INFO REQ: 09/14/1990

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: TN

6 REGION/ADO: ASO/MEM

LOC ID: MEM

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 23097.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-022LRG & HVY EBND ACFT ON TWY V FOR RWY 27 HOLD SHORT AT MNM THRUST AREA SIGN.

A 110-025PPR FOR TAXI CLNC ON TWY N NORTH OF TWY V, TWY S NORTH TWY V & TWY C NORTH OF TWY V - FEDEX RAMP ATCT 131.5.

A 110-028TWY V BTN SPOT 7W & RWY 27 RSTR TO ACFT WITH WINGSPAN OF 171 FT 6 IN OR LESS.

A 110-031TWY V BTN TWY S & Y RSTR TO ACFT WITH TAIL HEIGHT 65 FT 10 IN OR LESS.

A 110-033CTC RAMP CONTROL 121.8 FOR ENTRY ON ANG RAMP. ANG FREQS 138.95 353.45. AFT HR CTC COMMAND POST - DSN 726-7148; C901-291-7311/7312 OR SECURITY FORCES - DSN 726-7101; C901-291-7101/7133.

A 110-034HOLD SHORT INSTRN READ BACK RQR.

111 INSPECTOR:(F)

112 LAST INSP:04/08/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

76 OTHER SERVICES:

> 17 ATTENDANCE SCHEDULE:

89 TOLL FREE NR:

80 ARPT BCN:

38 2D/2D2

> 49 APCH LIGHTS:

58 CLOSE-IN OBSTN:

> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

A 110-032	ANG-PPR DSN 726-7131/7505, C901-291-7131/7505. MIL RAMP OPS 1230-0430Z++ MON-FRI; CLSD ALTN MON & HOL. MIL RAMP CLSD OUTSIDE OF PUB HR WITHOUT OG/CC APVL DSN 726-7557, C901-291-7557. TSNT ACFT MAINT NOT AVBL. REFUEL SVC FOR OTR THAN C17 ACFT RQR QUALIFIED CREW CHIEF OR CREWMEMBERS. NON-C17 ACFT SUPPORT PRVDD BY CONTRACT FBO ON FLD. SECURITY AVBL 24 HRS; DSN 726-7101, C901-291-7101. COMD POST DSN 726-7148/7311/7312, C901-291-7148/7311/7312. OPR 1230-0430Z++ MON-FRI, CLSD ALTN MON AND HOL DUE TO ALTN WORK SCHED. AFLD MGR DOES NOT ISSUE OR STORE COMSEC FOR TRAN CRES. TMPRY STOR OF CLASSIFIED MATERIALS UP TO TOP SECRET AT COMD POST.
A 110-038	BASH PHASE II APR-MAY & AUG-OCT; CURRENT BIRD WATCH COND NOT ON ATIS.
A 110-040	PPR FOR TAXI CLNC FM N & S CARGO RAMP PRKG - 121.9.
A 110-041	COMMUNICATIONS-ANG COMD POST: RADIO CALL GRACELAND OPS.
A 110-043	NOISE ABATEMENT PROC IN EFCT. SUCCESSIVE AND/OR SIMUL DEP APVD ON RWY 36L-18R & RWY 36C-18C OR RWY 36L-18R & RWY 36R-18L WITH COURSE DVRGNC NO LATER THAN 2.27 NM FROM RWY END.
A 110-044	ANG: PPR 24 HR PN RQR; OFFL BUS ONLY.
A 110-045	AIRCRAFT WITH WINGSPANS GREATER THAN 118 FEET RESTRICTED FROM TAXIING ON TWY J NORTH OF TWY U.
A 110-046	ANG-ATIS INFO RPRTS BIRD ACT H24.
A 110-051	MIL: MIL RAMP OPS AT REDUCED ARFF, DOWNGRADED TO YELLOW.
A 110-053	TWY N BTN TWY M & TWY M7 CLSD TO WINGSPAN MORE THAN 171.5 FT EXC TAX SPEED LESS THAN 15 MPH.
A 110-054	MEM AD AP ALL SAFETY AREA NOT STD GRADING.
A 110-055	PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 18L.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

111 INSPECTOR: (F)

112 LAST INSP: 04/08/2022

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025

OPERATIONS

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSi:
- 44 THR COSSING HGT.:
- 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/5/2025
AFD EFF 05/15/2025