



> 1 ASSOC CITY: MIAMI 4 STATE: FL LOC ID: OPF FAA SITE NR: 03339.*A
 > 2 AIRPORT NAME: MIAMI-OPA LOCKA EXEC 5 COUNTY: DADE FL
 3 CBD TO AIRPORT (NM): 10 N 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT: MIAMI

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: MIAMI-DADE COUNTY
 > 12 ADDRESS: MIAMI-DADE AVIATION DEPARTMENT, P.O. BOX
 MIAMI, FL 33102-5504
 > 13 PHONE NR: 305-876-0464
 > 14 MANAGER: ELVIN HERNANDEZ
 > 15 ADDRESS: 14201 NW LEJEUNE RD
 OPA-LOCKA, FL 33054
 > 16 PHONE NR: 305-869-1662
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: HIGH/LOW
 > 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AMB, AVNCS, CARGO, CHTR, INSTR, RNTL,
 SALES

BASED AIRCRAFT

90 SINGLE ENG: 35
 91 MULTI ENG: 13
 92 JET: 10
 93 HELICOPTERS: 3
 TOTAL: 61
 94 GLIDERS: 0
 95 MILITARY: 5
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: WG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: MIAMI
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 36
 102 AIR TAXI: 9,494
 103 G A LOCAL: 47,859
 104 G A ITRNT: 81,067
 105 MILITARY: 9,182
 TOTAL: 147,638
 OPERATIONS FOR
 12 MONTHS
 ENDING: 05/03/2018

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

| 09L/27R | 09R/27L | 12/30 |
|-------------|-------------|-------------|
| 8,002 | 4,309 | 6,800 |
| 150 | 100 | 150 |
| ASPH-F | ASPH-E | ASPH-F |
| GRVD | GRVD | GRVD |
| 120.0 | 96.0 | 120.0 |
| 249.0 | 154.0 | 249.0 |
| 484.0 | | 484.0 |
| 1000.0 | | 1000.0 |
| 61 /F/A/W/T | 36 /F/A/Y/T | 61 /F/A/X/T |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| HIGH | MED | HIGH |
|-------------------|-------------------|-------------------|
| PIR - F / PIR - F | BSC - F / BSC - F | PIR - F / NPI - F |
| V4L / V4L | V4L / P4L | P4L / P4L |
| 56 / 53 | 26 / 50 | 53 / 52 |
| 3.00 / 3.00 | 3.00 / 3.00 | 3.00 / 3.00 |
| - / - | - / - | - / - |
| - / - | - / - | - / - |
| / | / | / |
| MALSR / MALS | / | MALSR / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| PIR / PIR | A(V) / A(V) | PIR / D |
|---------------|---------------|---------------|
| / | / | 800 / |
| TREES / TREES | POLE / TREES | TREES / TREE |
| / | / | / |
| 51 / 47 | 35 / 45 | 30 / 56 |
| 2,740 / 2,550 | 1,450 / 2,395 | 1,375 / 1,580 |
| 430R / 500R | 150R / 125R | 440R / 500L |
| 50:1 / 50:1 | 36:1 / 48:1 | 40:1 / 25:1 |
| N / N | N / N | N / N |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | |
|---------------|---------------|---------------|
| 8,002 / 8,002 | 4,306 / 4,306 | 6,800 / 6,800 |
| 8,202 / 8,202 | 4,306 / 4,306 | 7,800 / 7,000 |
| 8,202 / 8,202 | 4,306 / 4,306 | 7,000 / 7,000 |
| 8,002 / 8,002 | 4,306 / 4,306 | 6,000 / 6,800 |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 011 LONNY CRAVEN
 A 030 RWY 09L/27R CLSD DLY 0400-1200++ PPR 60 MINS - 305-869-1660 FOR ACFT NOISE ABATEMENT TO SRNDG ARPT COMMUNITY.
 A 030 RWY 09R/27L CLSD DLY 0400-1200++ FOR ACFT NOISE ABATEMENT TO SRNDG ARPT COMMUNITY.
 A 057 RWY 12 APCH SLOPE 50:1 TO DSPLCD THR.
 A 081 WHEN ATCT CLSD ACTVT MALSR RWY 12; PAPI RWY 12 & 30; HIRL RWY 12/30 - CTAF. 30 MIN PPR TO REQ ACTVN OF MALSR RWY 09L; MALS RWY 27R; VASI RWY 9L & 27R; HIRL RWY 09L/27R - 305-869-1660 AND CTAF.
 A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
 A 110-003 HEL ARR & DEP AVOID FLYING OVER PARKED OR TWY ACFT.
 A 110-005 SPECIFIC TFC PATS ARE PUBLISHED FOR HEL AND FIXED WING TFC; COMPLIANCE IS MANDATORY. OBTAIN INFO FM ATCT OR FBO OR AMGR; OR REQ SPECIFIC TFC PAT INSTRUCTIONS ON INITIAL CTC.
 A 110-006 DUAL TFC PATS FOR HELS & FIXED WING ACFT IN USE RWY 09R/27L.
 A 110-007 BIRDS INVOF ARPT.
 A 110-008 FLT NOTIFICATION SVC (ADCUS) AVBL 0800-2300.
 A 110-009 NOISE SENSITIVE ARPT. FLT T IS LTD TO ACFT 40000 LBS MAX GROSS TKOF WT & BLW & ONLY BTN 0700-2300.
 A 110-010 TWY C & B SOUTH OF P ARE NON MOVEMENT AREAS.
 111 INSPECTOR: (S) 112 LAST INSP: 05/03/2018 113 LAST INFO REQ:



> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: OPF FAA SITE NR: 03339.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

> 71 AIRFRAME RPRS:
> 72 PWR PLANT RPRS:
> 73 BOTTLE OXYGEN:
> 74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:

88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
102 AIR TAXI:
103 G A LOCAL:
104 G A ITNRNT:
105 MILITARY:
TOTAL:

OPERATIONS FOR
12 MONTHS
ENDING:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-011 ACFT WITH WINGSPANS GTR THAN 117 FT ARE PROHIBITED FM TXIG ON TWY P BTN TWY H AND TWY N8.
- A 110-012 VEHICLE LANE XNG TWY E TO THE FIRE STN IS NON-MOVEMENT.
- A 110-013 ALL ACFT AND VEHICLES SHUD RPRT PSNS TO ATC BY USING THE SFC PAINTED SPOT NRS ON ALL EXITS TO THE RAMP AND NON-MOVEMENT AREAS.
- A 110-014 MILITARY FUEL: CONTRACT FUEL - 305-685-4646.
- A 110-015 TWY T BTN TWY E AND TWY T8 RDCD SPD RQRD FOR ACFT WINGSPAN MORE THAN 117 FT.
- A 110-016 TWY R BTN TWY F & G RSTRD TO ACFT WITH WINGSPAN LESS THAN 94 FT.
- A 110-017 FOR CD, IF UNA VIA GCO, CTC MIAMI APCH AT 305-869-5432.
- A 110-018 GCO AVBL ON FREQ 119.45.
- A 110-019 US CBP AND EAPIS AVBL. 1400-0500Z++-305-687-5475.OPS MNT FREQ 134.675 DURING CTAF OPS.
- A 110-020 RWY 09L-27R CLSD DLY 0400-1200Z++ EXC PPR 60 MINS-305-869-1660. RWY 09R-27L CLSD DLY 0400-1200Z++.

111 INSPECTOR: (S) 112 LAST INSP: 05/03/2018 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: FL LOC ID: OPF FAA SITE NR: 03339.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASO/ORL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

| | | | |
|-------|-------|-------|-------|
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| - / - | - / - | - / - | - / - |
| - / - | - / - | - / - | - / - |
| / | / | / | / |
| / | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

| | | | |
|---|---|---|---|
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |
| / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-021 MILITARY REMARKS: CG OFFL BUS, MIN 24 HR PPR (AIR STN MIAMI OPS CNTR: D07-SMB-ODOAIRSTAMIA@USCG.MIL OR 305-953-2130). CTC MIAMI AIR 345.0 15 MIN PRIOR TO ENTERING CG RAMP. NO TRAN FAC. IF DESTN CG, INCL CGAS MIAMI IN RMK SEC OF FLT PLAN.

111 INSPECTOR: (S) 112 LAST INSP: 05/03/2018 113 LAST INFO REQ: