U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 10/11/2024
AFD EFF 10/03/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: STOCKTON
> 2 AIRPORT NAME: STOCKTON METRO
3 CBD TO AIRPORT (NM): 03 SE
4 STATE: CA
6 REGION/ADO: AWP/SFO
LOC ID: SCK
5 COUNTY: SAN JOAQUIN CA
7 SECT AERO CHT: SAN FRANCISCO
FAA SITE NR: 02314.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: COUNTY OF SAN JOAQUIN
> 12 ADDRESS: 5000 S AIRPORT WAY
STOCKTON, CA 95206
> 13 PHONE NR: 209-468-4700
> 14 MANAGER: RICHARD SOKOL
> 15 ADDRESS: 5000 S. AIRPORT WAY ROOM 202
STOCKTON, CA 95206
> 16 PHONE NR: 209-468-4700
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	0500-2100

SERVICES

> 70 FUEL: 100 100LL A
> 71 AIRFRAME RPRS: MAJOR
> 72 PWR PLANT RPRS: MAJOR
> 73 BOTTLE OXYGEN: HIGH
> 74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR
76 OTHER SERVICES:
CHTR, INSTR, RNTL, SALES

BASED AIRCRAFT

90 SINGLE ENG:	0
91 MULTI ENG:	0
92 JET:	0
93 HELICOPTERS:	0
TOTAL:	0
94 GLIDERS:	0
95 MILITARY:	0
96 ULTRA-LIGHT:	0

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 37-53-39.8770N ESTIMATED
20 ARPT LONG: 121-14-19.4640W
21 ARPT ELEV: 33.2 SURVEYED
22 ACREAGE: 1,552
> 23 RIGHT TRAFFIC: 29R, 11R
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPY
> 26 FAR 139 INDEX: I B S 05/1973

> 80 ARPT BCN: WG
> 81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
> 82 UNICOM: 122.950
> 83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: RANCHO MURIETA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER:	0
102 AIR TAXI:	0
103 G A LOCAL:	0
104 G A ITNRNT:	0
105 MILITARY:	0
TOTAL:	0

OPERATIONS FOR 12 MONTHS ENDING:

RUNWAY DATA

	11L/29R	11R/29L	H1	
> 30 RUNWAY INDENT:				
> 31 LENGTH:	10,249	4,448	70	
> 32 WIDTH:	150	75	70	
> 33 SURF TYPE-COND:	ASPH-G	ASPH-G	CONC-G	
> 34 SURF TREATMENT:	GRVD	NONE	NONE	
35 GROSS WT: S	40.0	12.5	45.0	
36 (IN THSDS) D	150.0		55.0	
37 2D	360.0			
38 2D/2D2	650.0			
> 39 PCN:				
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	HIGH			
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 43 VGSI:	P4L / P4L	/	/	/
44 THR COSSING HGT.:	75 / 71	/	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	TMR - N / TMR - Y	- N / - N	- / -	- / -
> 48 REIL:	N / N	N / N	/	/
> 49 APCH LIGHTS:	/ MALSR	/	ODALS /	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	D / PIR	A(V) / A(V)	/	/
> 51 DISPLACED THR:	1,000 / 599	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	34:1 / 50:1	20:1 / 20:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	8,474 / 8,856	4,448 / 4,448	/	/
> 61 TAKE OFF DIST AVBL (TODA):	9,474 / 9,856	4,448 / 4,448	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	8,604 / 9,210	4,448 / 4,448	/	/
> 63 LNDG DIST AVBL (LDA):	8,650 / 8,650	4,448 / 3,386	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 024 LNDG FEE FOR ACFT OVER 12500 LBS.
A 026 CLSD TO UNSKED ACR OPNS WITH MORE THAN 30 PSGR SEATS EXCP ONE HR PPR, CALL AMGR (209) 468-4700 OR 4722; AFTER HRS CALL (209) 468-4722. RWY 11R/29L NOT AVBL FOR SKED ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSKED ACR AT LEAST 31 PSGR SEATS.
A 039 RWY 11L/29R PCR VALUE: 579/F/D/X/T
A 039 RWY 11R/29L PCR VALUE: 213/F/C/X/T
A 043 RWY 29R UNUSBL BYD 9 DEGS RIGHT OF CNTRLN.
A 070 FUEL & SVC 0500-2100; OTHER TIMES CALL (209) 982-1622 - SVC CHARGE.
A 081 ACTVT HIRL RY 11L/29R, PAPI RY 11L AND RY 29R, MALSR RY 29R - CTAF.
A 110-001 SEAGULLS ON AND IN VCNTY OF ARPT MOSTLY DURING RAINY WEATHER.
A 110-003 AVOID OVERFLYING SAN JOAQUIN GENERAL HOSPITAL & THE CITY OF MANTECA.
A 110-004 ARPT CLSD TO TGL & PLANNED LOW APCHS FOR TURBOJET ACFT 2200-0700 EXCEPT BY PPR FM AMGR PART 36 STAGE 3 ACFT.
A 110-005 PRACTICE CIRCLING APPROACHES TO RWYS 11L/11R NA FOR ANY TURBINE POWERED ACFT/PROP DRIVEN ACFT EXCEEDING 12500 LBS EXCP BY PPR FM AMGR.
A 110-006 MILITARY USE: ARNG OPR 1500-2330Z++ MON-FRI. DSN 466-5319, C209-983-5319, FAX 5391. PPR REQUIRED. LDTD TRAN SVC AND MAINT AVBL FOR CH47.

111 INSPECTOR: (F) 112 LAST INSP: 04/17/2024 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 10/11/2024
AFD EFF 10/03/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: CA
6 REGION/ADO: AWP/SFO
LOC ID: SCK
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 02314.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
> 71 AIRFRAME RPRS:
> 72 PWR PLANT RPRS:
> 73 BOTTLE OXYGEN:
> 74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:
94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
102 AIR TAXI:
103 G A LOCAL:
104 G A ITNRNT:
105 MILITARY:
TOTAL:
OPERATIONS FOR
12 MONTHS
ENDING:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-007 THE FLWG AREAS NOT VISIBLE FM ATCT: TWY B FM TRML APN TO INT AT TWY M; TWY B FM 300 FT W OF TWY J TO 375 FT E OF TWY J; NON MOVEMENT AREA S OF TWY B FROM TRML APN TO 200 FT W OF TWY H; SE HALF OF TRML APN; TSNT PRKG APN.
A 110-008 TRANSIENT PARKING AVBL AT FBO.
A 110-009 BE ALERT TO ELEVD MALSR APCH END RWY 29R LCTD ON BLAST PAD.
A 110-010 TRML APN, CARGO APN, TWYS B, B2, B3, F, D, D7, D9, AND H FOR ACFT OVER 12500 LBS. ALL OTR TWYS RSTRD TO ACFT LESS THAN 12500 LBS.
A 110-011 PAVEMENT PRIOR TO THLD OF RWY 11L NOT AVBL FOR TAXI BACK OPS.
A 110-012 FOR CD WHEN ATCT CLSD CTC NORCAL APCH AT 916-361-0516.
A 110-013 TSNT PILOTS USE CTN; DO NOT ENTER THE TSA RSTRD AREA ADJ TO THE TSNT PRKG AREA.
A 110-014 TWY F RSTRD TO ACFT WINGSPAN LESS THAN 118 FT.

111 INSPECTOR: (F) 112 LAST INSP: 04/17/2024 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 10/11/2024
AFD EFF 10/03/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: CA
6 REGION/ADO: AWP/SFO
LOC ID: SCK
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 02314.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
> 71 AIRFRAME RPRS:
> 72 PWR PLANT RPRS:
> 73 BOTTLE OXYGEN:
> 74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:
94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
102 AIR TAXI:
103 G A LOCAL:
104 G A ITNRNT:
105 MILITARY:
TOTAL:
OPERATIONS FOR
12 MONTHS
ENDING:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 04/17/2024 113 LAST INFO REQ: