

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY: WICHITA FALLS 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.*A
> 2 AIRPORT NAME: SHEPPARD AFB/WICHITA FALLS MUNI 5 COUNTY: WICHITA TX
3 CBD TO AIRPORT (NM): 05 N 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: DALLAS-FT WORTH

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: UNITED STATES AIR FORCE.
> 12 ADDRESS: SHEPPARD AFB
WICHITA FALLS, TX 76311

> 13 PHONE NR:
> 14 MANAGER: ANDREW HOLLEY
> 15 ADDRESS: 4000 ARMSTRONG DR, STE 8
WICHITA FALLS, TX 76305
> 16 PHONE NR: 940-855-3621
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL: 100LL A

71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL ALL ALL

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 33-59-19.6800N ESTIMATED
20 ARPT LONG: 098-29-30.8600W
21 ARPT ELEV: 1019.1 SURVEYED
22 ACREAGE: 3,800
> 23 RIGHT TRAFFIC: 15R, 18
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: FORT WORTH
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

15C/33C	15L/33R	15R/33L	18/36
10,003	6,000	13,100	7,021
150	150	300	150
ASPH-CONC	ASPH-CONC	CONC	ASPH
GRVD	GRVD	NONE	GRVD

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSi:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

27 /F/B/W/T	27 /R/C/W/T	75 /R/C/W/T	33 /F/A/W/T
HIGH	HIGH	HIGH	HIGH
PIR - G / PIR - G	NPI - G / NPI - G	PIR - G / PIR - G	NPI - G / NPI - G
P4L / P4L	P4L / P4L	P4L / P4L	/
46 / 48	40 / 40	55 / 56	/
3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -N	- / -
/	Y / Y	/	/ Y
ALSf1 / ALSf1	/	MALSR / MALSR	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

PIR / PIR	/	D / PIR	B(V) / B(V)
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
50:1 / 50:1	/	50:1 / 50:1	50:1 / 50:1
N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

REMARKS

A 014 FBO 940-855-5460.
A 033 RWY 15C/33C RWY 15C FIRST 2000 FT, LAST 1000 FT CONC, MID ZONE ASPH.
A 033 RWY 15L/33R FIRST & LAST 1000 FT CONC; MID ZONE ASPH.
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 33L - CTAF.
A 110-002 TRAN ALERT: OPR 1200-0200Z++ WKD; 1800-2300Z++ SUN, CLSD SAT AND HOL.
A 110-004 RSTD: PPR, 24 HR PN RQR, CTC AFLD OPS DSN 736-2180/6474, C940-676-2180/6474.
A 110-006 DURING PERIODS WHEN CTL TWR IS CLSD EXERCISE CAUTION WHEN TAXING; THE CIVIL ARPT IS LCTD TO THE S AND THE MIL RAMP IS LCTD TO THE W OF THE RWYS. FLD COND NOTAM (FICON) (RSC/RCR) NOT RPRTD WHEN TWR CLSD.
A 110-007 RSTD: TRAN ACFT LTD TO ONE APCH TO A FULL STOP LDG AND MUST TAXI TO PRKG DURG STU TRNG.
A 110-008 MIGRATORY BIRD ACTIVITY ON & INVOF ARPT FM OCT-APR.
A 110-010 CAUTION: *MIL ARPT CONDUCTS HI PERFORMANCE JET TRNG IN A HI DENSITY ENVIRONMENT WITHIN 95 NM OF KSPS, 1200-0200Z++ MON-FRI TO FL390, AND WHEN TWR HR EXTN BY NOTAM, OCCASIONALLY SAT AND SUN.
A 110-011 (A89) LC CALL TO FSS 855-5574.
A 110-012 A-GEAR: MA-1A RWY 15R-33L NOT RAISED, UNLESS 80TH FTW IS FLYING, RQR 30 MIN PN WHEN TWR OPR.
A 110-014 MISC: BASE OPS 1200-0200Z++ WKD; 1800-2300Z++ SUN; CLSD SAT AND HOL.

111 INSPECTOR: (F) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR COSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

- > 60 TAKE OFF RUN AVBL (TORA):
- > 61 TAKE OFF DIST AVBL (TODA):
- > 62 ACLT STOP DIST AVBL (ASDA):
- > 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: TX

6 REGION/ADO: ASW/TEX

LOC ID: SPS

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 25029.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

REMARKS

A 110-029SERVICE - TRAN ALERT: OPR 1130 -0300Z++ WKD; 1800-2300++ SUN; CLSD SAT AND HOL. QUALIFIED WEAPONS/MUNITIONS PERS NOT AVBL TO SAFE FTR TYPE ACFT.

A 110-030JASU: 3(AM32-95) 1(MC-1) 3(AM/32A-86D).

A 110-031FLUID: SP PRESAIR LOX.

A 110-032SERVICE-OIL JOAP RESULTS AVBL 1345-2100Z++ WKD EXC HOL.

A 110-035MISC: CLASS D AIRSPACE EFF 1130-0300Z++ MON-FRI; 1800-2300Z++ SUN; EXC HOL; OT CLASS E.

A 110-036CAUTION: ATC PERS IAW THE COOPERATIVE WX WATCH (CWW) WILL ALERT WX PERS ON ANY UNREPORTED WX COND THAT COULD AFFECT FLT SAFETY.

A 110-037CAUTION: MIL ARPT CONDUCTS HI PER JET TRNG IN A HI DENSITY ENVIRONMENT 1400-0400Z++ MON-FRI AND WHEN TWR HR EXTN BY NOTAM; OCNLY SAT. TRANS MIL ACFT NOT AUZD TO ARR/DEP OUTSIDE OF PUBL HR.

A 110-039MISC: EXPECT NO AF SVC WHILE PRK AT THE RGN ARPT.

A 110-044MISC: CTC BASE TAXI DSN 736-1843 C940-676-1843, OR U-DRIVE DSN 736-6813 C940-676-6813 PRIOR TO ARR.

A 110-049SERVICE-FUEL: A++.

A 110-051AFLD OPS FLT/COMMAND POST AT C940-676-2616.

A 110-052RSTD: PAVEMENT NORTH OF TWY ECHO BTN RWY 18/36 AND AIRFIELD OPS CNTR APN UNUSBL. REMAIN ON TWY ECHO CNTRLN.

A 110-053FOR CD IF UNA TO CTC ON FSS FREQ, CTC FORT WORTH ARTCC AT 817-858-7584.

A 110-054SERVICE-LGT: RWY 15C SFL OTS UFN.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

111 INSPECTOR: (F) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
 AFD EFF 08/07/2025

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: TX LOC ID: SPS FAA SITE NR: 25029.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:

 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:

 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:
 81 ARPT LGT SKED :
 BCN LGT SKED:
 82 UNICOM:
 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-055 RSTD: RWY 15L/33R FOR 80 FTW T-6 ACFT USE ONLY.
 A 110-056 SERVICE-LGT: RWY 33C SFL OTS UFN.
 A 110-057 RSTD: RWY 15C/33C CLSD EXC XNG AT TWY G FOR 80 FTW ACFT. TWY K AND TWY G EAST OF RWY 15R/33L CLSD EXC FOR 80 FTW ACFT. TWY L AND TWY F BTWN RWY 15R/33L AND APCH END RWY 33C CLSD.
 A 110-058 MISC: FOR INFO ABOUT THE WICHITA FALLS MUNI ARR PRO VISIT: WWW.SHEPPARD.AF.MIL/CONTACT/SHARE-THE-AIR.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: TX

6 REGION/ADO: ASW/TEX

LOC ID: SPS

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 25029.*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 8/22/2025
AFD EFF 08/07/2025