U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/23/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: LOMPOC 4 STATE: CA LOC ID: VBG FAA SITE NR: 01788.1*A
> 2 AIRPORT NAME: VANDENBERG SPACE FORCE BASE 5 COUNTY: SANTA BARBARA CA
3 CBD TO AIRPORT (NM): 07 NW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: USAF
> 12 ADDRESS: VANDENBERG AFB
LOMPOC, CA 93437
> 13 PHONE NR:
> 14 MANAGER: BASE OPERATIONS
> 15 ADDRESS: VANDENGERG AFB
LOMPOC, CA 93437
> 16 PHONE NR: 805-606-6941
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	1600-0100Z++

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 34-44-14.4120N ESTIMATED
20 ARPT LONG: 120-35-03.5252W
21 ARPT ELEV: 368.0 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO

SERVICES

> 70 FUEL: A++

FACILITIES

> 80 ARPT BCN: WG
> 81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
> 82 UNICOM:
> 83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: HAWTHORNE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

BASED AIRCRAFT

90 SINGLE ENG:	0
91 MULTI ENG:	0
92 JET:	0
93 HELICOPTERS:	0
TOTAL:	0
94 GLIDERS:	0
95 MILITARY:	0
96 ULTRA-LIGHT:	0

RUNWAY DATA

	12/30			
> 30 RUNWAY INDENT:				
> 31 LENGTH:	15,000			
> 32 WIDTH:	200			
> 33 SURF TYPE-COND:	CONC-G			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH			
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	- / -	- / -	- / -
	72 72			

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 017	CLSD SAT, SUN AND HOL.
A 049	RY 30 APPROACH LIGHTING SYSTEM ARE NON-STANDARD ALSF2 CONFIGURATION. THRESHOLD LIGHTS ARE 17 FEET FROM THE USABLE PAVEMENT SURFACE.
A 070	SVC BY TRUCK ONLY; EXP SVC DELAYS.
A 081	WHEN ATCT CLSD ACTVT ALS RWY 30; PAPI RWY 30; HIRL RWY 12/30 - CTAF. RWY 12 & 30 SFL OTS. RWY 12 ALS UNAVBL; USE NO APCH LIGHT MINS.
A 086	FSS-HAWTHORNE HHR-NOTAM KVBG
A 110-002	RWY-LGTS: RWY 12 - SF.
A 110-003	RWY-LGTS: RWY 30 - SF.
A 110-004	BEARING STRENGTH RWY 12/30: S81 T110 ST175 SBTT590 TT333 TDT800 DDT857 TRT510.
A 110-005	JASU - 4(A/M32A-86) 2(AM32-95).
A 110-007	FLUID - SP PRESAIR LPOX LOX LHNIT.
A 110-008	OIL - O-148-156.
A 110-010	RSTD - ACTIVATION OF AN/APS 145 RADAR OR SIMILAR RADAR SYSTEMS IS PROH WHILE IN R2516, R2517, R2534A AND R2534B. CTC TWR ON GND PRIOR TO ENG START, ENG START OR AFLD OPR NOT AUTH TIL CTC WITH TWR IS MADE. NO INT DEP BTN OFFL SS-SR.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/23/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: CA | LOC ID: VBG | FAA SITE NR: 01788.1*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AWP/LAX | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-011 CAUTION - UNCTL CIV ARPT TFC 7 NM SE. WHEN ARPT IS VMC ACFT WILL NOT EXCEED 1900' TIL CROS DEP END OF RWY TO AVOID OVERHEAD TFC PAT. HVY AND LARGE ACFT ARE REQ TO USE MIN TAXI PWR AND SHUT DOWN OR IDLE OUTBOARD ENG TO AVOID BLOWING FOREIGN OBJECT ONTO PAVEMENT.
A 110-012 CAUTION - PRK RAMP IS NOT MRK FOR C-17 ACFT.
A 110-016 REMARKS - FOR BASH INFO, SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-023 TRAN ALERT: LTD FLEET SVC AVBL, CTC AM OPS.
A 110-024 MISC: ALL ACFT REQ FULL STOP AT VBG OR SUPPORTING VBG VIP MOVEMENT, CTC PTD (OT COMD POST) 30 MIN PRIOR TO LDG. ALTN AFLD RQR. AM OPS DSN 276-6941/42, C805-606-6941/42 FAX EXTN 6664. RWY 12-30 GROOVED.
A 110-026 TRAN ALERT: POTABLE WATER SVC UNAVBL.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/23/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: VBG FAA SITE NR: 01788.1*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-025	MISC: EARLY/LATE ACFT ARR/DEP BEFORE/AFTER PUBL OR SKED AFLD OPERATING HRS SHALL EXP HOLDING WITH APCH CTL OR ARTCC TIL AFLD IS OPEN OR RON IF DEP. ACFT SHALL CTC COMD POST AT DSN 276-9961 PRIOR TO DEP WITH UPDATED ARR TIME. ENSURE PILOTS CK NOTAMS PRIOR TO DEP AS NOTAM WILL REFLECT AFLD HRS BASED ON APPROVED AFTER HRS REQ. CTC COMD POST 30 MIN OUT OR EARLIER.
A 110-028	CAUTION: TACAN GND CK PTS AT INT OF TWY A AND TWY D, AND INT TWY A AND RWY 30 RUN-UP AREA UNSVC.
A 110-030	TOW CPBLTY AVBL FOR C-130 AND SMLR ACFT.
A 110-031	LTD TOW CPBLTY FOR ACFT UP TO 450K LBS; CTC AIRFIELD MGMT FOR SPECIFICS.
A 110-032	ALL OTHER ACFT TOW CPBLTY UNAVBL.
A 110-034	CAUTION: MKGS ON PRKG APRON FADED AND NON-RETROREFLECTIVE.
A 110-035	RSTD: ALPHA ROW ENG RUN-UP AREA UNAVBL.
A 110-036	CSTMS/AG/IMG: CUSTOMS UNAVBL.
A 110-038	CAUTION: ALTN HAZ CARGO PAD DOES NOT HAVE TIE DOWNS.
A 110-039	MISC: ANY CHANGE TO ARR/DEP TIME MUST BE COORD THRU COMD POST, RE-APVL IS RQR IF NEW ETA/ETD IS OUTSIDE OF AFLD HRS OF OPR.
A 110-040	CAUTION: OBST LGT ON WATER TWR LCTD 1.3 SM SW OF RWY 30 THLD O/S.
A 110-041	CAUTION: ACFT TIE-DOWNS UNAVBL.
A 110-046	MISC: COMSEC MTRL MUST BE STORED AT 30 SW COMD POST, DSN 276-9961, C805-606-9961.
A 110-048	CAUTION - USE EXTREME CTN FOR EXTENSIVE UAS OPS IN VCNTY.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/23/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: CA | LOC ID: VBG | FAA SITE NR: 01788.1*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AWP/LAX | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-049 RSTD: PPR AT LEAST 24 HR IN ADVN, BUT NO EARLIER THAN 5 BUS DAYS IN ADVN. SEND EMAIL TO 30OSS_OSAA-AIRFIE@US.AF.MIL FOR PPR REQ FORM. AM OPS DSN 276-6941 OR C805-606-6941/6942 FAX EXTN 6664. ACFT OPS OUTSIDE OF PUBL AFLD OPRG HRS MUST BE APV AT LEAST 48 HRS IN ADV THRU AFLD MGMT. GRD SUPPORT SVC UNAVBL FOR ARR/DEP OPS OUTSIDE OF PUBL OR SKED AFLD OPRG HRS.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ: