U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/25/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: CLOVIS
> 2 AIRPORT NAME: CANNON AFB
3 CBD TO AIRPORT (NM): 05 W
4 STATE: NM
6 REGION/ADO: ASW/LNM
LOC ID: CVS
5 COUNTY: CURRY NM
7 SECT AERO CHT: ALBUQUERQUE
FAA SITE NR: 14577.*A

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: MAPRUSAF
> 12 ADDRESS: 27TH CS GP TAC/OTM CANNON AFB
CLOVIS, NM 88101
> 13 PHONE NR: 575-784-2801
> 14 MANAGER: BASE OPERATIONS
> 15 ADDRESS: 27TH CS GP TAC/OTB CANNON AFB
CANNON AFB, NM 88101
> 16 PHONE NR: 575-784-2801
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 34-22-57.9882N ESTIMATED
20 ARPT LONG: 103-19-19.7453W
21 ARPT ELEV: 4295.3 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO

SERVICES

> 70 FUEL: A A++

FACILITIES

> 80 ARPT BCN: WG
> 81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: ALBUQUERQUE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

BASED AIRCRAFT

90 SINGLE ENG:	0
91 MULTI ENG:	0
92 JET:	0
93 HELICOPTERS:	0
TOTAL:	0
94 GLIDERS:	0
95 MILITARY:	1
96 ULTRA-LIGHT:	0

RUNWAY DATA

	04/22	13/31		
> 30 RUNWAY INDENT:				
> 31 LENGTH:	10,003	8,196		
> 32 WIDTH:	150	150		
> 33 SURF TYPE-COND:	CONC	PEM		
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	HIGH	HIGH		
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	- / -	- / -
	41 38	37 41		
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 030	RWY 04/22 SHOULDER PAVEMENT DISTRESSED ALG BOTH SIDES ENTR LEN.
A 030	RWY 13/31 20 FT IRRIGATION EQPT LCTD 2000 FT FM BOTH RWY ENDS. PSBL HYDROPLANING MID ASPH PORTION. PAVED SHOULDERS NA; 1-5 IN VERT EDGE ALG BOTH SIDES ENTIRE LEN.
A 033	RWY 13/31 1ST 1200 FT BOTH ENDS CONC; MID 5800 FT ASPH CONC.
A 049	RWY 13 1400 FT NSTD LEN.
A 049	RWY 31 1482 FT NSTD LEN.
A 080	ABN UNSVC UFN.
A 110-009	CTN: BIRD HAZ; SEWAGE LAGOON & LAKE 1/2 NM SE OF RWY 22.
A 110-011	DEP RSTD TO 5300 FT TIL DER.
A 110-013	SVC: GATED THR LGT ON RWY 04/22.
A 110-018	CTN: CLOVIS RGNL 13 NM NE; PORTALES MUNI 14 NM SSW.
A 110-019	CTN: BASH PHASE II IN EFCT 1 OCT-31 JAN; OTR TIMES BASH PHASE I.
A 110-022	SEE FLIP AP/1 SUPPLEMENTARY ARPT RMK.
A 110-024	FUEL: J8.
A 110-025	FLUID: SP PRESAIR LPOX LOX.

111 INSPECTOR: (N)
112 LAST INSP:
113 LAST INFO REQ: 09/09/1976

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/25/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NM LOC ID: CVS FAA SITE NR: 14577.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-027 SVC: TRANS ALERT: 1400-0600Z++ MON-FRI; 1300-2100Z++ SAT-SUN.
A 110-032 RSTD: 24 HR - 15 DAY PPR - D681-2801/C575-784-2801; ACFT ADHERE +/-30 MIN OR PPR INVALID.
A 110-033 MISC: TSNT WX BRIEFING AFT HR - 25 OWS DAVIS-MONTHAN AFB D228-6598/6599/6588, C520-228-6598/6599.
A 110-034 MISC: WX OBS SENT BY AN/FMQ19; AUGMENTED BY HUMAN OBS DURG SVR WX & EQUIP OUTAGE; OBS SITE LTD 240-020 DEG DUE TO BLDG; NGT OBS LTD DUE HI INTS RAMP LGT.
A 110-035 MISC: FIRE FIGHTING CPBLS LTD TO CAT 8-10 ACFT; VERIFY CPBLTY DURG PPR.
A 110-037 AD OFFL BUS ONLY FIRST FRI OF MONTH.
A 110-041 ALL HLDG APRON TAXI-LINES RSTD TO WHEELBASE MORE THAN 14 FT.
A 110-044 CTN: NVD OPS MAY BE CONDUCTED INVOF OF AIRFIELD BTN SS - SR.
A 110-045 CSTMS/AG/IMG: CUSTOMS SVC UNAVBL.
A 110-046 MISC: DV 0-6 & ABOVE OR CIV EQUIVALENT & ROTATORS - AIRFIELD MGMT PTD 372.2 & COMD POST UHF WHEN 100 NM OUT WITH ETA & REQS.
A 110-049 RSTD: TWY B RSTD TO C130 147000 LBS OR LESS.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/25/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: NM | LOC ID: CVS | FAA SITE NR: 14577.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASW/LNM | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-053	CTN: TWY EDGE LGT 15 FT FM MRKD, STRESSED PAVEMENT ON TWY D AT INT OF TWY R.
A 110-054	CTN: WINGTIP CLNC FOR C130 ACFT IN PRKG ROW DELTA-INDIA 24 FT; ROW LIMA-PAPA 15 FT.
A 110-055	CTN: LOADED ACFT PRKD IN PROXIMITY OF RWY 31 APCH END.
A 110-057	SERVICE-OIL: OIL SVC UNAVBL FOR MIL-7808 OIL.
A 110-058	MISC: TSNT CLASSIFIED STORAGE - COMD POST.
A 110-060	JASU: (A/M32A-86).
A 110-062	SERVICE-OIL: JOAP
A 110-063	WX OPS H24; PSBL SDBY HR WKENDS BASED ON LCL FLYING.
A 110-065	CTN: UAS ACT WI 6 NM 9000 FT & BLW; WI CLASS D ASP & BTN CLASS D ASP & R5104.
A 110-066	CAUTION: AFLD BLACKOUT OPS EVERY MON 0200Z-0400Z++. NORTH-2 APRON RSTD TO NVD PERS/VEH ONLY. ALL NON-PARTICIPATING ACFT EXP DELAYS.
A 110-071	CTN: ALL SIGNS FADED; ALL MARKINGS FADED & CHIPPED; SHOULDER MARKINGS NOT ACCURATELY PAINTED ON COMMANDO RAMP BTN HANGARS & TAXILANE DELTA.
A 110-073	TWY F & D BTN RWY 04/22 & TWY R RSTD TO ACFT WITH ACN 31 OR GREATER.
A 110-074	ALL ARR/DEP MUST BE ABLE TO PERFORM 180 DEG TURN ON RWYS.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 4/25/2024
AFD EFF 04/18/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NM LOC ID: CVS FAA SITE NR: 14577.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/LNM 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 30A RWY 13 15 FT VEH ON ROAD 1200 FT FM RWY END. 1ST 1200 FT SFC ROUGH CONC.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: