U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 3/28/2024
AFD EFF 03/21/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: TACOMA | 4 STATE: WA | LOC ID: TCM | FAA SITE NR: 26432.*A
> 2 AIRPORT NAME: MCCHORD FLD (JOINT BASE LEWIS-MCCHORD) | 5 COUNTY: PIERCE WA
3 CBD TO AIRPORT (NM): 03 S | 6 REGION/ADO: ANM/SEA | 7 SECT AERO CHT: SEATTLE

GENERAL

10 OWNERSHIP: AIR FORCE
> 11 OWNER: USAF
> 12 ADDRESS: 62 AIR BASE GP, MCCHORD AFB
TACOMA, WA 98438
> 13 PHONE NR:
> 14 MANAGER: BASE OPERATIONS
> 15 ADDRESS: 62 AIR BASE GP, MCCHORD AFB
TACOMA, WA 98438
> 16 PHONE NR: 253-982-5611
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 47-08-15.6400N ESTIMATED
20 ARPT LONG: 122-28-35.3100W
21 ARPT ELEV: 322.0 ESTIMATED
22 ACREAGE:
> 23 RIGHT TRAFFIC: 34
> 24 NON-COMM LANDING: NO

SERVICES

> 70 FUEL:

FACILITIES

> 80 ARPT BCN: WG
> 81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: SEATTLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

BASED AIRCRAFT

90 SINGLE ENG:	0
91 MULTI ENG:	0
92 JET:	0
93 HELICOPTERS:	0
TOTAL:	0
94 GLIDERS:	0
95 MILITARY:	0
96 ULTRA-LIGHT:	0

RUNWAY DATA

	16/34	162/342		
> 30 RUNWAY INDENT:				
> 31 LENGTH:	10,108	3,000		
> 32 WIDTH:	150	60		
> 33 SURF TYPE-COND:	ASPH-CONC	ASPH		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH			
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	- / -	- / -	- / -
	68 59			

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-003 JASU: (MD-3M) 1(MD-3) 1(MA-1A) (AM32A-60) 1(MC-11).
A 110-005 FLUID: SP PRESAIR DE-ICE-EXP 3 HR DELAY. LHOX LOX.
A 110-006 OIL: O-128-133-148-156 SOAP - RESULTS RQR 24 HR, 1530-0030Z++ WKD EXC HOL, RESULTS NOT AVBL OT. TRAN ACFT REQ SOAP WILL ARR WITH HISTORICAL ENG SOAP DATA FOR TREND ANALYSIS.
A 110-007 TRAN ALERT: OPR H24. DELAYS CAN BE EXP. PRK LTD. ALL TRAN ACFT RQR TRAN ALERT FOLLOW ME ASSISTANCE.
A 110-008 AMP-1/AMP-3 OVERT/COVERT ASSAULT ZONE LGTS INSTL IN MIDDLE 5000 FT RY 16/34.SEE AP/1.
A 110-009 RSTD: ALL ACFT INC SKED AMC MSN RQR PPR 24 HR PRIOR TO ARR. PPR'S EFFECTIVE +/- 1 HR. TRAN ACFT PARK EXTREMELY LTD. MSN PLANNERS MUST CTC AMOPS WHEN USING MCCHORD AS DIVERT BASE. AMPOS DSN 382-5611, C253-982-5611. ACFT RON MORE THAN 3 DAYS AND/OR RQR OTHER THAN NORMAL TRANS SVC MUST CTC 62 AW/XP, 253-982-5890. ALL INBD ACFT MUST CTC COMD POST (RAINIER OPS) NO LATER THAN 30 MIN PRIOR TO LDG.
A 110-010 RSTD: AMC ACFT OPR RSTD DUR BIRD WATCH COND MODERATE (TKOF AND LDG PERMS ONLY WHEN DEP/ARR RTE AVOID IDENT BIRD ACT, NO LCL IFR/VFR TFC PAT ACT) AND SEVERE (TKOF AND LDG PROHWO OG/CC APVL), CTC PTD/ATIS/COMD POST FOR CURRENT BIRD WATCH COND.
A 110-011 RSTD: TRAN AIRCREWS CONDUCTING LCL AREA LO-LEVEL TRNG MSN MUST RCV LCL PRO/RSTD BRIEFING FR 62 OSS/OSK AT DSN 382-3615, C253-982-3615.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ: 10/09/2012

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 3/28/2024
AFD EFF 03/21/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: WA | LOC ID: TCM | FAA SITE NR: 26432.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ANM/SEA | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-012 CAUTION: WHEN PERFORMING PRE-TKOF ENG RUNUP, ALIGN ACFT SO THAT DEBRIS IS NOT BLOWN TOWARD ADTAC ALERT HGR OR ADJ ACFT PRK RAMP. DUR VFR COND, ACFT MAKING LO APCH, NML TKOF, TOUCH AND GO LDG, OR MISSED APCH REMAIN AT OR BLW 1800' TIL DEP END OF THE RWY.
A 110-013 TFC PAT: BEFORE LDG MAINT TFC PAT ALT COMMENSURATE WITH SAFETY AS LONG AS PRACTICABLE. RECTANGULAR 1800', OVERHEAD 2300'.
A 110-014 CSTMS/AG/IMG: CSTMS AVBL, 1 HR PN RQR WKD 1600-0100Z++, OT 2 HR PN RQR. IMG ON CALL 24 HR PN DESIRED, 4 HR PN RQR. UNSKED ACFT ARR BTN 0900Z-1400Z++ MAY EXPERIENCE DELAYS FOR CSTMS/AG/IMG INSP.
A 110-015 MISC: S 1,000' RWY 16-34 IS CONCRETE; RWY IS GROOVED.
A 110-017 ATIS PHONE NUMBER C 253-982-2847. DSN 382-2847. DIGITAL-ATIS, DATA LINK ENABLED.
A 110-020 FUEL: A++
A 110-021 RWY 16-34 MRKD WITH WHITE NON-REFLECTIVE 90'X3500' VFR DAY TIME ASSAULT LDG ZONE.
A 110-022 RWY COND CODES (RWYCC) UNAVBL
A 110-023 VOR OTS UFN

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ:

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

AIRPORT MASTER RECORD

PRINT DATE: 3/28/2024
AFD EFF 03/21/2024
FORM APPROVED OMB 2120-0015

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: WA | LOC ID: TCM | FAA SITE NR: 26432.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ANM/SEA | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-024 ALL TWY EDGE LGT AND RWY 16-34 EDGE, CNTRLN, TDZ LGT EQUIPPED WITH NTSD LED FIXTURES MAY NOT BE COMPATIBLE WITH ALL NVDS OR ENHANCED FLIGHT VISION SYSTEMS.

111 INSPECTOR: (N) | 112 LAST INSP: | 113 LAST INFO REQ: