

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025

FAA SITE NR: 26396.*A

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

80 ARPT BCN:	WG
81 ARPT LGT SKED :	SEE RMK
BCN LGT SKED:	SS-SR
82 UNICOM:	122.950
83 WIND INDICATOR:	YES-L
84 SEGMENTED CIRCLE:	NONE
85 CONTROL TWR:	YES
86 FSS:	SEATTLE
87 FSS ON ARPT:	NO
88 FSS PHONE NR:	
89 TOLL FREE NR:	1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

14L/32R	14R/32L
3,709	10,007
100	200
ASPH-F	ASPH-G
GRVD	GRVD
120.0	100.0
250.0	200.0
550.0	500.0
1109.0	800.0

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR COSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCD LIGHTS:

MED		HIGH			
BSC - G / BSC - G		PIR - G / PIR - G	- / -		- / -
P2L / P2L		P4L / P4L	/		/
39 / 39		55 / 66	/		/
3.00 / 3.00		3.00 / 3.10	/		/
- / -		- / -	- / -		- / -
- / -		T - N / R -	- / -		- / -
Y / Y		/ Y	/		/
/		MALSF /	/		/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

A(V) / A(V)	PIR / PIR	/	/
250 / 375	/ 887	/	/
/ TREE	FENCE / RR	/	/
/	/	/	/
/ 210	12 / 27	/	/
/ 5,000	240 / 200	/	/
/ 625R	425R / 375R	/	/
50:1 / 22:1	3:1 / 40:1	/	/
N / N	N / Y	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	10,000 / 10,000	/	/
/	10,000 / 10,000	/	/
/	9,120 / 10,000	/	/
/	9,120 / 9,120	/	/

> 110 REMARKS

A 014	JPARROTT@KINGCOUNTY.GOV.
A 030	RUNWAY 14L/32R NOT AVAILABLE FOR AIR CARRIER OPERATIONS
A 035	RWY 14L/32R LTD TO USE BY ACFT UP TO 12,500 LBS.
A 039	RWY 14L/32R PCR VALUE: 310/F/B/X/T
A 039	RWY 14R/32L PCR VALUE: 770/R/C/W/T
A 057	RWY 32L APCH SLOPE 40:1 TO DSPLCD THLD.
A 057	RWY 32R APCH RATIO 27:1 FM DSPLCD THLD.
A 058	RWY 32L FENCE/ROAD/POLES/RR TRACKS WITHIN EAST EDGE OF PRIM SFC.
A 081	HIRL RY 14R/32L OPEN DUSK-DAWN. MIRL RY 14L/32R NOT OPER 0600-1500Z++.
A 110-002	TPA RWY 14L/32R 1000 MSL; RWY 14R/32L 800 MSL.
A 110-003	TOUCH AND GO LNDGS PROHIBITED 2200-0700.
A 110-005	BIRD FLOCKS WITHIN ARPT VICINITY. - CHECK LOCAL ADVISORIES.
A 110-006	FLIGHT NOTIFICATION SERVICE (ADCUS) AVBL.
A 110-007	14' ANT (MKD/LGTD) 230' FM RY 14L END 125' R.
A 110-008	TWY A1 & TWY A FROM A1-A3 RSTRD TO ACFT UP TO 150000 LBS AND LESS THAN 108 FT WINGSPAN.

111 INSPECTOR: (F) 112 LAST INSP: 05/17/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: WA

6 REGION/ADO: ANM/SEA

LOC ID: BFI

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 26396.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-009TWYS A2; B2; & A11 RSTD TO ACFT UP TO 60000 LBS. TWYS A3; A5; & A8 RSTD TO ACFT UP TO 12500 LBS.

A 110-010GA ITRNRT/TSNT PRKG AVBL. CTC ARPT OPS 206-296-7334.

A 110-011TWR 80 FT AGL LCTD 1200 FT N AND 900 FT W OF THLD RY 14R.

A 110-013FOR NOISE ABATEMENT PROCEDURES, CONTACT NOISE OFFICE AT (206) 296-7334.

A 110-014EXTENSIVE HELICOPTER TRAINING ACTIVITY ON TAXIWAY B.

A 110-015FOR MUSEUM OF FLT TSNT ACFT PRKG, PPR, CALL MUSEUM OF FLT SCTY (206) 920-9770.

A 110-016TAXIWAY ZULU AND 880' SPECIAL USE PAVEMENT AVAILABLE 72 HOURS PRIOR PERMISSION REQUIRED. CONTACT AIRPORT OPERATIONS 206-296-7334.

A 110-022EMERG FREQ 121.5 NOT MNT AT TWR.

111 INSPECTOR:(F)

112 LAST INSP:05/17/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: WA

6 REGION/ADO: ANM/SEA

LOC ID: BFI

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 26396.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

REMARKS

A 110-023FOR BOEING MILITARY FLIGHT CENTER RAMP PERMISSION, CTC RAMP COORDINATOR 206-225-0989, 72 HOUR PRIOR PERMISSION REQUIRED, 96 HOUR PRIOR PERMISSION REQUIRED IF ORDNANCES/MUNITIONS INSTALLED OR IF ORDNANCES/MUNITIONS STORAGE IS REQUIRED. LIMITED LOX SERVICE MEETING MIL-PRF-27210J, TYPE II AVAILABLE FOR MILITARY FLIGHT CENTER TRANSIENT AIRCRAFT, CONTACT 96 HOURS PRIOR WITH NEEDED VOLUME AND AIRCRAFT TYPE, PRIOR TO ARRIVAL ONTO BOEING COMMERCIAL AIRPLANE RAMP, CTC BOEING SEATTLE AT 123.425 OR CALL 206-662-4500. ADVANCED PERMISSION TO ACCESS BOEING COMMERCIAL AIRPLANE RAMP ONLY, CTC 206-544-5900 M-F 1600Z-0000Z.

A 110-025FOR CD WHEN ATCT IS CLSD CTC SEATTLE APCH AT 206-214-4722.

A 110-026VFR PILOTS SHLD REVIEW & EXPC VFR PROCS PRIOR TO ARR/DEP.

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2025
AFD EFF 04/17/2025