AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/16/2026
AFD EFF 10/01/2026

> 1 ASSOC CITY: NASHVILLE
> 2 AIRPORT NAME: NASHVILLE INTL
3 CBD TO AIRPORT (NM): 05 SE
4 STATE: TN
6 REGION/ADO: ASO/MEM
LOC ID: BNA
5 COUNTY: DAVIDSON TN
7 SECT AERO CHT: ATLANTA
FAA SITE NR: 23121.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: METRO NASHVILLE ARPT AUTH
> 12 ADDRESS: 140 BNA PARK DR. SUITE 520
NASHVILLE, TN 37214
> 13 PHONE NR: 615-275-1600
> 14 MANAGER: ADAM FLOYD
> 15 ADDRESS: 140 BNA PARK DR. SUITE 520
NASHVILLE, TN 37214
> 16 PHONE NR: 615-275-1546
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 36-07-28.1110N ESTIMATED
20 ARPT LONG: 086-40-41.4500W
21 ARPT ELEV: 599.0 SURVEYED
22 ACREAGE: 4,555
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPRY3
> 26 FAR 139 INDEX: I D S 05/1973

SERVICES

70 FUEL: 100LL A

71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN: LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, AMB, AVNCS, CARGO, CHTR, INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SS-SR
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: NASHVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	02C/20C	02L/20R	02R/20L	13/31
> 30 RUNWAY INDENT:	8,001	7,704	8,001	11,030
> 31 LENGTH:	150	150	150	150
> 32 WIDTH:	CONC-G	CONC-G	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	120.0			
35 GROSS WT: S	204.0			
36 (IN THSDS) D	386.0			
37 2D	885.0			
38 2D/2D2	PCR/615 /R/	PCR/897 /R/	PCR/727 /R/	PCR/762 /R/
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH	HIGH	HIGH	HIGH
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
> 43 VGSI:	P4L / P4L	P4R / P4R	/ P4L	/ P4R
44 THR COSSING HGT.:	64 / 68	55 / 79	/ 50	/ 51
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	/ 3.00	/ 3.00
> 46 CNTRLN-TDZ:	- / -	Y - Y / Y - N	Y - Y / Y - N	- / -
> 47 RVR-RVV:	T - Y / R - Y	TR - N / TR - N	TMR - N / TMR - N	- / -
> 48 REIL:	/ Y	/	/	Y / Y
> 49 APCH LIGHTS:	MALSR /	ALSF2 / MALSF	ALSF2 / MALSR	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/ C	PIR / PIR	PIR / PIR	C / PIR
> 51 DISPLACED THR:	/	/	/	801 / 741
> 52 CTLG OBSTN:	/	/	/	TREES / TREE
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 32	/	/	/
> 55 DIST FROM RWY END:	/ 850	/	/	/
> 56 CNTRLN OFFSET:	/ 0B	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 20:1	50:1 / 50:1	50:1 / 50:1	34:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	8,001 / 8,001	7,702 / 7,702	8,000 / 8,000	10,288 / 10,228
> 61 TAKE OFF DIST AVBL (TODA):	8,001 / 8,001	7,702 / 7,702	8,000 / 8,000	11,029 / 11,029
> 62 ACLT STOP DIST AVBL (ASDA):	7,601 / 8,001	7,702 / 7,702	8,000 / 8,000	10,288 / 10,228
> 63 LNDG DIST AVBL (LDA):	7,601 / 8,001	7,702 / 7,702	8,000 / 8,000	9,487 / 9,487

> 110 REMARKS

A 043	RWY 20R MAY BE SUBJ TO VISUAL INTFC FM ACFT HLDG OR STOPPED AT TWY A5.
A 057	RWY 13 APCH RATIO 50:1 TO DTHR.
A 057	RWY 31 APCH RATIO 50:1 TO DTHR.
A 110-003	CTN: READ BACK & COMPLIANCE OF RWY HLDG INSTRN RQR; SPCLY TWY K & RWY 20C, TWY L AT RWY 13 & TWY H AT RWY 31.
A 110-004	FLT NOTIFICATION SVC (ADCUS) AVBL.
A 110-006	TBJT RWY NOISE ABATEMENT PROC; MIL TBJT USE RWY 13/31 FOR ARR & DEP.
A 110-014	180 DEG TURNS OVR 12500 LBS NA ON ASPH SFC.
A 110-015	FLT OVR MAIN TRML NA.
A 110-017	BIRD ACT ON & INVOF ARPT.
A 110-018	DO NOT CONFUSE TWY S FOR RWY 20C.
A 110-031	MILITARY: ANG: PPR RQR 48 HOURS PRIOR ALL TRAN ACFT. CASHH OPS C629-332-9768. MNT 49.95, 373.9, OR 149.8 ON THE RAMP. NO SVCS PRVDD BY ARNG. CTC FBO FOR SVCS.
A 110-036	MIL & ACFT MORE THAN 12500 LB PRAC APCH NA; PRAC APCH BTN 2300-0700 NA.
A 110-037	TRML APRON TAX BTN ACR PUSHBACK OPS & GATES NA.
A 110-038	ADHERE TO TWY & TXL CNTRLN WI TRML APRON.

111 INSPECTOR: (F)
112 LAST INSP: 06/13/2025
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/16/2026
AFD EFF 10/01/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: TN | LOC ID: BNA | FAA SITE NR: 23121.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: ASO/MEM | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-039 BNA SVC NORTH RAMP TWR OPN DLY- 0400- 0100 - 131.90.
A 110-042 PAVEMENT ON W SIDE OF RWY 2R/20L BTN TXY H3 & H4 MKD AS A VEHICLE ACES ROAD ONLY.
A 110-044 BNA SVC SOUTH RAMP TWR OPN DLY- 0400-0100 - 129.95.
A 110-045 TRML APRON TXL Z, Y1, Y2 & TXL Y BTN TXL Y3 & Y4 CLSD TO WINGSPAN MORE THAN 118 FT.
A 110-046 BNA SVC CNTRL RAMP/GUITAR PICK RAMP TWR OPN DLY 0400-0100 - 131.375.
A 110-048 96 HR PPR FOR WINGSPAN GTR THAN 214 FT - 615-275-1612.
A 110-049 PPR BFR GA & CARGO PROCD TO AIRLINE TRML GATE FOR DEICE OPS.
A 110-050 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 20R.
A 110-051 LGTD PERIMETER FENCE LCTD IN ROFA, WEST OF RWY 2C/20C AT MIDPT.
A 30A RWY 13 LGTD JET BLAST FENCE 568 FT MSL 1167 FT NW THR.
A 30A RWY 31 LGTD JET BLAST FENCE 598 FT MSL 1100 FT SE THR.

111 INSPECTOR: (F) | 112 LAST INSP: 06/13/2025 | 113 LAST INFO REQ: