



> 1 ASSOC CITY: COLORADO SPRINGS 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
 > 2 AIRPORT NAME: CITY OF COLORADO SPRINGS MUNI 5 COUNTY: EL PASO CO
 3 CBD TO AIRPORT (NM): 06 SE 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: DENVER

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY OF COLORADO SPRINGS
 > 12 ADDRESS: 7770 MILTON E PROBY PKWY, SUITE 50
 COLORADO SPRINGS, CO 80916
 > 13 PHONE NR: (719) 550-1919
 > 14 MANAGER: GREG PHILLIPS
 > 15 ADDRESS: 7770 MILTON E PROBY PKWY, SUITE 50
 COLORADO SPRINGS, CO 80916
 > 16 PHONE NR: (719) 550-1900
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 38-48-20.9400N ESTIMATED
 20 ARPT LONG: 104-42-02.7950W
 21 ARPT ELEV: 6187.0 SURVEYED
 22 ACREAGE: 7,200
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGPY
 > 26 FAR 139 INDEX: I C S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

SERVICES

> 70 FUEL: 100LL A
 > 71 AIRFRAME RPRS: MAJOR
 > 72 PWR PLANT RPRS: MAJOR
 > 73 BOTTLE OXYGEN: NONE
 > 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,
 RNTL, SALES

FACILITIES

> 80 ARPT BCN: WG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: DENVER
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

BASED AIRCRAFT

90 SINGLE ENG: 154
 91 MULTI ENG: 35
 92 JET: 22
 93 HELICOPTERS: 2
 TOTAL: 213
 94 GLIDERS: 1
 95 MILITARY: 12
 96 ULTRA-LIGHT: 1

OPERATIONS

100 AIR CARRIER: 13,740
 102 AIR TAXI: 15,554
 103 G A LOCAL: 37,530
 104 G A ITRNT: 35,327
 105 MILITARY: 33,280
 TOTAL: 135,431
 OPERATIONS FOR
 12 MONTHS
 ENDING: 12/31/2019

	13/31	17L/35R	17R/35L	
8,270	8,270	13,501	13,501	11,022
150	150	150	150	150
ASPH-G	ASPH-G	CONC-G	CONC-G	ASPH-G
GRVD	GRVD	GRVD	GRVD	GRVD
120.0	120.0	250.0	250.0	250.0
171.0	171.0	550.0	550.0	550.0
279.0	279.0	1120.0	1120.0	1120.0
691.0	691.0	95 /R/B/W/T	95 /R/B/W/T	99 /F/B/X/T
48 /F/C/X/T	48 /F/C/X/T	95 /R/B/W/T	95 /R/B/W/T	99 /F/B/X/T
MED	MED	HIGH	HIGH	HIGH
NPI - G / NPI - G	NPI - G / NPI - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
P4R / P4L	P4R / P4L	P4L / P4R	P4L / P4L	P4L / P4L
64 / 52	64 / 52	57 / 71	55 / 72	55 / 72
3.00 / 3.04	3.00 / 3.04	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
- / -	- / -	Y - Y / Y - Y	- / -	- / -
- / -	- / -	TR - / TR -	TR - / TR - N	TR - / TR - N
Y / Y	Y / Y	N / Y	Y /	Y /
/	/	MALSR /	/ MALSR	/ MALSR
B(V) / C	B(V) / C	PIR / PIR	D / PIR	D / PIR
/ 356	/ 356	/	/	/
/ HILL	/ HILL	/	/	/
/	/	/	/	/
/ 10	/ 10	/	/	/
/ 400	/ 400	/	/	/
/ 340L	/ 340L	/	/	/
50:1 / 20:1	50:1 / 20:1	50:1 / 50:1	50:1 / 50:1	50:1 / 50:1
N / N	N / N	N / N	N / N	N / N
8,270 / 8,270	8,270 / 8,270	13,501 / 13,501	13,501 / 13,501	11,022 / 11,022
8,270 / 8,270	8,270 / 8,270	13,501 / 13,501	13,501 / 13,501	11,022 / 11,022
8,270 / 8,270	8,270 / 8,270	13,501 / 13,501	13,501 / 13,501	11,022 / 11,022
8,270 / 7,914	8,270 / 7,914	13,501 / 13,501	13,501 / 13,501	11,022 / 11,022

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 081 ACTVT REIL RWY 13 & 31, 17R - CTC COS ATCT.
 A 100 INCLUDES COMMUTERS.
 A 110-001 CUSTOMS AVBL FOR ALL MIL/CIVILIAN ACFT. CONTACT US CUSTOMS 719-574-6607.
 A 110-002 TURBO JET TRNG FLTS PROHIBITED 2300-0600.
 A 110-003 B52 OPNS PROHIBITED.
 A 110-004 LGTD WINDSOCK APCH RWY 17L/35R, 17R/35L & 13/31.
 A 110-009 JASU: 2(AM32A-95) 2MA32A-60A 2(MA32-86A) 1(SGNC) 2(B809D-GENERATORS).
 A 110-010 OIL: O-133-148-156(MIL).
 A 110-013 PORTIONS OF TWYS A, B, E, F, G, AND M ARE BLOCKED FROM VIEW FROM THE TOWER BY OBSTRUCTIONS. PORTIONS OF TWY C AND RY 17R/35L ARE BLOCKED FROM VIEW FROM THE TOWER WHEN THE INFIELD MILITARY OPERATING SFC IS OCCUPIED BY A C17 OR C5.
 A 110-015 WATERFOWL AND MIGRATORY BIRD ACTIVITY ON AND INVOF ARPT.
 A 110-016 A/DACG RAMP LIGHT 140 FT AGL.
 A 110-017 BE ALERT; INTENSIVE USAF STUDENT TRAINING INVOF COLORADO SPRINGS & PUEBLO COLORADO.
 A 110-018 INSUFFICIENT TWY CORNER FILLETS PAVEMENT FOR CENTERLINE TAXI FOR ACFT WITH WINGSPANS GREATER THAN 117 FT AT TWYS A2, A3, A4, B2 AND B3. THESE ACFT SHOULD USE JUDGEMENTAL OVERSTEER AT THOSE TWYS.

111 INSPECTOR: (F) 112 LAST INSP: 02/22/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

RUNWAY DATA

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-019 PPR RQR FOR ALL TRAN ACFT - CTC AFLD MGT DSN 834-4778/9 C719-556-4778/9. AFLD MGMT OPR 1300-0500++, CLSD HOL.
- A 110-020 MILITARY: TRAN ALERT-FORT CARSON ARRIVAL/DEPARTURE AIR CONTROL GROUP (ADACG) MSN, CTC DSN 532-8002/3 OR C719-503-8002/3. ALL TRAN ACFT CTC HIGH COUNTRY 30 MIN PRIOR TO ARR. TRAN ACFT CTC 21 SW COLORADO SPRINGS RGNL COMD POST (CALLSIGN: HIGH COUNTRY) WITH ATA AND ATD.
- A 110-021 MISC-FAA ATCT WILL PROVIDE MIL RCR O/R. CARGO AND PAX SVC AVBL ONLY ON PETERSON RAMP 1330-2330Z++ WKD. CLSD WKEND AND HOL UNLESS COORD 72 HR PRIOR. CTC PAX SVC AT DSN 834-4521/9021 OR C719-556-4521/9021.
- A 110-022 FUEL-A++(MIL)
- A 110-023 MISC-WX OPR H24, INCL HOL; CTC DSN 834-4337.
- A 110-024 WHEN CROSSING RWY 17R/35L FROM A1 TO B1 OR B1 TO A1, BE AWARE YOU WILL NOT SEE A1 OR B1 DEPENDING ON DIRECTION CROSSING UNTIL YOU CREST RWY 17R/35L. WHEN CROSSING FROM A1 TO B1 TRAVEL NE AND FROM B1 TO A1 TRAVEL SW.
- A 110-025 AF: ACFT TRANSPORTING HAZ CARGO CTC AFLD MGMT ON 318.05 30 MIN PRIOR TO ARR.
- A 110-026 COS GA RAMP BTW TWY A3 AND A4 CLSD TO ACFR WINDSPAN MORE THAN 135 FEET.
- A 110-027 AF: ACFT TRANSPORTING HAZ CARGO CTC AFLD MGMT ON 318.05 30 MIN PRIOR TO ARR.

111 INSPECTOR: (F) 112 LAST INSP: 02/22/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CO LOC ID: COS FAA SITE NR: 02543.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-028 WHEN CROSSING RWY 17R/35L FROM A1 TO B1 OR B1 TO A1, BE AWARE YOU WILL NOT SEE A1 OR B1 DEPENDING ON DIRECTION CROSSING UNTIL YOU CREST RWY 17R/35L. WHEN CROSSING FROM A1 TO B1 TRAVEL NE AND FROM B1 TO A1 TRAVEL SW.
 A 110-029 MILITARY: RSTD: DUE TO LIMITED PRKG AND POTENTIAL TO DMG LGT, UNSECURED ACFT, MOBILITY ACFT ARE NOT PERMITTED TO USE COLORADO SPRINGS FBO UNLESS FBO CAN GUARANTEE SUFFICIENT PRKG CLNC THAT BLAST FM ENG THRUST AND REVERSE THRUST WILL NOT IMPACT OTR ACFT, GND PSNL, OR EQPT.

111 INSPECTOR: (F) 112 LAST INSP: 02/22/2019 113 LAST INFO REQ: