



> 1 ASSOC CITY: CHEYENNE 4 STATE: WY LOC ID: CYS FAA SITE NR: 27759.\*A  
 > 2 AIRPORT NAME: CHEYENNE RGNL/JERRY OLSON FIELD 5 COUNTY: LARAMIE WY  
 3 CBD TO AIRPORT (NM): 01 N 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: CHEYENNE

**GENERAL**

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CHEYENNE ARPT BOARD  
 > 12 ADDRESS: PO BOX 2210  
 CHEYENNE, WY 82003  
 > 13 PHONE NR: 307-634-7071  
 > 14 MANAGER: TIM BARTH  
 > 15 ADDRESS: 4000 AIRPORT PARKWAY  
 CHEYENNE, WY 82001  
 > 16 PHONE NR: 307-634-7071  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL 0600-2200

**SERVICES**

> 70 FUEL: 100LL A A1  
 > 71 AIRFRAME RPRS: MINOR  
 > 72 PWR PLANT RPRS: MINOR  
 > 73 BOTTLE OXYGEN: NONE  
 > 74 BULK OXYGEN: HIGH/LOW  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES: AFRT, AMB, CARGO, CHTR, INSTR, RNTL

**BASED AIRCRAFT**

90 SINGLE ENG: 35  
 91 MULTI ENG: 40  
 92 JET: 2  
 TOTAL: 77  
 93 HELICOPTERS: 2  
 94 GLIDERS: 0  
 95 MILITARY: 13  
 96 ULTRA-LIGHT: 0

**FACILITIES**

> 80 ARPT BCN: CG  
 > 81 ARPT LGT SKED: SEE RMK  
 BCN LGT SKED: SS-SR  
 > 82 UNICOM: 122.950  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: YES  
 85 CONTROL TWR: YES  
 86 FSS: CASPER  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**OPERATIONS**

100 AIR CARRIER: 261  
 102 AIR TAXI: 2,511  
 103 G A LOCAL: 13,611  
 104 G A ITNRNT: 6,608  
 105 MILITARY: 22,398  
 TOTAL: 45,389  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING: 01/01/2017

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 41-09-20.3000N ESTIMATED  
 20 ARPT LONG: 104-48-37.7000W  
 21 ARPT ELEV: 6159.9 SURVEYED  
 22 ACREAGE: 1,060  
 > 23 RIGHT TRAFFIC: NO  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGRSY3  
 > 26 FAR 139 INDEX: II A S 05/1973

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	09/27	13/31
30 RUNWAY INDENT:	9,270	6,690
31 LENGTH:	150	150
32 WIDTH:	CONC-F	ASPH-G
33 SURF TYPE-COND:	GRVD	GRVD
34 SURF TREATMENT:	75.0	75.0
35 GROSS WT: S	140.0	120.0
36 (IN THSDS) D	150.0	150.0
37 2D	250.0	200.0
38 2D/2D2		

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

	HIGH	MED		
40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	/	/
43 VGS:	50 / 55	55 / 55	/	/
44 THR CROSSING HGT	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
46 CNTRLN-TDZ:	R - / T -	- / -	- / -	- / -
47 RVR-RVV:	Y /	Y / Y	/	/
48 REIL:	/ MALSR	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

	C / PIR	C / C		
50 FAR 77 CATEGORY	610 / 675	1,060 / 1,160	/	/
51 DISPLACED THR:	TREE /	FENCE /	/	/
52 CTLG OBSTN:	L /	/	/	/
53 OBSTN MARKED/LGTD:	50 /	9 /	/	/
54 HGT ABOVE RWY END:	300 /	200 /	/	/
55 DIST FROM RWY END:	500R /	225R /	/	/
56 CNTRLN OFFSET:	2:1 / 50:1	0:1 /	/	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

	9,270 / 9,270	5,530 / 6,690		
60 TAKE OFF RUN AVBL (TORA):	9,270 / 9,270	6,690 / 6,690	/	/
61 TAKE OFF DIST AVBL (TODA):	8,595 / 8,660	5,890 / 6,040	/	/
62 ACLT STOP DIST AVBL (ASDA):	7,985 / 7,985	4,830 / 4,880	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 024 TIEDOWN FEE.
- A 026 PPR FOR UNSKED ACR OPNS WHEN ATCT CLSD CALL AMGR 307-638-3872.
- A 057 RWY 09 APCH RATIO 17:1 FM DSPLCD THR.
- A 057 RWY 13 +49 FT TREE; DIST 500 FT, 500 FT RGT, 18:1 BASED ON DSPLCD THR.
- A 058 RWY 13 +9 FT FENCE, 199 FT FM RWY END, 400 FT RGT.
- A 070 AFTER HOURS FUEL CALL 307-634-7079.
- A 081 ACTVT MALSR RWY 27; REIL RWY 09, 13, 31; PAPI RWY 09, 27, 13, 31; HIRL RWY 09/27; MIRL RWY 13/31 - CTAF
- A 110-004 RCR AVBL ON REQ FM ATCT 0600-2200 30 MIN PRIOR NOTICE REQUIRED.
- A 110-008 BIRD ACTIVITY INVOF ARPT.
- A 110-010 PILOTS SHOULD AVOID F.E. WARREN AFHP AT ALL TIMES.
- A 110-011 RSTD: ANG PPR REQ TO PRK ON MIL RAMP.
- A 110-012 ANG: LMTD DEICE SVC AVBL TO MIL ACFT WITH ANG PPR. PPR DSN 388-6355/6879, C307-772-6355/6879.
- A 110-013 HEAVY COPTER TFC 2 NM SW OF ARPT, SFC TO 1000 FT DUR DALGT, WEEKDAYS.
- A 110-014 RSTD: TWY C CLSD NORTH OF TWY F, TWY D, AND G CLSD INDEFLT.
- A 110-015 CAUTION: TWY B1, C AND E HOLD SHORT LINES FOR ALL RWYS

111 INSPECTOR: (F) 112 LAST INSP: 11/17/2017 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: WY LOC ID: CYS FAA SITE NR: 27759.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-016 BASH PHASE II, INCR BIRD HAZ MAY-SEP.
- A 110-017 SEE FLIP AP/1 SUPPLEMENTARY ARPT INFO.
- A 110-018 ANG: BASE OPS NML OPR 1300-2230Z++ MON-THU, LTD FRI, CLSD SAT, SUN AND HOL.
- A 110-019 ANG: ALL TRAN ACFT CTC ANG COMD POST 15 MIN PRIOR TO LNDG.
- A 110-020 ANG: COMD POST NML OPR 1400-0400Z++ MON-THU, LTD FRI, CLSD SAT, SUN AND HOL.
- A 110-021 ANG: SPOT 9 CLSD ON PRK RAMP UFN.
- A 110-022 FUEL: A++(MIL) AVBL AT ANG
- A 110-023 ANG: NO TWY EDGE LGT ON TWY C & TWY F. NSTD DIAMOND SHAPED MRKGS ON APN. NST FIRE LANE MRKS ON APN.
- A 110-024 ANG: CSTMS/AG - LTD CSTMS/AF AVBL TO MIL ACFT ONLY, 24 HR PN RQR. CTC ANG BASE OPS DUR NML OPS HRS.

111 INSPECTOR: ( F ) 112 LAST INSP: 11/17/2017 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: WY LOC ID: CYS FAA SITE NR: 27759.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: ( F ) 112 LAST INSP: 11/17/2017 113 LAST INFO REQ: