

> 1 ASSOC CITY: EDWARDS 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
 > 2 AIRPORT NAME: EDWARDS AFB 5 COUNTY: KERN CA
 3 CBD TO AIRPORT (NM): 06 SW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

GENERAL

10 OWNERSHIP: AIR FORCE
 > 11 OWNER: USAF
 > 12 ADDRESS: EDWARDS AFB
 EDWARDS, CA 93523
 > 13 PHONE NR:
 > 14 MANAGER: BASE OPERATIONS
 > 15 ADDRESS: EDWARDS AFB
 EDWARDS, CA 93523
 > 16 PHONE NR: 661-277-3808
 > 17 ATTENDANCE SCHEDULE:
 ALL MON-FRI 1400 0600Z++

SERVICES

> 70 FUEL: 100LL J8

BASED AIRCRAFT

90 SINGLE ENG: 0
 91 MULTI ENG: 0
 92 JET: 0
 93 HELICOPTERS: 0
 TOTAL: 0
 94 GLIDERS: 0
 95 MILITARY: 0
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: WG
 > 81 ARPT LGT SKED: BCN LGT SKED: SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: RIVERSIDE
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

	05L/23R	05R/23L	07/25
> 30 RUNWAY INDENT:	12,000	15,024	8,000
> 31 LENGTH:	200	300	50
> 32 WIDTH:	ASPH	CONC	CONC
> 33 SURF TYPE-COND:			
LIGHTING/APCH AIDS			
> 40 EDGE INTENSITY:		HIGH	
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -
		48 51	
OBSTRUCTION DATA			
50 FAR 77 CATEGORY	/	/	/
> 51 DISPLACED THR:	/	/	/
> 52 CTLG OBSTN:	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/
> 55 DIST FROM RWY END:	/	/	/

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 017 CLSD WKEND, HOL, AND AFMC FAMILY DAYS.
 A 017 BASED ON MSN RQMNTS, AFLD MAY CLOSE AFTER SKED LAST LDG. NOTAM WILL BE ISSUED ADVERTISING EARLY AFLD CLOSURES.
 A 019 ESTIMATED ARP CALCULATED BASED ON RY 05L/23R & 05R/23L ONLY.
 A 043 RWY 05R UNUSBL BYD 7 DEG RIGHT OF RWY CNTRLN.
 A 043 RWY 23L UNUSBL BYD 7 DEG RIGHT OF RWY CNTRLN.
 A 070 100LL FUEL AVBL THRU PRIOR ARNGMT WITH AERO CLUB ONLY DSN 527-2376, C661-275-2376.
 A 110-013 A-GEAR - BAK-12B(B) IN RAISED POSN ON DEP END OF ACT RWY. BAK-12B(B) RQR 20 MIN PN FOR APCH END ENGAGEMENT. WHEN AFLD CLSD BAK-12B (B) IN RAISED POSN DEP END RWY 23, REMOVED APCH END RWY 23. 8 PT TIE-DOWNS ON ALL BAK-12B IN RAISED POSN.
 A 110-014 JASU: (A/M32C-10D) (MA-3D) 2(A/M32A-86D) (MC-5 LO-PACK) (SGNSC) (PMU-29E) 2(A/M32A-60A).
 A 110-015 FUEL: 1 HR REFUEL DELAY CAN BE EXP.
 A 110-016 FLUID: JOAP SOAP SP PRESAIR LHOX LOX.
 A 110-017 OIL: O-156, O-147, O-148
 A 110-027 MISC - ACFT WITH DV INBD CTC PTD 40 NM OUT. NO COMSEC AVBL; AIRCREW LTD TO OWN RESOURCES ON ARR OR IN CASE OF EXTV DELAY. UHF EQPT ACFT MUST USE UHF (NOT VHF) IN PAT. NO RVR CAPABILITIES.
 A 110-029 4. RSTD - SOUTH BASE RWY 07/25 IS LIMITED TO LIGHT AIRCRAFT (12,500 POUNDS GROSS WEIGHT OR LESS), NO TURBOJETS.
 111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:

 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:

 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:

 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-030 MISC: TSNT ACFT MAY EXP IFR SEPN DLYS ENTERING R2508 COMPLEX. TSNT ACFT EXP EXT V RFL DLYS.
 A 110-031 NOISE ABTMT PROC EFF 0400-1300Z++. 412 OG APVL RQRD FOR TGL. RWY 23L/R ALL ACFT MNTN RWY HDG TIL ABM JIPOP (EDW226013), THEN CLIMB ON HDG BTN 226 DEG CCW TO 360 DEG. NO EBND TURNS TIL PASSING EDW 245 RDL.
 A 110-032 MISC: CARGO AIRCRAFT REQUIRING SUPPORT MUST ARRIVE PRIOR TO 0200Z++. NO SPACE A PASSENGER SUPPORT AVAILABLE.
 A 110-033 1. RSTD - OFFL BUS ONLY, PPR ALWAYS. CTC BASE OPS DSN 527-2222/4185, C661-277-2222/4185 OR PREFERABLY E-MAIL PPR REQ FORM TO S53D74@US.AF.MIL FOR PPR NR. PPR AND ASP BRIEFING RQRD FOR ALL ACFT (NO EXC); EDWARDS PPR BRIEFING LCTD AT WWW.EDWARDS.AF.MIL/R-2515-AIRSPACE. TRNS THRU ASP MUST BE PRIOR COORD WITH ASP MGR DSN 527-2515.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/ / / /
 / / / /
 / / / /
 / / / /
 / / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-034 2. RSTD-TRAN SHOULD BE PRIOR COORD IN ADVANCE WITH AIRSPACE MGR DSN 527-2446 OR SPORT RCF DSN 527-3928. ALL PPR RQR MIN 24 HR PRIOR NOTICE, NO SAME DAY PPR AVBL. PPR WILL NOT BE ISSUED MORE THAN 5 DAYS PRIOR TO ARRIVAL. ALL PPR VALID +/- 30 MIN PPR TIME; PPR THAT FAIL TO ARR WITHIN 30 MIN OF ORIG ETA INTO EDWARDS WILL BE CONSIDERED CNL UNLESS PRIOR COORD HAS BEEN MADE. FONE COORD RQR FOR PPR OUTSIDE OF BLOCK TIME.

A 110-035 3. RSTD - PRACTICE APCH TO EDWARDS AFB MAIN BASE RWY, NORTH BASE RWY AND LAKE BED RWY PROH WHEN TWR CLSD. CTC NASA FLT OPS C661-276-3213 EXC FOR PPR. NON-NASA REGISTERED ACFT MUST CONTACT NASA TO PARK ON NASA RAMP. S BASE RWY 07-25 CLSD OFFL SS-SR.

A 110-036 CAUTION: USE CAUTION FOR UAS ARR/DEP FROM RWY 05L/23R, SOUTH BASE RWY 07/25, NORTH BASE RWY 06/24, THE ROGERS/ROSAMOND LAKEBED RUNWAY COMPLEX AND WITHIN R-2515. CTC ATC FOR UAS FLT ACT.

A 110-039 CAUTION - VFR INITIAL FLOWN 1500 FT N OF RWY CNTRLN DUE TO STEEP STRAIGHT IN SIMULATED FLAME OUT AND SHUTTLE APCH TO RWY.

A 110-040 CAUTION: CAUTION - PAY CAREFUL ATTN TO ACFT ALIGNMENT ON FINAL TO PRECLUDE INADVERTENT LDG ON S BASE RWY 25. NUMEROUS UNMRK/UNLGTD OBST SUR ARPT.

A 110-041 CAUTION - OBSERVER VIS RSTD SW-N DUE BLDG OBST VISION.

A 110-042 RSTD: RWY 05L-23R DAYLT ONLY OPS.

A 110-043 SERVICE-LGT: ILS AND PAPI NOT COINCIDENTAL.

A 110-045 TSNT ALERT SVC AVBL 1400-0600Z++ WKD. TSNT SVC UNAVBL FOR MULT ACFT TURNS/SORTIES. TRANSPORTATION SVC AVBL 1400-2330Z++ WKD. LTD FLEET SVC AVBL. NO PRIORITY BASIS.

A 110-046 CAUTION: OCNL WX BALLOON LAUNCHES 1 1/4NM NORTH WEST (APPROX 290 DEG) FROM ATCT.



111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-047 MISC: NON-PARTICIPATING ACFT MAY EXP SIGNIFICANT DELAYS WHILE SPECIAL USE AIRSPACE IS SANITIZED TO ALLOW FOR TRANSIT UNDER IFR. NON-PARTICIPATING ACFT PLAN TO ARR/DEP 0200-0600Z++, 1400-1700Z++ AND 1900-2100Z++. ADVANCED COORD AND APVL RQR OUTSIDE ABV TIMES.
 A 110-048 BASH PHASE II IN EFF 1 MAR - 30 APR AND 15 SEP - 15 NOV (SEE NOTAMS FOR SPECIFIC DATES).
 A 110-049 CSTMS/AG/IMG - NOT TO BE USED AS AOE. NO CSTMS OR AG INSPN AVBL.
 A 110-050 5. RSTD: UNAVBL AS A PRIM OR DIVERT LCTN AFTER PUBL AFLD HRS. AFLD HRS SUBJECT TO CHG NEAR FEDERAL HOL; UPDATES POSTED VIA NOTAM. CALL EDWARDS AFB BOPS FOR MOST CURRENT ALFD HRS.
 A 110-051 RWY COND CODE (RWYCC) NOT RPTD.
 A 110-052 RSTD: AIRCREW REQ TO USE KEDW AS ALTN LCTN MUST PRE-COORD WITH AFLD MGMT PRIOR TO MSN LAUNCH TO ENSURE AFLD WILL BE OPEN.
 A 110-053 MISC: BASE OPS DSN 527-2222/3197, C661-277-2222/3197; FAX DSN 527-5544/8787, C661-277-5544/8787.
 A 110-054 CAUTION: SOUTH BASE RWY 07/25 HAS POTENTIAL FOR HYDROPLANING DUR AND AFTER RAINFALL EVENTS. PILOTS USE CTN WHEN BRKG DUR WET RWY COND.
 A 110-055 CAUTION: RWY 05L/23R AND 05R/23L HAVE POTENTIAL FOR HYDROPLANING DUR AND AFTER RAINFALL EVENTS. PILOTS USE CTN WHEN BRKG DUR WET RWY COND.
 A 110-057 RWY: FIRST 1000 FT RWY 05L AND FIRST 1000 FT RWY 23R CONC. MID 10000 FT OF RWY 05L/23R IS POROUS FRICTION SFC.
 A 110-058 RSTD: VTOL/STOVL OPS NOT AUTH.
 111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:
93 HELICOPTERS:
TOTAL:

94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED :
BCN LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: EDW FAA SITE NR: 01526.8*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:

 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:

 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

> 70 FUEL:

SERVICES

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:

 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: