



> 1 ASSOC CITY: GRAND FORKS 4 STATE: ND LOC ID: GFK FAA SITE NR: 17349.1\*A  
 > 2 AIRPORT NAME: GRAND FORKS INTL 5 COUNTY: GRAND FORKS ND  
 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT: TWIN CITIES

**GENERAL**

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: GRAND FORKS REG ARPT AUTH  
 > 12 ADDRESS: 2301 AIRPORT DRIVE  
 GRAND FORKS, ND 58203  
 > 13 PHONE NR: 701-795-6981  
 > 14 MANAGER: RYAN RIESINGER  
 > 15 ADDRESS: 2301 AIRPORT DR  
 GRAND FORKS, ND 58203  
 > 16 PHONE NR: 701-795-6981  
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

**SERVICES**

> 70 FUEL: 100LL A  
 > 71 AIRFRAME RPRS: MAJOR  
 > 72 PWR PLANT RPRS: MAJOR  
 > 73 BOTTLE OXYGEN: HIGH  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:  
 CARGO, CHTR, INSTR, RNTL, SALES, SURV

**BASED AIRCRAFT**

90 SINGLE ENG: 117  
 91 MULTI ENG: 20  
 92 JET: 1  
 93 HELICOPTERS: 5  
 TOTAL: 143  
 94 GLIDERS: 0  
 95 MILITARY: 0  
 96 ULTRA-LIGHT: 0

**FACILITIES**

> 80 ARPT BCN: WG  
 > 81 ARPT LGT SKED: SEE RMK  
 BCN LGT SKED: SS-SR  
 > 82 UNICOM: 122.950  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: GRAND FORKS  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**OPERATIONS**

100 AIR CARRIER: 1,231  
 102 AIR TAXI: 113,923  
 103 G A LOCAL: 174,593  
 104 G A ITRNT: 11,786  
 105 MILITARY: 161  
 TOTAL: 301,694  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING: 12/31/2022

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 47-56-50.2000N ESTIMATED  
 20 ARPT LONG: 097-10-25.6000W  
 21 ARPT ELEV: 844.6 SURVEYED  
 22 ACREAGE: 1,618  
 > 23 RIGHT TRAFFIC: 27R, 09R, 35R, 17R  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGY  
 > 26 FAR 139 INDEX: I B S 05/1973

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

|  | 09L/27R     | 09R/27L     | 17L/35R    | 17R/35L     |
|--|-------------|-------------|------------|-------------|
|  | 4,206       | 3,300       | 3,901      | 7,351       |
|  | 100         | 60          | 75         | 150         |
|  | CONC-G      | CONC-G      | CONC-F     | ASPH-F      |
|  | GRVD        | NONE        | NONE       | GRVD        |
|  | 43.0        | 12.5        | 12.5       | 75.0        |
|  | 55.0        |             |            | 160.0       |
|  | 115.0       |             |            | 270.0       |
|  | 24 /R/B/W/T | 10 /R/C/W/T | 9 /R/C/W/T | 35 /R/C/W/T |

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSIs:  
 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

|  | MED               | MED               | MED               | HIGH              |
|--|-------------------|-------------------|-------------------|-------------------|
|  | NPI - G / NPI - G | BSC - G / BSC - G | BSC - G / BSC - G | PIR - G / PIR - G |
|  | P4L / P4L         | P2L / P2L         | P4L / P4L         | P4L / P4L         |
|  | 39 / 48           | 21 / 21           | 21 / 21           | 53 / 61           |
|  | 3.00 / 3.00       | 3.00 / 3.00       | 3.00 / 3.00       | 3.00 / 2.76       |
|  | - / -             | - / -             | - / -             | - / -             |
|  | - / -             | - / -             | - / -             | R - / T -         |
|  | / Y               | /                 | /                 | Y /               |
|  | /                 | /                 | /                 | / MALSR           |

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

|  | C / C       | A(V) / A(V) | A(V) / A(V) | C / PIR     |
|--|-------------|-------------|-------------|-------------|
|  | /           | /           | /           | /           |
|  | /           | /           | /           | /           |
|  | /           | /           | /           | /           |
|  | /           | /           | /           | /           |
|  | /           | /           | /           | /           |
|  | /           | /           | /           | /           |
|  | 50:1 / 50:1 | /           | 50:1 / 50:1 | 50:1 / 50:1 |
|  | N / N       | N / N       | N / N       | N / N       |

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACFT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

|  |               |               |               |               |
|--|---------------|---------------|---------------|---------------|
|  | 4,206 / 4,206 | 3,300 / 3,300 | 3,901 / 3,901 | 7,351 / 7,351 |
|  | 4,206 / 4,206 | 3,300 / 3,300 | 3,901 / 3,901 | 7,351 / 7,351 |
|  | 4,206 / 4,206 | 3,300 / 3,300 | 3,901 / 3,901 | 7,351 / 7,351 |
|  | 4,206 / 4,206 | 3,300 / 3,300 | 3,901 / 3,901 | 7,351 / 7,351 |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 026 ARFF INDEX C SVCS AVBL WITH 24 HR PPR. CALL AMGR AT 701-795-6984.  
 A 030 RWY 09L/27R RY 09R/27L, 17L/35R NOT AVBL FOR SKEDD ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSKEDD ACR OPNS WITH AT LEAST 31 PSGR SEATS.  
 A 030 RY 09R/27L NOT AVBL FOR SKEDD ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSKEDD ACR OPNS WITH AT LEAST 31 PSGR SEATS.  
 A 030 RY 17L/35R NOT AVBL FOR SKEDD ACR OPNS WITH MORE THAN 9 PSGR SEATS OR UNSKEDD ACR OPNS WITH AT LEAST 31 PSGR SEATS.  
 A 081 ACTVT REIL RWY 27R & RWY 17R - CTAF. WHEN TWR CLSD ACTVT HIRL RWY 17R/35L & MALSR RWY 35L; MIRL RWY 09L/27R - CTAF. PAPI RWY 27R, PAPI RWY 9 L/R, 17L/R, 27L AND 35L/R OPR CONSLY.  
 A 110-001 HVY STUDENT TRNG ACTVTY WI 15 MI OF ARPT.  
 A 110-002 BIRDS ON & INVOF ARPT.  
 A 110-004 LGTD ENTRANCE RD 1600' EAST OF RY 17R/35L.  
 A 110-005 CUSTOMS AVBL 24/7/365. YOU MUST SPEAK WITH AN OFFICER BEFORE ARRIVAL (USE PHONE OPTIONS) 701-772-3301 OR 701-772-6433.  
 A 110-008 PAEW 2330-0600 LOCAL  
 A 110-009 HVY STUDENT HELICOPTER TRAINING AT ARPT BTN PARALLEL TWYS.-  
 A 110-011 TWY G & TWY U CLSD TO FIXED WING ACFT 12,500 LBS & OVER.  
 A 110-012 WESTERN MOST 100 FT OF TWY C1 IS AN EXTENSION OF THE BRAVO APRON & NOT VSBL FR THE TWR.  
 111 INSPECTOR: (F) 112 LAST INSP: 04/20/2023 113 LAST INFO REQ:







> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: ND LOC ID: GFK FAA SITE NR: 17349.1\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DMA 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 93 HELICOPTERS:  
 TOTAL:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
     BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

|                          |       |       |       |       |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY:     | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | /     | /     | /     | /     |
| > 43 VGSI:               | /     | /     | /     | /     |
| 44 THR COSSING HGT.:     | /     | /     | /     | /     |
| 45 VISUAL GLIDE ANGLE:   | /     | /     | /     | /     |
| > 46 CNTRLN-TDZ:         | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV:            | - / - | - / - | - / - | - / - |
| > 48 REIL:               | /     | /     | /     | /     |
| > 49 APCH LIGHTS:        | /     | /     | /     | /     |

**OBSTRUCTION DATA**

|                         |   |   |   |   |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY      | / | / | / | / |
| > 51 DISPLACED THR:     | / | / | / | / |
| > 52 CTLG OBSTN:        | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET:     | / | / | / | / |
| 57 OBSTN CLNC SLOPE:    | / | / | / | / |
| 58 CLOSE-IN OBSTN:      | / | / | / | / |

**DECLARED DISTANCES**

|                                  |   |   |   |   |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA):   | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA):  | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA):       | / | / | / | / |

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: ( F ) 112 LAST INSP: 04/20/2023 113 LAST INFO REQ: