



> 1 ASSOC CITY: HONOLULU 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: DANIEL K INOUYE INTL 5 COUNTY: HONOLULU HI  
 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

**GENERAL**

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: STATE OF HAWAII  
 > 12 ADDRESS: HONOLULU INTL AIRPORT  
 HONOLULU, HI 96819  
 > 13 PHONE NR: 808-838-8600  
 > 14 MANAGER: ROY SAKATA  
 > 15 ADDRESS: 300 RODGERS BLVD. #12  
 HONOLULU, HI 96819-1897  
 > 16 PHONE NR: 808-836-6533  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL ALL

**SERVICES**

> 70 FUEL: 100 A A1+ B  
 > 71 AIRFRAME RPRS: MAJOR  
 > 72 PWR PLANT RPRS: MAJOR  
 > 73 BOTTLE OXYGEN: HIGH/LOW  
 > 74 BULK OXYGEN: HIGH/LOW  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:  
 AFRT, AGRI, AMB, AVNCS, CARGO, CHTR,  
 INSTR, RNTL, SALES, SURV

**BASED AIRCRAFT**

90 SINGLE ENG: 105  
 91 MULTI ENG: 33  
 92 JET: 8  
 TOTAL: 146  
 93 HELICOPTERS: 22  
 94 GLIDERS: 0  
 95 MILITARY: 45  
 96 ULTRA-LIGHT: 0

**FACILITIES**

> 80 ARPT BCN: CG  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED : SS-SSR  
 > 82 UNICOM:  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: HONOLULU  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**OPERATIONS**

100 AIR CARRIER: 159,726  
 102 AIR TAXI: 92,317  
 103 G A LOCAL: 22  
 104 G A ITRNT: 36,708  
 105 MILITARY: 13,821  
 TOTAL: 302,594  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING: 06/30/2019

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 21-19-04.1790N ESTIMATED  
 20 ARPT LONG: 157-55-12.9458W  
 21 ARPT ELEV: 12.9 SURVEYED  
 22 ACREAGE: 4,220  
 > 23 RIGHT TRAFFIC: NO  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGPSY3  
 > 26 FAR 139 INDEX: I E S 05/1973

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	04L/22R	04R/22L	04W/22W	08L/26R
> 30 RUNWAY INDENT:	6,952	9,000	3,000	12,312
> 31 LENGTH:	150	150	150	150
> 32 WIDTH:	ASPH-F	ASPH-E	WATER	ASPH-F
> 33 SURF TYPE-COND:		GRVD		GRVD
> 34 SURF TREATMENT:	100.0	100.0	100.0	100.0
35 GROSS WT: S	200.0	200.0	200.0	200.0
36 (IN THSDS) D	400.0	400.0	400.0	400.0
37 2D	850.0	850.0	850.0	780.0
38 2D/2D2	31 /F/B/X/T	57 /F/B/X/T		79 /R/B/W/T
> 39 PCN:				
<b>LIGHTING/APCH AIDS</b>				
> 40 EDGE INTENSITY:	HIGH	HIGH		HIGH
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	PIR - F / PIR - G	BUOY - / BUOY -	PIR - F / PIR - F
> 43 VGS:	P4L /	P4L / P4L	/	P4L / P4L
44 THR CROSSING HGT	50 /	71 / 80	/	71 / 65
45 VISUAL GLIDE ANGLE:	3.00 /	3.00 / 3.44	/	3.00 / 3.25
> 46 CNTRLN-TDZ:	N - N / N - N	- / N - N	- / -	N - N / N - N
> 47 RVR-RVV:	- N / - N	- / - N	- / -	- N / - N
> 48 REIL:	Y / Y	N / Y	/	N / Y
> 49 APCH LIGHTS:	/	MALSR /	/	MALSR /
<b>OBSTRUCTION DATA</b>				
50 FAR 77 CATEGORY	C / B(V)	PIR / B(V)	A(V) / A(V)	PIR / B(V)
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/ ANT	TREE / STACK	/	/ ROAD
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/ 50	20 / 74	/	/ 15
> 55 DIST FROM RWY END:	/ 1,500	1,100 / 2,000	/	/ 600
> 56 CNTRLN OFFSET:	/ 20L	200R / 475R	/	/ 500L
57 OBSTN CLNC SLOPE:	50:1 / 26:1	46:1 / 27:1	/	50:1 / 26:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N
<b>DECLARED DISTANCES</b>				
> 60 TAKE OFF RUN AVBL (TORA):	6,952 / 6,952	9,000 / 9,000	/	12,300 / 12,300
> 61 TAKE OFF DIST AVBL (TODA):	6,952 / 6,952	9,000 / 9,000	/	12,300 / 12,300
> 62 ACLT STOP DIST AVBL (ASDA):	6,952 / 6,952	8,950 / 8,937	/	12,300 / 12,300
> 63 LNDG DIST AVBL (LDA):	6,952 / 6,952	8,950 / 8,937	/	12,300 / 12,300

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 002 (JOINT BASE PEARL HARBOR-HICKAM)  
 A 014 AIRSIDE MGR STEVE MARUYAMA (808) 836-6428; 24/7 ARPT DUTY MGR (808) 835-5434.  
 A 024 LNDG FEE AND STORAGE CHARGES COLLBL ON ARR.  
 A 032 RWY 08L/26R 200 FT WIDE WITH LGTS OUTSIDE, PVMT STRIPED 150 FT WIDE.  
 A 043 RWY 08R VASI UPPER GA 3.25 DEG TCH 96 FT; LOWER GA 3.00 DEG TCH 52 FT.  
 A 043 RWY 22L PAPI UNUSBL BYD 2 NM.  
 A 043 RWY 26L PAPI ALIGNED 05 DEG L OF RWY CNTRLN. RWY 26L PAPI UNUSBLE BYD 5 DEG R OF RWY CNTRLN.  
 A 043 RWY 26R PAPI UNUSBL BYD 1.5 NM FROM THR  
 A 052 RWY 26L (3) CRANES  
 A 070 100 OCTANE FUEL AVBL THRU FBO.  
 A 095 INCLUDES MILITARY HELICOPTERS.  
 A 110-005 RMN AT LEAST 1 MILE OFF SHORE OF WAIKIKI DIAMOND HEAD KOKO HEAD & EWA BEACH. ARR RWY 08L; FLY ILS APCH PROC OR A CLOSE-IN BASE LEG RMNG OVER CNTR OF PEARL HARBOR CHNL. ARR 26L/R; RNM AT TFC PAT ALTS AS LONG AS PSBL BFR BGNG DSCNT FOR LNDG.  
 A 110-021 PPR FM AMGR FOR TRANSPORTATION OF CLASS A OR B EXPLOS IN AND/OR OUT OF HNL.  
 111 INSPECTOR: (F) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	08R/26L	08W/26W		
	12,000	5,000		
	200	300		
	ASPH-E	WATER		
	GRVD			
	80.0			
	170.0			
	400.0			
	780.0			
	98 /F/B/X/T			
	HIGH			
	PIR - G / PIR - F	BUOY - / BUOY -	- / -	- / -
	V6L / P4L	/	/	/
	96 / 75	/	/	/
	3.25 / 3.00	/	/	/
	N - N / N - N	- / -	- / -	- / -
	- N / - N	- / -	- / -	- / -
	Y / N	/	/	/
	/ MALSF	/	/	/
	C / D	A(V) / A(V)	/	/
	/	/	/	/
	/	/	/	/
	/ LM	/	/	/
	/ 219	/	/	/
	/ 9,000	/	/	/
	/ 300R	/	/	/
	50:1 / 40:1	/	/	/
	N / N	N / N	/	/
	12,000 / 12,000	/	/	/
	12,000 / 12,000	/	/	/
	12,000 / 12,000	/	/	/
	12,000 / 12,000	/	/	/

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-027 DUE TO NON-VISIBILITY TWR UNABLE TO DETERMINE IF THE FLWG AREAS ARE CLEAR OF OBSTRUCTIONS AND/OR TFC: PORTIONS OF TWY RB BTN TWY B & RY 08R; PORTIONS OF INTER-ISLAND ACFT PARKING RAMP.
- A 110-042 DUE TO LOCATION OF ATCT, CONTROLLERS UNABLE TO DETERMINE WHETHER ACFT ARE ON CORRECT FINAL APCH TO RYS 04L-04R AND 22L-22R.
- A 110-043 TWYS G ADG V AND BELOW POWER IN W/PPR.
- A 110-044 RWYS CLSD EVERY MONTH AS FOLLOWS: RWY 04R/22L 1730-2030Z FIRST TUE; RWY 08R/26L 1645-1845Z SECOND TUE; RWY 08L/26R 1730-2030Z THIRD TUE.
- A 110-045 CAUTION: DURING PERIODS OF REPEATED PRECIPITATION ANTICIPATE WET RY CONDITIONS, IF CURRENT CONDITIONS RQR CONFIRMATION CTC HONOLULU TWR ON INITIAL CONTACT.
- A 110-046 CAUTION: RECREATIONAL BOATING ACTIVITIES ON AND INVOF WATERWAYS.
- A 110-047 MILITARY: ALL ACFT INBD TO HICKAM SHOULD ADDRESS FLT PLAN TO PHIKYXYX.
- A 110-048 MILITARY: ALL MIL ACFT WITH VIP CODE 7 OR ABV CTC 15WG COMMAND POST OR RELAY THRU HF/SSB AWY 1 HR OUT TO CFM BLOCKTIME.
- A 110-049 TFC PAT OVHD ALT 2000 FT, RESTRICTED TO HIANG AND SENTRY ALOHA ACFT.

111 INSPECTOR: (F) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-050 MILITARY: ALL MIL ACFT RQR CSTMS/AG/IMG INSPECTION MUST CTC 15WG COMMAND POST OR IF AMC CTC HICKAM AMCC, NLT 3 HRS PRIOR TO ARR WITH DEPARTURE LOCATION, EST BLOCK TIME, NR OF AIRCREW, CIV/MIL PAX, FOREIGN NATIONALS, AND DV CODES.\*  
 A 110-051 RYS 04W/22W AND 08W/26W RECREATIONAL BOATING ACTIVITIES ON AND INVOF WATERWAYS.  
 A 110-052 BIRD STRIKE HAZARD ALL RUNWAYS.  
 A 110-053 MILITARY A-GEAR: HOOK MB100(B) LCTD 200 FT FM THLD RY 26R.  
 A 110-054 MILITARY: TO MINIMIZE FOD POTENTIAL, ALL AIRCRAFT SHOULD USE MINIMUM THRUST, SPCLY OUTBOARD ENGINES, WHEN TAXIING PAST THE F-22 ALERT FAC ON TWY T.  
 A 110-055 MILITARY CAUTION: FOD HAZARD EXISTS ON ALL MOVEMENT AREAS E OF TWY S. FIGHTER AIRCRAFT EXERCISE EXTREME CTN WHEN TAXIING.  
 A 110-056 MILITARY CAUTION: A FOD HAZARD EXISTS ON ALL TAXIWAYS AND RUNWAYS BUT ESPECIALLY ON RUNWAY 4L/22R AND TAXIWAYS NORTH OF RUNWAY 8L/26R.  
 A 110-058 MILITARY CAUTION: NO FIGHTER TRANSIENT SUPPORT AVAILABLE IN ACCORDANCE WITH ACC LSET FLASH SAFETY 06-02. TRANSIENT FIGHTER UNITS SHOULD PROVIDE THEIR OWN MAINTENANCE SUPPORT.  
 A 110-059 MILITARY RSTD: UPON ARRIVAL, CREWS WILL PROCEED DIRECTLY TO COMMAND POST (BLDG 2050) AND COMPLETE AN OUTBOUND SETUP SHEET TO FACILITATE DEPARTURE REQUIREMENTS.

111 INSPECTOR: (F) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-060 MILITARY/COMMUNICATIONS: BEDTIME (ALL CORONET W TANKERS USE 311.0 FOR TANKER-FTR INTER-PLANE ON LAUNCH DAY. AFT DUTY HR DSN 448-8888 613AOC/AMD, FLT MGMT).  
 A 110-063 MILITARY MISC: WX OPR H24, DSN 449-2251, C808-658-9961.  
 A 110-064 MILITARY MISC (2 OF 2 CONT'D): LTD WX BRIEF SUPPORT.REMOTE FLT WX BRIEFINGS CTC 17TH WX SQ H24, DSN 315-449-7950/8333, FAX DSN 315-449-8336; 2 HR PN RQR FOR TIMELY BRIEF.OFFICIAL OBSN TAKEN BY FAA. COOPERATIVE WX WATCH PROCEDURES DO NOT EXIST BTW WX AND ATC.  
 A 110-065 MILITARY MISC: NO COMSEC MATERIAL AVBL THRU HICKAM AIRFIELD OPS.  
 A 110-066 MILITARY REMARKS: SEE FLIP AP/3 SUPPLEMENTARY APRT INFO, RTE AND AREA RSTD, AND OAKLAND FIR FLT HAZ.  
 A 110-067 ASDE-X IN USE. OPERATE TRANSPONDERS WITH ALTITUDE REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.  
 A 110-069 MILITARY MISC: AFLD OPS DSN 449-0046/0048 FAX DSN 449-7624.  
 A 110-070 MILITARY RSTD: TWR APVL REQUIRED TO USE TWY KILO FROM RY 4R. TWY RA HOLD SHORT APCH ZONE RWY 04L/R AT HOLD LINE. TWY P CLSD TO ACFT OVER 12,500 LB.  
 A 110-071 MILITARY SERVICE-A-GEAR: RWY 4R/22L AND 8R/26L SFC GROOVED WITHIN 10 FT OF A-G SYSTEM. POTENTIAL FOR FTR ACFT TAIL HOOK SKIP EXISTS.

111 INSPECTOR: ( F ) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-072 MILITARY MISC 1 OF 2: DUE TO SENSITIVITIES OF CITIZENS, FTR ACFT DEP ONLY AUTHORIZED FR 1700-0700Z MON-SAT, AND 1800-0700Z SUN AND HOL. ALL REQ FOR WAIVERS WILL BE SENT TO THE 15/OG/CC OR 154 OG/CC FOR HIANG AIRCRAFT AT LEAST 5 WORKING DAYS IN ADVANCE.
- A 110-073 MILITARY MISC 2 OF 2: WAIVERS WILL BE GRANTED ON EXTREME NEC. IF SHORT NOTICE MSN ESSENTIAL WAIVERS ARE NEC, CTC 150G/CC BY FONE THRU 15 WG COMD POST(15 WG/CP) OR 154 OG/CC FOR HIANG AIRCRAFT. 15 WG COMMAND POST WILL PASS APVL TO HICKAM FLT SVC AND HICKAM RAMP ADZY.
- A 110-074 MILITARY TRAN ALERT: 15 WG CAN PROVIDE EQPT BUT CREWS MUST PROVIDE OWN PERS WHEN NEEDED.
- A 110-075 MILITARY RSTD: JBPH-H IS PPR TO ALL NON-TFWC MSN, AMC TRNG MSN AND KC-135 8 UN & 8 EN MSN CALL 735TH MOC AT DSN (315) 499-6970 FOR PPR. ALL AMC PPR WILL BE COORD MON-FRI 1700-0400Z ONLY. ALL NON-AMC ACFT SUCH AS FOREIGN, SISTER SVC, TRAN ACFT OR KC-135 AND, QDN, QEN, PEN, KEN, CJZ, DV1, DV7, DC5, AND C-130 MSN MUST CTC 15 OSS/OSA (AMOPS) AT DSN (315) 449-0046 FOR PPR. ALL PPR WILL BE APVD NO EARLIER THAN 72 HR BUT NO LATER THAN 24 HR PRIOR.
- A 110-076 MILITARY RSTD: ALL TRAN ACFT NOT ON AN AMC/TWCF MSN AND HOME STN ACFT TERMINATING AT JBPH-H, WILL PROVIDE A 3 HR OUT CALL (COMM 808-448-6900) AS WELL AS A 20-30 MIN OUT CALL ON 292.5 TO THE 15 WG/CP (KOA CONTROL).

111 INSPECTOR: ( F ) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-078 MILITARY RSTD: MIL ACFT OPR DUR BIRD WATCH COND MODERATE (INITIAL TKOF OR FULL STOP LDG ONLY, NO MULTIPLE IFR/VFR APCH) AND SEVERE (TKOF AND LDG PROH WO 15 OG/CC APVL OR 154 OG/CC APVL FOR HIANG ACFT) CTC HIK RAMP, PTD, 15 WG COMD POST, 735 AMC COMD POST, 154 WG COMD POST FOR CURRENT COND.
- A 110-079 ALL JET ACFT CTC RAMP CONTROL PRIOR TO ENGINE START AT GATE OR HARD STAND.
- A 110-083 WIDE BODY AND 4 ENGINE TBJS LDG ON RY 04R ROLL TO END OF RY, NO LEFT TURN AT TWY K WO APVL.
- A 110-084 APRON TAXILANE 2 EAST END 360 FT CLSD.
- A 110-085 APRON TAXILANE 6 BTWN TWY C AND SOUTH RAMP CLSD EXCEPT GA/FIXED WING LOADING/UNLOADING ONLY.
- A 110-086 MILITARY SERVICE-FUEL: A++ (MIL; AVBL H24).
- A 110-087 MILITARY MISC: ANG - HI ANG AFLD OPS OPR 1500-0300Z MON-FRI AND UTA WKENDS; CLSD SAT, SUN AND HOL.

111 INSPECTOR: (F) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: HI LOC ID: HNL FAA SITE NR: 52161.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: ( F ) 112 LAST INSP: 07/26/2019 113 LAST INFO REQ: