



> 1 ASSOC CITY: LIHUE 4 STATE: HI LOC ID: LIH FAA SITE NR: 52420.*A
 > 2 AIRPORT NAME: LIHUE 5 COUNTY: KAUAI HI
 3 CBD TO AIRPORT (NM): 02 E 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: HAWAII ST ARPTS DIV
 > 12 ADDRESS: HONOLULU INTL ARPT
 HONOLULU, HI 96819
 > 13 PHONE NR: 808-838-8600
 > 14 MANAGER: CRAIG H. DAVIS
 > 15 ADDRESS: 3901 MOKULELE LP BOX 6
 LIHUE, HI 96766
 > 16 PHONE NR: 808-274-3800
 > 17 ATTENDANCE SCHEDULE:

ALL ALL 0600-2200

SERVICES

> 70 FUEL: 100 A
 > 71 AIRFRAME RPRS: MINOR
 > 72 PWR PLANT RPRS: MINOR
 > 73 BOTTLE OXYGEN: NONE
 > 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: TIE
 76 OTHER SERVICES:
 AFRT, AGRI, CARGO, CHTR

BASED AIRCRAFT

90 SINGLE ENG: 19
 91 MULTI ENG: 5
 92 JET: 0
 TOTAL: 24
 93 HELICOPTERS: 22
 94 GLIDERS: 0
 95 MILITARY: 0
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: CG
 > 81 ARPT LGT SKED: SEE RMK
 BCN LGT SKED: SS-SR
 > 82 UNICOM:
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: YES
 86 FSS: HONOLULU
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 29,441
 102 AIR TAXI: 82,879
 103 G A LOCAL: 16,584
 104 G A ITNRNT: 6,635
 105 MILITARY: 2,419
 TOTAL: 137,958
 OPERATIONS FOR
 12 MONTHS
 ENDING: 06/28/2019

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	03/21	17/35	H1	H2
	6,500	6,500	40	40
	150	150	40	40
	ASPH-G	ASPH-G	CONC-G	CONC
	GRVD	GRVD		
	75.0	75.0		
	200.0	175.0		
	350.0	250.0		
	730.0	630.0		
	75 /F/A/W/T	75 /F/A/W/T		
	MED	HIGH		
	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
	P4L / P4L	P4L / P4L	/	/
	46 / 45	51 / 55	/	/
	3.00 / 3.00	3.00 / 3.00	/	/
	N - N / N - N	- / -	N - N / -	- / -
	- N / - N	- / -	- N / -	- / -
	Y / Y	Y /	N /	/
	/	/ MALSR	/	/
	B(V) / C	C / PIR	/	/
	/ 205	/	/	/
	/ TREE	/	/	/
	/	/	/	/
	/ 4	/	/	/
	/ 200	/	/	/
	/ 100R	/	/	/
	50:1 / 50:1	50:1 / 50:1	/	/
	N / N	N / N	N / N	N / N
	6,500 / 6,295	6,500 / 6,500	/	/
	6,500 / 6,295	6,500 / 6,500	/	/
	6,500 / 6,295	6,500 / 6,500	/	/
	6,500 / 6,295	6,500 / 6,500	/	/

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR CROSSING HGT
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 010 DIST. MGR; STATE OF HAWAII DEPT. OF TRANSPORTATION AIRPORTS DIV.
 A 026 <CRASH & FIRE EQUIPMENT AVBL 24 HRS.
 A 031 RWY 17/35 DISTANCE REMAINING SIGNS LEFT SIDE
 A 043 RWY 03 UNUSBL BYD 1.5 NM AND 7 DEGS LEFT OF CNTRLN AND OFFSET 9.5 DEG E OF CNTRLN DUE TO RAPIDLY RISING TRRN.
 A 043 RWY 17 UNUSBL BYD 5 DEGS RIGHT OF CNTRLN.
 A 070 100 OCTANE FUEL AVBL 0900-1700. FOR JET A FUEL CALL 1-800-776-2138 OR 1-800-821-3122.
 A 072 HELI MAJOR.
 A 081 ACTVT MALSR RWY 35; REIL RWYS 03, 17, & 21; PAPI RWY 03; MIRL RWY 03/21; HIRL RWY 17/35; TWY LGTS - CTAF.
 A 110-001 STADIUM FLOOD LIGHTS 125 FT AGL/282 FT MSL/ 2400 FT SW FROM RWY 03 THR.
 A 110-005 INTXN DEPS FM TWY D ON RY 17/35 NOT AUTHORIZED.
 A 110-006 PPR FOR TRANSPORTATION OF DIVISION 1.1, 1.2, 1.3, 1.4 EXPLOSIVES AND HAZARDOUS MATERIAL IN AND OUT OF ARPT. CALL 1(808)241-3912.
 A 110-007 MILITARY ACFT MAKE FUEL ARRANGEMENTS BEFORE ARRIVAL.
 A 110-008 DUE TO NONVISIBILITY ATCT UNABLE TO PROVIDE ATC SVC BTN ACFT AND/OR VEHICLES ON TWY B FM 220 FT TO 500 FT S OF TWY D.
 A 110-014 RY 17/35 WGT LIMIT DC10-10 340000 LBS; DC10-30 430000 LBS.
 111 INSPECTOR: (F) 112 LAST INSP: 06/28/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: LIH FAA SITE NR: 52420.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 TOTAL:
 93 HELICOPTERS:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED:
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

111 INSPECTOR: (F) 112 LAST INSP: 06/28/2019 113 LAST INFO REQ: