

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

> 1 ASSOC CITY:	PALMDALE	4 STATE: CA	LOC ID: PMD	FAA SITE NR: 02013.*A
> 2 AIRPORT NAME:	PALMDALE USAF PLANT 42		5 COUNTY: LOS ANGELES CA	
3 CBD TO AIRPORT (NM): 03 NE		6 REGION/ADO: AWP/LAX	7 SECT AERO CHT: LOS ANGELES	

OPERATIONS

10 OWNERSHIP:	AIR FORCE	70 FUEL:	Information on aircraft operations is available from FAA's Aviation System Performance Metrics https://aspm.faa.gov
> 11 OWNER:	USAF	71 AIRFRAME RPRS:	
> 12 ADDRESS:	2503 E AVE P PALMDALE, CA 93550-2196	72 PWR PLANT RPRS:	
> 13 PHONE NR:	661-275-9341	73 BOTTLE OXYGEN:	
> 14 MANAGER:	MATT FISHER	74 BULK OXYGEN:	
> 15 ADDRESS:	2503 E AVE P PALMDALE, CA 93550-2196	75 TSNT STORAGE:	
> 16 PHONE NR:	661-275-9342	76 OTHER SERVICES:	
> 17 ATTENDANCE SCHEDULE:			

FACILITIES

ALL	ALL	1330-0600Z++	<u>FACILITIES</u>
18 AIRPORT USE:	PUBLIC	80 ARPT BCN:	WG
19 ARPT LAT:	34-37-45.8000N ESTIMATED	81 ARPT LGT SKED :	SEE RMK
20 ARPT LONG:	118-05-04.3900W	BCN LGT SKED:	SS-SR
21 ARPT ELEV:	2542.5 SURVEYED	82 UNICOM:	
22 ACREAGE:	5,832	83 WIND INDICATOR:	YES
> 23 RIGHT TRAFFIC:	04, 25	84 SEGMENTED CIRCLE:	YES
> 24 NON-COMM LANDING:	YES	85 CONTROL TWR:	YES
25 NPIAS/FED AGREEMENTS:	NGY	86 FSS:	RIVERSIDE
> 26 FAR 139 INDEX:		87 FSS ON ARPT:	NO
		88 FSS PHONE NR:	
		89 TOLL FREE NR:	1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:	04/22	07/25	072/252
> 31 LENGTH:	12,001	12,002	6,000
> 32 WIDTH:	150	200	75
> 33 SURF TYPE-COND:	CONC-G	CONC-G	CONC-E
> 34 SURF TREATMENT:	NONE	NONE	NONE
35 GROSS WT: S			
36 (IN THSDS) D			
37 2D			
38 2D/2D2			
> 39 PCN:	53 /R/B/W/T	71 /R/B/W/T	97 /R/B/W/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	HIGH	HIGH		
> 42 RWY MARK TYPE-COND:	BSC - G / BSC - G	NPI - G / PIR - G	- / -	- / -
> 43 VGS:	P4L / P4L	P4L / P4L	/	/
44 THR COSSING HGT.:	75 / 75	78 / 76	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	- N / - N	- N / - N	- / -	- / -
> 48 REIL:	N / N	N / N	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	HILL	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	35:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 011	KEN NEITZEL, FLIGHT DIRECTOR, PHONE 661-275-9341.
A 014	CHIEF OF USAF AIRFIELD OPERATIONS.
A 015	CIVILIAN AIRPORT CONTACT AT 39516 NORTH 25TH STREET E, PALMDALE, CA 93550, CURRENTLY CLOSED.
A 017	CLSD FED HOL.
A 017	OTHER TIMES CLSD TO ALL TFC WITHOUT WRITTEN APVL.
A 018	OFFICAL BUSINESS ONLY. MILITARY ARPT. CIVIL USE REQUIRES USAF APPROVAL AND DD FORM 2400/01/02.
A 030	RWY 072/252 RY USED AS A MILITARY ASSAULT STRIP.
A 031	RWY 07/25 1000 FT ASPH OVRN EACH END; OVRN POOR COND EMERG USE ONLY.
A 043	RWY 04 UNUSBL BYD 5.0 NM.
A 043	RWY 07 UNUSBL BYD 5.0 NM DUE TO TRRN.
A 052	RWY 04 23000' FM THR.
A 081	PAPI RWY 04, 07, 22, & 25 OPR CONSLY.
A 103	PRIMLY TRMG 747-707-727.
A 110	THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-001	MISC: INDUS INSTLN - NO TRNSPN, LODGING OR NML SVC AVBL ON SITE.
111 INSPECTOR:	(F)
112 LAST INSP:	06/10/2008
113 LAST INFO REQ:	

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

> 1 ASSOC CITY:***CONTINUED***

> 2 AIRPORT NAME:

3 CBD TO AIRPORT (NM):

4 STATE: CA

6 REGION/ADO: AWP/LAX

LOC ID: PMD

5 COUNTY:

7 SECT AERO CHT:

FAA SITE NR: 02013.*A

GENERAL

10 OWNERSHIP:

> 11 OWNER:

> 12 ADDRESS:

> 13 PHONE NR:

> 14 MANAGER:

> 15 ADDRESS:

> 16 PHONE NR:

> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:

72 PWR PLANT RPRS:

73 BOTTLE OXYGEN:

74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:

19 ARPT LAT:

20 ARPT LONG:

21 ARPT ELEV:

22 ACREAGE:

> 23 RIGHT TRAFFIC:

> 24 NON-COMM LANDING:

25 NPIAS/FED AGREEMENTS:

> 26 FAR 139 INDEX:

80 ARPT BCN:

81 ARPT LGT SKED :
BCN LGT SKED:

82 UNICOM:

83 WIND INDICATOR:

84 SEGMENTED CIRCLE:

85 CONTROL TWR:

86 FSS:

87 FSS ON ARPT:

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: S

36 (IN THSDS) D

37 2D

38 2D/2D2

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSI:

44 THR COSSING HGT.:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-003PRKG RAMP LCTD S OF RWY 22 & TWY V NOT VSB FM ATCT.

A 110-017UNLGT OBSTN SURROUND AFLD.

A 110-018DRAINAGE DITCHES PARL RWY 22 FM TWY S TO TWY U.

A 110-019BIRD HAZ POTENTIAL EXISTS. MIGRATORY SEASON PHASE II 1 OCT - 31 MAR. DURG BWC MODERATE, TKOF AND LNDG PERMITTED. DURG BWC SEVERE, TKOF AND LNDG PROHIBITED.

A 110-021MILITARY USE: ASSAULT LDG ZONE LCTD 1ST 6,000 EAST END OF TWY B. RWY 252 MRK ONLY FOR C-130 ASSAULT OPR; ONE-WAY LDG ONLY.

A 110-023MISC: WINDS ARE EST DUE TO FMQ-13 WIND SENSORS BEING ACCURATE TO WITHIN ONLY +/- 2 KT. ATC/WX WILL NOT INCL/RELAY WIND CORR INTO FCST/PHRASEOLOGY. THEREFORE, AIRCREWS WILL INCORPORATE A +/- 2 KT ACCURACY INTO THEIR DECISION MAKING PROCESS FOR FLYING OPR.

A 110-028TRAN ALERT (1 OF 2): NO FLEET SVC AVBL. NO FLW ME SVC AVBL. EXP PROGRESSIVE TAXI TO PRK. AIRCREW RESPONSIBLE FOR ACFT PINNING/SAFING.

A 110-029MISC: COMSEC STORAGE UNAVBL.

111 INSPECTOR:(F)

112 LAST INSP:06/10/2008

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR CROSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD
> 54 HGT ABOVE RWY END
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

A 110-031	CAUTION: USE EXTREME CAUTION FOR UNMANNED AERIAL SYSTEMS (UAS) OPS IN VCNTY.
A 110-032	FUEL: A++ AVBL. NO TRANS ACFT FUEL SVC AVBL. LTD FUELING AVBL; GOVT ACFT ONLY 1600-2300Z++ MON-FRI. 24 HR PN WITH AFLD MGR RQR; NO SAME DAY REQ; GAS AND GO UNAVBL. EXPECT 2+ HR DELAY FOR FUEL.
A 110-033	RSTD - OFFL BUS ONLY. MIL ARPT. CIVIL USE RQR USAF APVL AND DD FORM 2400/01/02. PPR RQR FOR FULL STOP LDG ONLY. CALL C661-275-9342.
A 110-034	TRAN ALERT (2 OF 2): UNABLE TO SVC ACFT WITH ORDNANCE. LTD GRD SUPPORT EQUIPMENT AVBL. NO POTABLE WATER SVC. NO TRAN MAINT AVBL. GND SVC UNAVBL WHEN LIGHTNING WITHIN 5 NM.
A 110-035	MISC: FLT PLANS MUST BE FILED AND ACTIVATED WITH P42 AFLD MGMT. USE FLT SVC WHEN P42 AFLD MGMT CLSD.
A 110-038	CAUTION: VARIOUS ACFT TEST OPS MARKINGS PAINTED IN WHITE ON TAXIWAY UNIFORM.
A 110-039	CAUTION: RWY 25 NSTD MRK: SPOT LDG ZONE MRK LCTD AT 6000 FT REMAINING MRK. RWY 07-25 DECEPTIVE SFC MRK EXCEED STANDARD BY APPROX 50 FT.
A 110-040	RSTD: OVERNIGHT PRK UNAUTHD ON C-RAMP.
A 110-041	RSTD: TWY L BTN RWY 04/22 AND PAX TRML UNLGTD AND USABLE FOR DAYLT VFR ONLY.
A 110-042	ALL DEPT ACFT MUST FILE FPL WITH P42 AFLD MGMT OPS.
A 110-044	SERVICE-JASU: POWER CARS UNAVBL.

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2008 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D
> 39 PCN:

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR CROSSING HGT.:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCH LIGHTS:

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD
> 54 HGT ABOVE RWY END
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

A 110-045 MISC: BASE OPS OPR 1330-0600Z++, CLSD FEDERAL HOL.
A 110-047 CAUTION: CONTRACTOR LEASED SITES ARE INTENDED FOR ACFT BASED THEREIN; ENTRY GATES AND APRONS MAY NOT MEET AF OBST STDS.
A 110-048 CAUTION: CIV ACFT MAY NOT BE GRANTED ACCESS TO KPMD CLASS D FOR PRACTICE APCH OR TRSN OVER ARPT BDRYS.

111 INSPECTOR: (F) 112 LAST INSP: 06/10/2008 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/17/2025
AFD EFF 10/02/2025