



> 1 ASSOC CITY: SAN FRANCISCO 4 STATE: CA LOC ID: SFO FAA SITE NR: 02187.*A
 > 2 AIRPORT NAME: SAN FRANCISCO INTL 5 COUNTY: SAN MATEO CA
 3 CBD TO AIRPORT (NM): 08 SE 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: CITY & COUNTY OF SAN FRANCISCO
 > 12 ADDRESS: PO BOX 8097
 SAN FRANCISCO, CA 94128
 > 13 PHONE NR: 650-821-5000
 > 14 MANAGER: IVAR SATERO
 > 15 ADDRESS: PO BOX 8097
 SAN FRANCISCO, CA 94128
 > 16 PHONE NR: 650-821-5000
 > 17 ATTENDANCE SCHEDULE:
 ALL ALL ALL

SERVICES

> 70 FUEL: 100LL A A++
 > 71 AIRFRAME RPRS: NONE
 > 72 PWR PLANT RPRS: NONE
 > 73 BOTTLE OXYGEN: HIGH/LOW
 > 74 BULK OXYGEN: NONE
 75 TSNT STORAGE: HGR
 76 OTHER SERVICES:
 AFRT, AVNCS, CARGO, CHTR

BASED AIRCRAFT

90 SINGLE ENG: 0
 91 MULTI ENG: 0
 92 JET: 0
 93 HELICOPTERS: 0
 TOTAL: 0
 94 GLIDERS: 0
 95 MILITARY: 0
 96 ULTRA-LIGHT: 0

FACILITIES

> 80 ARPT BCN: WG
 > 81 ARPT LGT SKED :
 BCN LGT SKED : SS-SR
 > 82 UNICOM: 122.950
 > 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: OAKLAND
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

100 AIR CARRIER: 0
 102 AIR TAXI: 0
 103 G A LOCAL: 0
 104 G A ITRNT: 0
 105 MILITARY: 0
 TOTAL: 0
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 37-37-07.7000N ESTIMATED
 20 ARPT LONG: 122-22-31.5000W
 21 ARPT ELEV: 13.1 SURVEYED
 22 ACREAGE: 5,207
 > 23 RIGHT TRAFFIC: 28R, 10R
 > 24 NON-COMM LANDING: YES
 25 NPIAS/FED AGREEMENTS: NGRPY
 > 26 FAR 139 INDEX: I E S 05/1973

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	01L/19R	01R/19L	10L/28R	10R/28L
> 30 RUNWAY INDENT:	7,650	8,650	11,870	11,381
> 31 LENGTH:	200	200	200	200
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	75.0	75.0	75.0
35 GROSS WT: S	200.0	200.0	200.0	200.0
36 (IN THSDS) D	400.0	400.0	400.0	400.0
37 2D	877.0	877.0	877.0	877.0
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	HIGH	HIGH	HIGH
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
> 42 RWY MARK TYPE-COND:	/ P4L	/ P4L	P4L / P4L	P4L / P4L
> 43 VGSI:	/ 58	/ 71	80 / 68	68 / 67
44 THR COSSING HGT.:	/ 3.15	/ 3.00	3.00 / 3.00	3.00 / 2.85
45 VISUAL GLIDE ANGLE:	Y - N / Y - N	Y - N / Y - Y	Y - N / Y - Y	Y - N / Y - N
> 46 CNTRLN-TDZ:	TMR - N / TMR - N	TMR - N / TMR - N	TMR - N / TMR - N	TMR - N / TMR - N
> 47 RVR-RVV:	Y / N	Y / N	Y / N	N / N
> 48 REIL:	/	/ MALSF	/ ALSF2	/ MALSR
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	B(V) / C	B(V) / PIR	C / PIR	C / PIR
50 FAR 77 CATEGORY	640 /	560 /	/ 300	/ 300
> 51 DISPLACED THR:	/	TREE /	TOWER /	TOWER /
> 52 CTLG OBSTN:	/	/	LM /	LM /
> 53 OBSTN MARKED/LGTD:	/	177 /	88 /	87 /
> 54 HGT ABOVE RWY END:	/	4,000 /	3,280 /	3,875 /
> 55 DIST FROM RWY END:	/	200R /	1300R /	950R /
> 56 CNTRLN OFFSET:	50:1 / 50:1	21:1 / 50:1	35:1 / 50:1	42:1 / 50:1
57 OBSTN CLNC SLOPE:	N / N	Y / N	N / N	N / N
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	7,650 / 7,650	8,650 / 8,650	11,870 / 11,870	11,381 / 11,381
> 60 TAKE OFF RUN AVBL (TORA):	7,650 / 7,650	8,650 / 8,650	11,870 / 11,870	11,381 / 11,381
> 61 TAKE OFF DIST AVBL (TODA):	7,650 / 7,650	8,650 / 8,650	11,193 / 11,870	10,704 / 10,981
> 62 ACLT STOP DIST AVBL (ASDA):	7,010 / 7,650	8,090 / 8,650	11,193 / 11,236	10,704 / 10,275
> 63 LNDG DIST AVBL (LDA):				

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 011 GLENN BROTMAN: AIRFIELD OPERATIONS PHONE 650-821-3349 AND FAX 650-821-4670. SHANNON WILSON: AIRFIELD OPERATIONS PHONE 650-821-3366.
 A 014 JACK BELL: AIRSIDE OPNS DIR PHONE 650-821-3348.
 A 039 RWY 01L/19R PCR VALUE: 956/F/C/W/T
 A 039 RWY 01R/19L PCR VALUE: 986/F/C/W/T
 A 039 RWY 10L/28R PCR VALUE: 918/F/C/W/T
 A 039 RWY 10R/28L PCR VALUE: 866/F/B/W/T
 A 057 RWY 01R APCH RATIO 28:1 TO DISPLACED THRESHOLD.
 A 058 RWY 01R APCH BLOCKED BY A BLAST FENCE AND LOC ANT.
 A 110-003 FLOCKS OF BIRDS FEEDING ALONG SHORELINE ADJ TO ARPT; ON OCCASIONS FLY ACROSS VARIOUS PARTS OF THE ARPT.
 A 110-004 HIGH SPEED TWY (T) GRVD FULL WIDTH BTN RWY 28R AND 28L.
 A 110-006 NOISE SENSITIVE ARPT; FOR NOISE ABATEMENT PROCEDURES CTC ARPT NOISE OFFICE MON-FRI 0800-1700 BY CALLING 650-821-5100.
 A 110-009 SEVERAL RY HOLD POSITION SIGNS ARE ON THE RIGHT RATHER THAN THE LEFT SIDE OF THE TWYS.
 A 110-018 RY 10 PREFERRED RY BTWN 0100-0600 WEATHER AND FLIGHT CONDITIONS PERMITTING.
 A 110-020 AIRLINE PILOTS SHALL STRICTLY FOLLOW THE PAINTED NOSE GEAR LINES AND NO OVERSTEERING ADJUSTMENT IS PERMITTED.
 111 INSPECTOR: (F) 112 LAST INSP: 04/12/2024 113 LAST INFO REQ:

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: SFO FAA SITE NR: 02187.*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

> 70 FUEL:
 > 71 AIRFRAME RPRS:
 > 72 PWR PLANT RPRS:
 > 73 BOTTLE OXYGEN:
 > 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
 91 MULTI ENG:
 92 JET:
 93 HELICOPTERS:
 TOTAL:
 94 GLIDERS:
 95 MILITARY:
 96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
 > 81 ARPT LGT SKED :
 BCN LGT SKED :
 > 82 UNICOM:
 > 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
 102 AIR TAXI:
 103 G A LOCAL:
 104 G A ITNRNT:
 105 MILITARY:
 TOTAL:
 OPERATIONS FOR
 12 MONTHS
 ENDING:

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-021 PAEW APCH END RYS 28L, 28R, 19L INDEFLY.
- A 110-029 ALL OUBD TWY ZULU 2 HVY ACFT WITH A WINGSPAN OF 171 FT OR GTR UNDER PWR PROHIBITED FROM ENTERING WB TWY ZULU.
- A 110-030 SIMULTANEOUS OPERATIONS IN EFFECT ALL RYS.
- A 110-033 RWY 1L CLSD TO DEPARTING TRIJET ACFT WITH WINGSPAN GREATER THAN 155 FT.
- A 110-034 RWY STATUS LGTS IN OPN.
- A 110-035 TWY S BTN TWY Z AND TWY S2 CLSD TO ACFT WITH WINGSPAN OVER 215 FT.
- A 110-036 DUE TO OBSTD VISION, SFO TWR IS ABLE TO PRVD ONLY LTD ARPT TFC CTL SVC ON TWY A BTN GATES F20 AND F21.

111 INSPECTOR: (F) 112 LAST INSP: 04/12/2024 113 LAST INFO REQ: