



> 1 ASSOC CITY: SALT LAKE CITY 4 STATE: UT LOC ID: SLC FAA SITE NR: 25289.\*A  
 > 2 AIRPORT NAME: SALT LAKE CITY INTL 5 COUNTY: SALT LAKE UT  
 3 CBD TO AIRPORT (NM): 03 W 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT: SALT LAKE CITY

<b>GENERAL</b>		<b>SERVICES</b>		<b>BASED AIRCRAFT</b>	
> 10 OWNERSHIP:	PUBLIC	> 70 FUEL:	100LL A1+	90 SINGLE ENG:	190
> 11 OWNER:	SALT LAKE CITY	> 71 AIRFRAME RPRS:	MAJOR	91 MULTI ENG:	69
> 12 ADDRESS:	CITY AND COUNTY BLDG SALT LAKE CITY, UT 84101	> 72 PWR PLANT RPRS:	MAJOR	92 JET:	45
> 13 PHONE NR:	801-575-2401	> 73 BOTTLE OXYGEN:	HIGH/LOW	TOTAL:	304
> 14 MANAGER:	BILL WYATT	> 74 BULK OXYGEN:	HIGH/LOW	93 HELICOPTERS:	29
> 15 ADDRESS:	P.O. BOX 145550 SALT LAKE CITY, UT 84114-5550	75 TSNT STORAGE:	HGR, TIE	94 GLIDERS:	0
> 16 PHONE NR:	(801) 575-2408	76 OTHER SERVICES:	AFRT, AMB, AVNCS, CARGO, CHTR, INSTR, RNTL, SALES	95 MILITARY:	0
> 17 ATTENDANCE SCHEDULE:				96 ULTRA-LIGHT:	0

ALL	ALL	ALL	<b>FACILITIES</b>		<b>OPERATIONS</b>	
18 AIRPORT USE:	PUBLIC	> 80 ARPT BCN:	CG	100 AIR CARRIER:	223,099	
19 ARPT LAT:	40-47-18.2160N ESTIMATED	> 81 ARPT LGT SKED :	SS-SR	102 AIR TAXI:	59,493	
20 ARPT LONG:	111-58-39.9840W	BCN LGT SKED :	SS-SR	103 G A LOCAL:	4,942	
21 ARPT ELEV:	4230.9 SURVEYED	> 82 UNICOM:	122.950	104 G A ITRNT:	41,712	
22 ACREAGE:	7,700	> 83 WIND INDICATOR:	YES-L	105 MILITARY:	6,519	
> 23 RIGHT TRAFFIC:	NO	84 SEGMENTED CIRCLE:	NONE	TOTAL:	335,765	
> 24 NON-COMM LANDING:	NO	85 CONTROL TWR:	YES	OPERATIONS FOR		
25 NPIAS/FED AGREEMENTS:	NGPY	86 FSS:	CEDAR CITY	12 MONTHS		
> 26 FAR 139 INDEX:	I E S 05/1973	87 FSS ON ARPT:	NO	ENDING:	12/31/2018	
		88 FSS PHONE NR:				
		89 TOLL FREE NR:	1-800-WX-BRIEF			

	14/32	16L/34R	16R/34L	17/35
> 30 RUNWAY INDENT:	4,893	12,002	12,000	9,596
> 31 LENGTH:	150	150	150	150
> 32 WIDTH:	ASPH-G	ASPH-G	CONC-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	60.0	60.0	60.0	60.0
35 GROSS WT: S	200.0	200.0	200.0	200.0
36 (IN THSDS) D	350.0	350.0	350.0	350.0
37	2D	850.0	850.0	850.0
38	2D/2D2			
> 39 PCN:				

	HIGH	HIGH	HIGH	HIGH
> 40 EDGE INTENSITY:	BSC - G / BSC - G	PIR - G / PIR - G	PIR - G / PIR - G	PIR - G / PIR - G
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L	P4L / P4L	P4L / P4L
> 43 VGS:	40 / 41	70 / 73	73 / 73	76 / 74
44 THR CROSSING HGT	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y - Y	Y - Y / Y - Y	Y - Y / Y - Y
> 46 CNTRLN-TDZ:	- / -	TMR - N / TMR - N	TMR - N / TMR - N	TR - N / TR -
> 47 RVR-RVV:	N / N	/	/	/
> 48 REIL:	/	ALSF2 / ALSF2	ALSF2 / ALSF2	MALSR / MALSR
> 49 APCH LIGHTS:				

	A(V) / A(V)	PIR / PIR	PIR / PIR	PIR / PIR
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/ 324
> 52 CTLG OBSTN:	/	/	/	/ ANT
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/ 24
> 55 DIST FROM RWY END:	/	/	/	/ 1,005
> 56 CNTRLN OFFSET:	/	/	/	/ 250L
57 OBSTN CLNC SLOPE:	20:1 / 20:1	50:1 / 50:1	50:1 / 50:1	50:1 / 33:1
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

	4,892 / 4,892	12,002 / 12,002	12,000 / 12,000	9,597 / 9,597
> 60 TAKE OFF RUN AVBL (TORA):	4,892 / 4,892	12,002 / 12,002	12,000 / 12,000	9,597 / 9,597
> 61 TAKE OFF DIST AVBL (TODA):	4,892 / 4,892	12,002 / 12,002	12,000 / 12,000	9,597 / 9,597
> 62 ACFT STOP DIST AVBL (ASDA):	4,892 / 4,892	12,002 / 12,002	12,000 / 12,000	9,597 / 9,597
> 63 LNDG DIST AVBL (LDA):	4,892 / 4,892	12,002 / 12,002	12,000 / 12,000	9,597 / 9,273

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 030 RWY 14/32 CLSD BLW 1200 FT RVR.  
 A 030 RWY HB LIGHTED POLE 51 FT AGL 383 FT ESE OF HELIPAD B.  
 A 057 RWY 35 HAS +24 FT ANT 1005 FT, 250 FT, 50:1 DSPLCD THLD.  
 A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.  
 A 110-004 FLOCK OF BIRDS ON AND IN VICINITY OF ARPT.  
 A 110-006 HELIPADS B AND F LOCATED ON GENERAL AVIATION APRONS.  
 A 110-014 SURFACE MOVEMENT GUIDANCE CONTROL SYSTEM & LOW VISIBILITY TAXI PROCEDURES.  
 A 110-020 DUE TO TFC VOL, LCL DEPARTURE AND ARR OPNS ARE DISCOURAGED AND DLAS CAN BE EXPCD BTN 1500-1730Z++ AND 0130-0300Z++.  
 A 110-021 SVFR IS NOT RCMD AT THE ARPT, IF REQD, EXPT DLAS.  
 A 110-022 ANG RAMP - OPR 1430-2230Z++ MON-THU. CLSD FRI-SUN AND HOL. OFFL BUS ONLY. PPR REQ 48 HR ALL ACFT, VALID 1 HR +/- ETA. TRAN PRK/SVC EXTREMELY LTD. BASE OPS DSN 245-2274, C801-245-2274. MIL ALT HILL AFB (KHIF) 25 NM N. ALL ACFT CTC UTAH CTL (COMD POST) 20 MIN OUT WITH ETA AND REQ.  
 A 110-023 ANG RAMP - ALL ACFT CTC UTAH CONTROL WITH LDG & DEP TIMES. COMD POST DSN: 245-2416/2417; C801-245-2416/2417. PHASE II WILDLIFE ACT DURING MIGRATION/MORNING/EVENING HRS FR OCT-APR. CTC UTAH CTL FOR CURRENT BIRD-WATCH COND.  
 A 110-025 SEE FLIP AP/1 SUPPLEMENTARY ARPT INFO.

111 INSPECTOR: (F) 112 LAST INSP: 08/10/2018 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: UT LOC ID: SLC FAA SITE NR: 25289.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

<p><b>GENERAL</b></p> <p>10 OWNERSHIP:                  &gt; 11 OWNER:                  &gt; 12 ADDRESS:                  &gt; 13 PHONE NR:                  &gt; 14 MANAGER:                  &gt; 15 ADDRESS:                  &gt; 16 PHONE NR:                  &gt; 17 ATTENDANCE SCHEDULE:</p>	<p><b>SERVICES</b></p> <p>&gt; 70 FUEL:                  &gt; 71 AIRFRAME RPRS:                  &gt; 72 PWR PLANT RPRS:                  &gt; 73 BOTTLE OXYGEN:                  &gt; 74 BULK OXYGEN:                  75 TSNT STORAGE:                  76 OTHER SERVICES:</p>	<p><b>BASED AIRCRAFT</b></p> <p>90 SINGLE ENG:                  91 MULTI ENG:                  92 JET:                  TOTAL:                  93 HELICOPTERS:                  94 GLIDERS:                  95 MILITARY:                  96 ULTRA-LIGHT:</p>
--	--	---

<p>18 AIRPORT USE:                  19 ARPT LAT:                  20 ARPT LONG:                  21 ARPT ELEV:                  22 ACREAGE:                  &gt; 23 RIGHT TRAFFIC:                  &gt; 24 NON-COMM LANDING:                  25 NPIAS/FED AGREEMENTS:                  &gt; 26 FAR 139 INDEX:</p>	<p><b>FACILITIES</b></p> <p>&gt; 80 ARPT BCN:                  &gt; 81 ARPT LGT SKED :                  BCN LGT SKED:                  &gt; 82 UNICOM:                  &gt; 83 WIND INDICATOR:                  84 SEGMENTED CIRCLE:                  85 CONTROL TWR:                  86 FSS:                  87 FSS ON ARPT:                  88 FSS PHONE NR:                  89 TOLL FREE NR:</p>	<p><b>OPERATIONS</b></p> <p>100 AIR CARRIER:                  102 AIR TAXI:                  103 G A LOCAL:                  104 G A ITNRNT:                  105 MILITARY:                  TOTAL:                  OPERATIONS FOR                  12 MONTHS                  ENDING:</p>
--	--	---

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	HB	HF		
	60	60		
	60	60		
	ASPH-G	ASPH-G		
> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/
<b>OBSTRUCTION DATA</b>				
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/
<b>DECLARED DISTANCES</b>				
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-026 COMMUNICATIONS-ANG COMD POST: CALL UTAH CONTROL.  
 A 110-027 USE CAUTION FOR EXTENSIVE PARAGLIDING OPS INVOF POINT OF THE MOUNTAIN.  
 A 110-034 SEE CURRENT NOTAMS FOR DATES AND ADDITIONAL INFO.  
 A 110-046 ANG SERVICE-FUEL: A++.  
 A 110-047 TWY Y RSTD TO WINGSPANS LESS THAN 171 FT BTWN TWY H3 AND H4.  
 A 110-050 RWY 16L RUNUP AREA CLOSED PERMANENTLY.  
 A 110-053 USE MINIMUM THRUST IN CONSTRUCTION AREAS.  
 A 110-054 CONTACT GROUND ON 123.775 BEFORE TAXIING OUT OF NORTH CARGO.  
 A 110-055 ASDE-X IN USE. OPERATE TRANSPONDERS WITH ALTITUDE REPORTING MODE AND ADS-B (IF EQUIPPED) ENABLED ON ALL AIRPORT SURFACES.  
 A 110-057 RWY 34L DE-ICE PAD 128.975  
 A 110-058 RWY 34R DE-ICE PAD 129.975  
 A 110-059 TWY L DE-ICE PAD 131.975

111 INSPECTOR: ( F ) 112 LAST INSP: 08/10/2018 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: UT LOC ID: SLC FAA SITE NR: 25289.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/DEN 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR CROSSING HGT	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

A 110-061 RWY 16L DE-ICE PAD 131.975.  
 A 110-062 ACCESS TO D CONCOURSE EVEN NUMBERED GATES AND E CONCOURSE, THROUGH SPOTS 20 AND 21 ONLY.

111 INSPECTOR: ( F ) 112 LAST INSP: 08/10/2018 113 LAST INFO REQ: