



> 1 ASSOC CITY: TUCSON 4 STATE: AZ LOC ID: TUS FAA SITE NR: 00816.\*A  
 > 2 AIRPORT NAME: TUCSON INTL 5 COUNTY: PIMA AZ  
 3 CBD TO AIRPORT (NM): 06 S 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

**GENERAL**

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: TUCSON AIRPORT AUTHORITY  
 > 12 ADDRESS: 7250 SOUTH TUCSON BLVD, SUITE 300  
 TUCSON, AZ 85756  
 > 13 PHONE NR: 520-573-8100  
 > 14 MANAGER: BONNIE ALLIN  
 > 15 ADDRESS: TUCSON APT AUTH 7250 S TUCSON BLVD, SUITE  
 TUCSON, AZ 85756  
 > 16 PHONE NR: 520-573-8100  
 > 17 ATTENDANCE SCHEDULE:  
 ALL ALL ALL

**SERVICES**

> 70 FUEL: 100LL A  
 > 71 AIRFRAME RPRS: MAJOR  
 > 72 PWR PLANT RPRS: MAJOR  
 > 73 BOTTLE OXYGEN: HIGH/LOW  
 > 74 BULK OXYGEN: HIGH/LOW  
 75 TSNT STORAGE: TIE  
 76 OTHER SERVICES:  
 AFRT, AMB, AVNCS, CARGO, CHTR, INSTR,  
 RNTL, SALES, SURV

**BASED AIRCRAFT**

90 SINGLE ENG: 140  
 91 MULTI ENG: 15  
 92 JET: 69  
 TOTAL: 224  
 93 HELICOPTERS: 7  
 94 GLIDERS: 0  
 95 MILITARY: 79  
 96 ULTRA-LIGHT: 0

**FACILITIES**

> 80 ARPT BCN: CG  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED : SS-SR  
 > 82 UNICOM: 122.950  
 > 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: PRESCOTT  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

**OPERATIONS**

100 AIR CARRIER: 37,003  
 102 AIR TAXI: 14,024  
 103 G A LOCAL: 24,283  
 104 G A ITRNT: 37,511  
 105 MILITARY: 14,271  
 TOTAL: 127,092  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING: 01/31/2019

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 32-06-57.8490N ESTIMATED  
 20 ARPT LONG: 110-56-27.6500W  
 21 ARPT ELEV: 2643.0 SURVEYED  
 22 ACREAGE: 7,938  
 > 23 RIGHT TRAFFIC: 21, 29R, 11R  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGPSY3  
 > 26 FAR 139 INDEX: I C S 05/1973

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

	03/21	11L/29R	11R/29L
	7,000	10,996	8,408
	150	150	75
	ASPH-G	ASPH-G	ASPH-G
	GRVD	GRVD	
	105.0	160.0	120.0
	137.0	200.0	140.0
	230.0	350.0	220.0
	500.0	585.0	
	72 /F/A/X/T	81 /R/B/W/T	38 /F/B/X/T

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: / P4L  
 44 THR CROSSING HGT / 53  
 45 VISUAL GLIDE ANGLE: / 3.00  
 > 46 CNTRLN-TDZ: - N / - N  
 > 47 RVR-RVV: - N / - N  
 > 48 REIL: / Y  
 > 49 APCH LIGHTS: /

	MED	HIGH	MED
	NPI - G / NPI - G	PIR - G / NPI - G	BSC - G / BSC - G
	/ P4L	P4L / P4L	P4L /
	/ 53	73 / 81	45 /
	/ 3.00	3.00 / 3.00	3.00 /
	- N / - N	- N / - N	- N / - N
	- N / - N	T - N / R - N	- N / - N
	/ Y	/ Y	/ Y
	/	MALSR /	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY C / C  
 > 51 DISPLACED THR: 850 /  
 > 52 CTLG OBSTN: RR /  
 > 53 OBSTN MARKED/LGTD: /  
 > 54 HGT ABOVE RWY END: 21 / 40  
 > 55 DIST FROM RWY END: 270 / 1,400  
 > 56 CNTRLN OFFSET: 250L / 300R  
 57 OBSTN CLNC SLOPE: 3:1 / 30:1  
 58 CLOSE-IN OBSTN: N / N

	PIR / C	C / C
	/	/
	/ GND	/ POLE
	/	/ L
	/ 8	/ 37
	/ 400	/ 1,400
	/ 500R	/ 350L
	50:1 / 25:1	50:1 / 32:1
	N / N	N / N

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA): 7,000 / 6,000  
 > 61 TAKE OFF DIST AVBL (TODA): 7,000 / 7,000  
 > 62 ACLT STOP DIST AVBL (ASDA): 7,000 / 6,000  
 > 63 LNDG DIST AVBL (LDA): 6,150 / 6,000

	10,996 / 10,996	6,998 / 6,998
	10,996 / 10,996	6,998 / 6,998
	10,996 / 10,996	6,998 / 6,998
	10,996 / 10,996	6,998 / 6,998

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 014 ARPT OPS DATA CONTACT MARC GOMEZ 520-573-8130.
- A 017 BASE OPS OPR 1300-2200Z++ MON-FRI EXC HOL.
- A 037 RWY 03/21 FAA GWT EVALUATION DC-10-10 300000 LBS; DC-10-30/40 375000 LBS; L-1011-1 310000 LBS & L-1011-100/200 315000 LBS.
- A 037 RWY 11L/29R FAA GWT EVALUATION DC-10-10 315000 LBS; DC-10-30/40 400000 LBS; L-1011-1 325000 LBS & L-1011-100/200 340000 LBS.
- A 048 RWY 29L/29R REILS OPERATIONAL 24 HRS.
- A 057 RWY 03 APCH RATIO 50:1 TO DISPLACED THLD.
- A 110-001 ACFT DEPG RWY 11R REQD TO ATTAIN AT LEAST 400 FT AGL PRIOR TO STARTING TURN. DO NOT MISTAKE TWY A FOR A LANDING SURFACE. TWY A IS NORTH AND PARALLEL TO RWY 11L. ENSURE CORRECT LINEUP. RWY 29L IS THE SHORTER RWY SOUTH OF RWY 29R.
- A 110-002 PORTIONS OF TWY D NOT VISIBLE FROM ATCT DUE TO HANGARS.
- A 110-003 RWY 11L/29R HAS DSTC REMAINING MKS ON NE SIDE. RWY 03/21 HAS DSTC REMAINING MKRS ON SE SIDE.
- A 110-007 NO B-747 TRNG EXCP PPR; NO FLT TRNG 2200-0600 EXCP PPR; CALL AIRSIDE OPERATIONS DEPT 520-573-8190.
- A 110-017 B747 ACFT TAXI WITH INBOARD ENGINES ONLY.
- A 110-024 AIR CARRIERS USE RWY 11L/29R & RWY 03/21
- A 110-025 RWY 11R/29L RESTRICTED TO TKOF/LAND ACFT WITH WING SPAN LESS THAN 73 FT & LNDG SPEED LESS THAN 120 KNOTS.

111 INSPECTOR: ( F ) 112 LAST INSP: 03/08/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AZ LOC ID: TUS FAA SITE NR: 00816.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(-) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-026 SERVICE-A-GEAR: BAK-14/BAK-12B APCH END RWY 11L AND BAK-14/BAK-12B APCH END RWY 29R, ENGAGEMENTS AVBL ONLY DUR ANG DUTY HR AND 15 MIN PN RQR. BAK-12B OVRN RWY 29R AND BAK-12B OVRN RWY 11L SERVICEABLE BUT NOT CERTIFIED. BAK-12B IN RWY 11L OVERRUN HAS 850 FT RUN OUT.
- A 110-027 HELICOPTER OPNS LCTD SOUTH OF RWY 11R/29L & WEST OF TWY A13.
- A 110-028 TWY A5 LMTD TO 70000 LBS OR LESS.
- A 110-029 MILITARY: ANG - OFFL BUS ONLY. PPR DSN 844-6731, C520-295-6731, FAX EXTN 6732. 72 HR PRIOR NOTICE REQ FOR ALL PPR'S. BASE OPS OPR 1300-2200Z++ MON-FRI EXC HOL. NO TRAN ALERT MAINT AVBL. NO CONTRACT FUEL AVBL. TRAN ACFT EXP STR-IN FULL STOP ONLY.
- A 110-030 ALL ACFT USE UPPER ANTENNA UNTIL AIRBORNE.
- A 110-031 NO PUBLIC SERVICES AVAILABLE AT THE TUS EXECUTIVE TERMINAL.
- A 110-032 CALL OPERATIONS OFFICE AT 520-573-8190.
- A 110-034 SERVICE-FUEL: A++(MIL)

111 INSPECTOR: ( F ) 112 LAST INSP: 03/08/2019 113 LAST INFO REQ:

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AZ LOC ID: TUS FAA SITE NR: 00816.\*A  
 > 2 AIRPORT NAME: 5 COUNTY:  
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

**GENERAL**

10 OWNERSHIP:  
 > 11 OWNER:  
 > 12 ADDRESS:  
 > 13 PHONE NR:  
 > 14 MANAGER:  
 > 15 ADDRESS:  
 > 16 PHONE NR:  
 > 17 ATTENDANCE SCHEDULE:

**SERVICES**

> 70 FUEL:  
 > 71 AIRFRAME RPRS:  
 > 72 PWR PLANT RPRS:  
 > 73 BOTTLE OXYGEN:  
 > 74 BULK OXYGEN:  
 75 TSNT STORAGE:  
 76 OTHER SERVICES:

**BASED AIRCRAFT**

90 SINGLE ENG:  
 91 MULTI ENG:  
 92 JET:  
 TOTAL:  
 93 HELICOPTERS:  
 94 GLIDERS:  
 95 MILITARY:  
 96 ULTRA-LIGHT:

**FACILITIES**

> 80 ARPT BCN:  
 > 81 ARPT LGT SKED :  
 BCN LGT SKED:  
 > 82 UNICOM:  
 > 83 WIND INDICATOR:  
 84 SEGMENTED CIRCLE:  
 85 CONTROL TWR:  
 86 FSS:  
 87 FSS ON ARPT:  
 88 FSS PHONE NR:  
 89 TOLL FREE NR:

**OPERATIONS**

100 AIR CARRIER:  
 102 AIR TAXI:  
 103 G A LOCAL:  
 104 G A ITNRNT:  
 105 MILITARY:  
 TOTAL:  
 OPERATIONS FOR  
 12 MONTHS  
 ENDING:

18 AIRPORT USE:  
 19 ARPT LAT:  
 20 ARPT LONG:  
 21 ARPT ELEV:  
 22 ACREAGE:  
 > 23 RIGHT TRAFFIC:  
 > 24 NON-COMM LANDING:  
 25 NPIAS/FED AGREEMENTS:  
 > 26 FAR 139 INDEX:

**RUNWAY DATA**

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

**LIGHTING/APCH AIDS**

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGSI:  
 44 THR CROSSING HGT  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

**OBSTRUCTION DATA**

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTGL OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

**DECLARED DISTANCES**

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS

- A 110-037 PPR REQUIRED FOR ALL CHARTER, SPORTS TEAM, CARGO AND MILITARY AIRCRAFT. CONTACT AIRSIDE OPERATIONS FOR PPR NUMBER AT 520-573-8190. LANDING AND PARKING FEES MAY APPLY FOR ACFT 12500 LBS AND UP.
- A 110-038 MILITARY: ANG RAMP RSTD TO ACFT WITH WINGSPAN LESS THAN 59 FT.
- A 110-039 MILITARY/COMM/BASE-OPS: UPON ARR CTC TITAN OR PUMA ON ANG BASE OPS/COMD POST FREQ.

111 INSPECTOR: ( F ) 112 LAST INSP: 03/08/2019 113 LAST INFO REQ: