AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/3/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY:	PERRY	4 STATE: NY	LOC ID: 01G	FAA SITE NR:	15942.*A
> 2 AIRPORT NAME:	PERRY-WARSAW		5 COUNTY: WYOMING NY		
3 CBD TO AIRPORT (NM):	03 NW	6 REGION/ADO: AEA/NYC	7 SECT AERO CHT: DETROIT		

GENERAL

10 OWNERSHIP:	PUBLIC
> 11 OWNER:	TOWNS OF PERRY AND WARSAW
> 12 ADDRESS:	6522 RT. 20A PERRY, NY 14530
> 13 PHONE NR:	(585) 227-2241
> 14 MANAGER:	KEN MOSES
> 15 ADDRESS:	6522 RT. 20A PERRY, NY 14530
> 16 PHONE NR:	585-237-9938
> 17 ATTENDANCE SCHEDULE:	

ALL	MON-FRI	IREG

SERVICES

70 FUEL:	100LL
71 AIRFRAME RPRS:	MAJOR
72 PWR PLANT RPRS:	MAJOR
73 BOTTLE OXYGEN:	NONE
74 BULK OXYGEN:	NONE
75 TSNT STORAGE:	TIE
76 OTHER SERVICES:	

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:	WG
81 ARPT LGT SKED :	SEE RMK
BCN LGT SKED:	SS-SR
82 UNICOM:	122.800
83 WIND INDICATOR:	YES-L
84 SEGMENTED CIRCLE:	NONE
85 CONTROL TWR:	NO
86 FSS:	BUFFALO
87 FSS ON ARPT:	NO
88 FSS PHONE NR:	
89 TOLL FREE NR:	1-800-WX-BRIEF

RUNWAY DATA				
> 30 RUNWAY INDENT:	**04/22**	**10/28**		
> 31 LENGTH:	1,806	3,429		
> 32 WIDTH:	60	60		
> 33 SURF TYPE-COND:	TURF-P	ASPH-G		
> 34 SURF TREATMENT:	NONE	NONE		
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:		MED		
> 42 RWY MARK TYPE-COND:	- / -	BSC - F / BSC - F	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	Y / Y	/	/
> 49 APCH LIGHTS:	/	/	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	A(V) / A(V)	A(V) / A(V)	/	/
> 51 DISPLACED THR:	/	/ 639	/	/
> 52 CTLG OBSTN:	FENCE / FENCE	TREE / TREES	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	8 / 6	35 / 60	/	/
> 55 DIST FROM RWY END:	0 / 0	201 / 475	/	/
> 56 CNTRLN OFFSET:	93R / 123L	75R / 135L	/	/
57 OBSTN CLNC SLOPE:	0:1 / 0:1	0:1 / 4:1	/	/
58 CLOSE-IN OBSTN:	N / N	Y / N	/	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 016	AMGR CELL 585-353-4666.
A 033	RWY 04/22 UNEVEN. RWY/TXY & RWY/RWY CROSSING ROUGH. RWY SOFT & WET MAR-JUN. CALL FOR FICONS.
A 057	RWY 04 OBSTN CLNC SLOPE EXCEEDS A 45 DEG ANGLE.
A 057	RWY 22 OBSTN CLNC SLOPE EXCEEDS A 45 DEG ANGLE.
A 057	RWY 28 OBSTN CLNC SLOPE 20:1 TO DTHR.
A 058	RWY 10 20 FT TREES, 0-199 FT DSTC, 8 FT L/R.
A 070	24 HRS SELF SVC.
A 081	ACTVT REIL RWY 10 & 28; MIRL RWY 10/28 - CTAF.
A 110-001	TURF RWY 04/22 MAY BE UNUSBL OCT-MAY.
A 110-003	8 FT DROPOFF BOTH SIDES, 200 FT DSTC.
A 110-005	RWY 28 FIRST 700 FT SLPS UPHILL.
A 110-006	RWY 4 SAFETY AREA DROPS OFF 100 FT BFR RWY BEG, 125 FT L/R OF CNTRLN.
A 110-007	FIRST 1700 FT OF RWY 10 SLPS UPHILL.
A 110-008	FOR CD CTC CLEVELAND ARTCC AT 440-774-0490.

111 INSPECTOR: (C) 112 LAST INSP: 07/19/2026 113 LAST INFO REQ: 06/25/1993

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/3/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: 01G FAA SITE NR: 15942.*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (C) 112 LAST INSP: 07/19/2026 113 LAST INFO REQ: