AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/14/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: MILLERSBURG
> 2 AIRPORT NAME: HOLMES COUNTY
3 CBD TO AIRPORT (NM): 02 WSW
4 STATE: OH
6 REGION/ADO: AGL/DET
LOC ID: 10G
5 COUNTY: HOLMES OH
7 SECT AERO CHT: DETROIT
FAA SITE NR: 18205.1*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: HOLMES CO ARPT AUTH
> 12 ADDRESS: 10 S CLAY ST
MILLERSBURG, OH 44654-1329
> 13 PHONE NR: 330-674-8625
> 14 MANAGER: LARRY CLARK
> 15 ADDRESS: 4501 TOWNSHIP ROAD 307
MILLERSBURG, OH 44654-9656
> 16 PHONE NR: 330-674-0674
> 17 ATTENDANCE SCHEDULE:

ALL	MON-FRI	0800-1700
ALL	SAT	0900-1700
ALL	SUN	1200-1700

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-32-12.1245N ESTIMATED
20 ARPT LONG: 081-57-21.3882W
21 ARPT ELEV: 1226.5 SURVEYED
22 ACREAGE: 200
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: N
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A

71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
INSTR, RNTL

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: CLEVELAND
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	09/27		
> 30 RUNWAY INDENT:			
> 31 LENGTH:	4,400		
> 32 WIDTH:	75		
> 33 SURF TYPE-COND:	ASPH-G		
> 34 SURF TREATMENT:	NONE		
35 GROSS WT: S	14.0		
36 (IN THSDS) D	25.0		
37 2D			
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	MED		
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - G	- / -	- / - / -
> 43 VGSI:	/ P2L	/	/ /
44 THR COSSING HGT.:	/ 25	/	/ /
45 VISUAL GLIDE ANGLE:	/ 3.00	/	/ /
> 46 CNTRLN-TDZ:	N - N / N - N	- / -	- / - / -
> 47 RVR-RVV:	- N / - N	- / -	- / - / -
> 48 REIL:	Y / Y	/	/ /
> 49 APCH LIGHTS:	/	/	/ /

OBSTRUCTION DATA

50 FAR 77 CATEGORY	A(NP) / A(NP)	/	/ /
> 51 DISPLACED THR:	/	/	/ /
> 52 CTLG OBSTN:	TREES /	/	/ /
> 53 OBSTN MARKED/LGTD:	/	/	/ /
> 54 HGT ABOVE RWY END:	70 /	/	/ /
> 55 DIST FROM RWY END:	1,550 /	/	/ /
> 56 CNTRLN OFFSET:	215R /	/	/ /
57 OBSTN CLNC SLOPE:	19:1 / 20:1	/	/ /
58 CLOSE-IN OBSTN:	N / N	/	/ /

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/ /
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/ /
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/ /
> 63 LNDG DIST AVBL (LDA):	/	/	/ /

> 110 REMARKS

A 016	CELL 330-231-3715.
A 017	EXC MAJOR HOLS.
A 070	ANTI-ICING AVBL ON DLVY.
A 075	PRIOR CDN RQRD FOR TSNT HNGR.
A 081	ACTVT REIL RWY 09 & 27; PAPI RWY 27; MIRL RWY 09/27 - 123.4.
A 110-002	FOR CD CTC INDIANAPOLIS ARTCC AT 317-247-2411.
A 110-003	DEER, BIRDS, & OTR WILDLIFE ON & INVOF ARPT.
A 30A	RWY 27 CALM WIND RWY.

111 INSPECTOR: (S)
112 LAST INSP: 10/16/2025
113 LAST INFO REQ: 12/26/1979

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/14/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED***
> 2 AIRPORT NAME:
3 CBD TO AIRPORT (NM):
4 STATE: OH
6 REGION/ADO: AGL/DET
LOC ID: 10G
5 COUNTY:
7 SECT AERO CHT:
FAA SITE NR: 18205.1*A

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)
112 LAST INSP: 10/16/2025
113 LAST INFO REQ: