

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: FREMONT 4 STATE: OH LOC ID: 14G FAA SITE NR: 17932.1*A
> 2 AIRPORT NAME: FREMONT 5 COUNTY: SANDUSKY OH
> 3 CBD TO AIRPORT (NM): 02 SW 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: DETROIT

GENERAL

10 OWNERSHIP: PRIVATE
> 11 OWNER: FREMONT AIRPORT LLC
> 12 ADDRESS: 365 S STATE ROUTE 53
FREMONT, OH 43420-9668
> 13 PHONE NR: 419-332-8037
> 14 MANAGER: REX DAMSCHRODER
> 15 ADDRESS: 365 S STATE ROUTE 53
FREMONT, OH 43420-9668
> 16 PHONE NR: 419-307-3111
> 17 ATTENDANCE SCHEDULE:

ALL MON-SAT 0900-1600
ALL SUN 1200-1600

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 41-19-59.1000N ESTIMATED
20 ARPT LONG: 083-09-40.3000W
21 ARPT ELEV: 663.2 SURVEYED
22 ACREAGE: 60
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

SERVICES

70 FUEL: 100LL
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED:
82 UNICOM: 122.800
83 WIND INDICATOR: YES
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: CLEVELAND
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

	09/27	18/36		
> 30 RUNWAY INDENT:	4,137	2,238		
> 31 LENGTH:	60	130		
> 32 WIDTH:	ASPH-P	TURF-F		
> 33 SURF TYPE-COND:	NONE	NONE		
> 34 SURF TREATMENT:	13.0			
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				
> 40 EDGE INTENSITY:	LOW			
> 42 RWY MARK TYPE-COND:	NSTD - F / NSTD - P	NONE - / NONE -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	N - N / N - N	- / -	- / -	- / -
> 47 RVR-RVV:	- N / - N	- / -	- / -	- / -
> 48 REIL:	N / N	/	/	/
> 49 APCH LIGHTS:	/	/	/	/
50 FAR 77 CATEGORY	A(NP) / A(V)	A(V) / A(V)	/	/
> 51 DISPLACED THR:	126 /	/	/	/
> 52 CTLG OBSTN:	ROAD / TREES	TREES / TREE	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	16 / 39	90 / 60	/	/
> 55 DIST FROM RWY END:	223 / 293	262 / 0	/	/
> 56 CNTRLN OFFSET:	125L / 73R	94L / 125B	/	/
57 OBSTN CLNC SLOPE:	1:1 / 2:1	2:1 / 0:1	/	/
58 CLOSE-IN OBSTN:	Y / Y	N / N	/	/
> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

A 014 ADNL CTC MOLLY JOHNSON 419-443-5108.
A 032 RWY 18/36 MOWED 58 FT WIDE. EAST EDGE OF RWY OBSTD BY +60 FT TREES, 50 FT FM CNTRLN, ENTR LEN OF RWY.
A 033 RWY 09/27 OUTER 15 FT EACH SIDE WDSR CRACKING, LOOSE STONES, & VEGETATION GROWTH; CNTR 30 FT FAIR COND.
A 042 RWY 09 NSTD DUE TO WHITE LN MARKS RWY END & DTHR NOT MKD.
A 042 RWY 27 RWY NR FADED.
A 042 RWY 27 1 NSTD DUE TO WHITE LN MARKS RWY END.
A 055 RWY 18 THR OBSTD BY TREES.
A 057 RWY 18 +60 TREES, 0 FT DIST, 125 FT L/R. CTLG OBSTN EXCEEDS A 45 DEG SLP.
A 058 RWY 09 16 FT ROAD, 120 FT DIST, 250 FT L/R.
A 058 RWY 27 +50 FT TREES, 0 FT DIST, 100 FT L; -15 FT DROP OFF EAST END. EAST 330 FT UNUSBL.
A 070 L AFT HRS FUEL 419-307-3111.
A 081 ACTVT LIRL RWY 09/27 - 5 SLOW CLICKS CTAF.
A 083 WINDCONE FADED.
A 110 THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY.
A 110-001 RWY 27 ONLY 3390 FT LGTD. 3900 FT PAVEMENT AVBL DALGT HRS.

111 INSPECTOR: (S)

112 LAST INSP: 06/12/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: 14G FAA SITE NR: 17932.1*A
 > 2 AIRPORT NAME: 5 COUNTY:
 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
 > 11 OWNER:
 > 12 ADDRESS:
 > 13 PHONE NR:
 > 14 MANAGER:
 > 15 ADDRESS:
 > 16 PHONE NR:
 > 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
 71 AIRFRAME RPRS:
 72 PWR PLANT RPRS:
 73 BOTTLE OXYGEN:
 74 BULK OXYGEN:
 75 TSNT STORAGE:
 76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
 19 ARPT LAT:
 20 ARPT LONG:
 21 ARPT ELEV:
 22 ACREAGE:
 > 23 RIGHT TRAFFIC:
 > 24 NON-COMM LANDING:
 25 NPIAS/FED AGREEMENTS:
 > 26 FAR 139 INDEX:

80 ARPT BCN:
 81 ARPT LGT SKED :
 BCN LGT SKED:
 82 UNICOM:
 83 WIND INDICATOR:
 84 SEGMENTED CIRCLE:
 85 CONTROL TWR:
 86 FSS:
 87 FSS ON ARPT:
 88 FSS PHONE NR:
 89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-003 RWY 27: WHITE LN MARKS RWY END, 330 FT OF PAVEMENT EAST OF LINE FAILED & UNSUITABLE FOR ACFT DUE TO WDSR SVR CRACKING, DSTNS OVR 3 IN, & WDSR VEGETATION GROWTH.
- A 110-004 DEER & BIRDS ON & INVOF ARPT.
- A 110-005 FOR CD CTC TOLEDO APCH AT 419-865-1495.
- A 110-006 PUBLD RWY DIMENSIONS DO NOT MATCH PAVEMENT MRKGS.

111 INSPECTOR: (S)

112 LAST INSP: 06/12/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/8/2026
AFD EFF 04/16/2026