AIRPORT MASTER RECORD

> 1 ASSOC CITY: CAMAS	4 STATE: WA	LOC ID: 1W1	FAA SITE NR: 26130.*A
> 2 AIRPORT NAME: GROVE FLD		5 COUNTY: CLARK WA	
3 CBD TO AIRPORT (NM): 03 N	6 REGION/ADO: ANM/SEA	7 SECT AERO CHT: SEATTLE	

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: CAMAS-WASHOUGAL PORT COMM
> 12 ADDRESS: 24 SOUTH A STREET
WASHOUGAL, WA 98671
> 13 PHONE NR: 360-835-2196
> 14 MANAGER: DAVID RIPP
> 15 ADDRESS: 24 SOUTH A STREET
WASHOUGAL, WA 98671
> 16 PHONE NR: 360-835-2196
> 17 ATTENDANCE SCHEDULE:

UNATNDD

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 45-37-40.1860N ESTIMATED
20 ARPT LONG: 122-24-15.5210W
21 ARPT ELEV: 429.0 ESTIMATED
22 ACREAGE: 23
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: N
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100 MOGAS

71 AIRFRAME RPRS: NONE
72 PWR PLANT RPRS: NONE
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
INSTR, RNTL

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SEE RMK
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: SEATTLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	07/25			
> 30 RUNWAY INDENT:	07/25			
> 31 LENGTH:	2,710			
> 32 WIDTH:	40			
> 33 SURF TYPE-COND:	ASPH-G			
> 34 SURF TREATMENT:	NONE			
35 GROSS WT: S				
36 (IN THSDS) D				
37 2D				
38 2D/2D2				
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	MED			
> 42 RWY MARK TYPE-COND:	BSC - F / BSC - F	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	A(V) / A(V)	/	/	/
> 51 DISPLACED THR:	493 / 413	/	/	/
> 52 CTLG OBSTN:	TREES / TREES	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	100 / 32	/	/	/
> 55 DIST FROM RWY END:	1,141 / 280	/	/	/
> 56 CNTRLN OFFSET:	0B / 0B	/	/	/
57 OBSTN CLNC SLOPE:	9:1 / 2:1	/	/	/
58 CLOSE-IN OBSTN:	Y / Y	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 030	RWY 07/25 HAS BLDGS; TELEPHONE POLES; TREES ENCROACHING IN SAFETY AREAS.
A 040	RWY 07/25 NSTD MIRL RYS 07 & 25 DSPLCD THLDS UNLGTD.
A 057	RWY 07 APCH SLOPE 0:1 TO +95' TREE 33' FT FM THLD, 114' LEFT OF DSPLCD THR.
A 057	RWY 25 APCH SLP 20:1 TO DSPLCD THR.
A 058	RWY 07 +15 FT ROAD 20 FT FM RWY END; 4 FT FENCE AND BRUSH 12 FT FM THR; 80 FT TREE, 12 FT FM THR, 99 FT LEFT; 7 FT SIGN, 88 FT LEFT.
A 058	RWY 25 4 FT FENCE AND BRUSH 65 FT FM THR AND 15 FT ROAD 85 FT FM THR; 116 FT FM THR, 15 FT TREES; 10 FT SIGN 28 FT LEFT, 110 FT FM THR; 11 FT BLDG 180 FT FM THR, 53 FT LEFT; 10 FT SIGN, 108 FT FM THR, 32 FT RIGHT.
A 070	FOR FUEL AFT HRS CREDIT CARD LOCK.
A 081	ACTVT MIRL RY 07/25 - CTAF.
A 081	ACTVT ROTG BCN - CTAF.
A 110-001	NOISE ABATEMENT PROCEDURES IN EFFECT, CTC PORT OF CAMAS-WASHOUGAL AT 360-835-2196.
A 110-002	FOR CD CTC PORTLAND APCH AT 503-493-7545.

111 INSPECTOR: (S)	112 LAST INSP: 08/08/2023	113 LAST INFO REQ: 08/25/1981

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/29/2026
AFD EFF **04/16/2026**

> 1 ASSOC CITY: ***CONTINUED***	4 STATE: WA	LOC ID: 1W1	FAA SITE NR: 26130.*A
> 2 AIRPORT NAME:		5 COUNTY:	
3 CBD TO AIRPORT (NM):	6 REGION/ADO: ANM/SEA	7 SECT AERO CHT:	

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 110 REMARKS

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
  BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

111 INSPECTOR: (S)	112 LAST INSP: 08/08/2023	113 LAST INFO REQ:	