AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/9/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: LEONARDTOWN
> 2 AIRPORT NAME: ST MARY'S COUNTY RGNL
3 CBD TO AIRPORT (NM): 04 NE
4 STATE: MD
6 REGION/ADO: AEA/DCA
LOC ID: 2W6
5 COUNTY: ST MARYS MD
7 SECT AERO CHT: WASHINGTON
FAA SITE NR: 08589.*A

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: THE COMMISSIONERS OF ST. MARYS CO.
> 12 ADDRESS: P.O. BOX 653, 41770 BALDRIDGE STREET LEONARDTOWN, MD 20650
> 13 PHONE NR: 301-475-4200
> 14 MANAGER: ALLISON SWINT
> 15 ADDRESS: P.O. BOX 508, 44825 ST ANDREWS CHURCH ROAD CALIFORNIA, MD 20619
> 16 PHONE NR: 301-475-4200
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	0800-1700

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 38-18-56.5510N ESTIMATED
20 ARPT LONG: 076-33-07.7720W
21 ARPT ELEV: 141.6 SURVEYED
22 ACREAGE: 200
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES: AFRT, AMB, AVNCS, CHTR, INSTR, RNTL, SALES

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: LEESBURG
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY IDENT:	**11/29**			
> 31 LENGTH:	5,350			
> 32 WIDTH:	75			
> 33 SURF TYPE-COND:	ASPH-F			
> 34 SURF TREATMENT:	NONE			
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	MED			
> 42 RWY MARK TYPE-COND:	NPI - G / NPI - F	- / -	- / -	- / -
> 43 VGSI:	P4L / P4L	/	/	/
44 THR COSSING HGT.:	42 / 39	/	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y / Y	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	A(NP) / A(NP)	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	20:1 / 20:1	/	/	/
58 CLOSE-IN OBSTN:	Y / N	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 013	EXT 1321
A 015	AIRPORT PHYSICAL ADDRESS IS 44200 AIRPORT ROAD, CALIFORNIA, MD 20619.
A 016	EXT 3511
A 033	RWY 11/29 UNFILLED CRACKS, VEGETATIVE GROWTH, OXIDATION, RAVELLING.
A 042	RWY 29 FADED.
A 043	RWY 11 PAPI UNUSBL BYD 6 DEGS LEFT OF CNTRLN.
A 058	RWY 11 30 FT TREES AT THLD, 160 FT L.
A 070	SELF SERVE 100LL AVBL WITH CREDIT CARD.
A 081	ACTVT REIL RWY 11 & 29; MIRL RWY 11/29 - CTAF. PAPI RWY 11 & 29 OPRS CONSLY.
A 110-001	DEER ON & INVOF RWY 11/29 SS-SR.
A 110-002	GLDR, UAS, AND ULTRALIGHT ACTVT ON & INVOF ARPT.
A 110-004	RWY 29 15 FT DEPRESSION (DOWNSLOPE) 300 FT FM THR 150 FT R-125 L.
A 110-005	FOR CD CTC PATUXENT APCH AT 301-342-3740, WHEN PATUXENT APCH IS CLSD CTC POTOMAC APCH AT 866-640-4124.
A 110-006	WHEN R-4007 IN EFFECT, ACFT OPRNG VFR AT ARPT MUST RMN WITHIN 1.5 NM OF ARPT, AT OR BLW 1500 FT MSL, AND ABV 700 FT AGL.

111 INSPECTOR: (S)
112 LAST INSP: 04/01/2026
113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/9/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: MD | LOC ID: 2W6 | FAA SITE NR: 08589.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AEA/DCA | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-007 ALL VFR FLT OPS CONDUCTED WI R-4007 SHALL BE AT OR BLW 1000 FT MSL. IFR AND VFR APCHS WI R-4007 WILL BE COORDD WITH PATUXENT APCH ON 121.0 OR BY PHONE 301-342-3740.
A 110-008 MIL ACFT ON INSTR APCH TO PAX RIVER NAS MAY OVERFLY ARPT AT 1600 FT MSL & NOT MNT CTAF. WHEN PAX RWY 14 IN USE, 2W6 ACFT CROSS APCH PATH AT OR BLW 1000 FT OR ABOVE 3000 FT. MIL HELO OPS INVOF ARPT.

111 INSPECTOR: (S) 112 LAST INSP: 04/01/2026 113 LAST INFO REQ: