AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/5/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: SALEM
> 2 AIRPORT NAME: SALEM AIRPARK
3 CBD TO AIRPORT (NM): 03 N
4 STATE: OH
6 REGION/ADO: AGL/DET
LOC ID: 38D
5 COUNTY: MAHONING OH
7 SECT AERO CHT: DETROIT
FAA SITE NR: 18469.3*A

GENERAL

10 OWNERSHIP: PRIVATE
> 11 OWNER: SALEM AIRPARK LLC
> 12 ADDRESS: 970 WINDHAM CT STE 7
BOARDMAN, OH 44512-5082
> 13 PHONE NR: 330-726-6385
> 14 MANAGER: VICK SURACI
> 15 ADDRESS: 11718 SALEM WARREN RD
SALEM, OH 44460-9667
> 16 PHONE NR: 724-316-6026
> 17 ATTENDANCE SCHEDULE:
IREG

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 40-56-53.0910N ESTIMATED
20 ARPT LONG: 080-51-43.4950W
21 ARPT ELEV: 1162.0 ESTIMATED
22 ACREAGE: 58
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL: 100LL

71 AIRFRAME RPRS: NONE
72 PWR PLANT RPRS: NONE
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
INSTR

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED:
82 UNICOM: 122.700
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: CLEVELAND
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	10L/28R	10R/28L		
> 30 RUNWAY INDENT:	3,404	2,550		
> 31 LENGTH:	50	60		
> 32 WIDTH:	ASPH-E	TURF-G		
> 33 SURF TYPE-COND:	NONE	NONE		
> 34 SURF TREATMENT:	8.0			
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	NSTD			
> 42 RWY MARK TYPE-COND:	NSTD - G / NSTD - G	NONE - / NONE -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	A(V) / A(V)	A(V) / A(V)	/	/
> 51 DISPLACED THR:	/ 266	/	/	/
> 52 CTLG OBSTN:	TREES / HILL	TREES / POLE	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	40 / 45	85 / 35	/	/
> 55 DIST FROM RWY END:	460 / 950	0 / 89	/	/
> 56 CNTRLN OFFSET:	200L/ / 200L/	57R / 50L	/	/
57 OBSTN CLNC SLOPE:	6:1 / 16:1	0:1 / 2:1	/	/
58 CLOSE-IN OBSTN:	N / Y	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 016	CELL.
A 035	RWY 10L/28R ALL PAVEMENT RSTRD ACFT MAX GWT LESS THAN 8000 LBS.
A 040	RWY 10L/28R NSTD LIRL DUE TO LAYOUT & COLORS; 2829 FT LGTD.
A 042	RWY 10L NSTD DUE TO THR MRKGS.
A 042	RWY 28R NSTD DUE TO THR MRKGS.
A 057	RWY 10R +80-85 FT TREES, 0-15 FT DIST, 33-57 FT R.
A 057	RWY 28R OBST CLNC SLOPE 7:1 TO THR OVR 96 FT TREE, 742 FT DIST, 195 FT L.
A 058	RWY 28R APCH SLP 15:1 TO DTHR OVR +22 FT ROAD, 80 FT DIST, 125 FT L/R.
A 070	100LL AVBL H24 SELF SVC VIA CREDIT CARD.
A 075	ROPES NOT PRVDD.
A 081	ACTVT NSTD LIRL RWY 10L/28R - CTAF.
A 110-001	DRAG STRIP 3500 FT SE LOOKS LIKE ARPT.
A 110-002	FOR CD CTC CLEVELAND APCH AT 216-352-2323, WHEN APCH CLSD CTC CLEVELAND ARTCC AT 440-774-0223/0490.
A 110-003	DEER, BIRDS, & WILDLIFE ON & INVOF ARPT.
A 110-004	RWY 10R/28L: CTC AMGR FOR TURF CONDS PRIOR TO USE.

111 INSPECTOR: (S)
112 LAST INSP: 06/21/2023
113 LAST INFO REQ: 11/24/1979

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/5/2026
AFD EFF **10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OH LOC ID: 38D FAA SITE NR: 18469.3*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-005 RWY 10L/28R: ONLY 2829 FT AVBL FOR NGT OPS.
A 110-006 RWY 28R: ACFT ON TURN FM DOWNWIND TO BASE MAY BE OBSC BY TREES IN APCH.

111 INSPECTOR: (S) 112 LAST INSP: 06/21/2023 113 LAST INFO REQ: