# AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/14/2026
**AFD EFF 10/29/2026**

> 1 ASSOC CITY: SKANEATELES 4 STATE: NY LOC ID: 6B9 FAA SITE NR: 16191.1*A
> 2 AIRPORT NAME: SKANEATELES AERO DROME 5 COUNTY: ONONDAGA NY
3 CBD TO AIRPORT (NM): 02 SW 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT: NEW YORK

## GENERAL

10 OWNERSHIP: PRIVATE
> 11 OWNER: SKANEATELES AERODROME LLC
> 12 ADDRESS: 333 W. WASHINGTON ST STE 600
SYRACUSE, NY 13202
> 13 PHONE NR: (315) 200-1877
> 14 MANAGER: DANIEL ARNOLD
> 15 ADDRESS: 2984 BENSON ROAD
SKANEATELES, NY 13152
> 16 PHONE NR: 707-580-9240
> 17 ATTENDANCE SCHEDULE:
UNATNDD; CALL MGR

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-54-50.2550N ESTIMATED
20 ARPT LONG: 076-26-26.7510W
21 ARPT ELEV: 1039.0 SURVEYED
22 ACREAGE: 100
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

## SERVICES

70 FUEL: 100LL
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

## FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED:
82 UNICOM: 122.800
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: NO
86 FSS: BUFFALO
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

## RUNWAY DATA

| | | | |
|---|---|---|---|
| > 30 RUNWAY INDENT: | **04/22** | **10/28** | |
| > 31 LENGTH: | 3,350 | 3,134 | |
| > 32 WIDTH: | 130 | 58 | |
| > 33 SURF TYPE-COND: | TURF-F | ASPH-G | |
| > 34 SURF TREATMENT: | NONE | NONE | |
| 35 GROSS WT: | S | 9.0 | |
| 36 (IN THSDS) | D | | |
| 37 | 2D | | |
| 38 | 2D/2D2 | | |
| > 39 PCN: | | | |

## LIGHTING/APCH AIDS

| | | | | |
|---|---|---|---|---|
| > 40 EDGE INTENSITY: | | NSTD | | |
| > 42 RWY MARK TYPE-COND: | - / - | BSC - G / BSC - G | - / - | - / - |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | N - N / N - N | - / - | - / - |
| > 47 RVR-RVV: | - / - | - N / - N | - / - | - / - |
| > 48 REIL: | / | Y / Y | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

## OBSTRUCTION DATA

| | | | | |
|---|---|---|---|---|
| 50 FAR 77 CATEGORY | A(V) / A(V) | A(V) / A(V) | / | / |
| > 51 DISPLACED THR: | / | 243 / | / | / |
| > 52 CTLG OBSTN: | TREES / FENCE | TREES / TREES | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | 37 / 30 | 59 / 51 | / | / |
| > 55 DIST FROM RWY END: | 56 / 69 | 440 / 265 | / | / |
| > 56 CNTRLN OFFSET: | 80L / 82R | 78R / 113R | / | / |
| 57 OBSTN CLNC SLOPE: | 1:1 / 2:1 | 4:1 / 1:1 | / | / |
| 58 CLOSE-IN OBSTN: | N / N | Y / Y | / | / |

## DECLARED DISTANCES

| | | | | |
|---|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

| | |
|---|---|
| A 011 | WEBSITE ADDRESS: WWW.SKANEATELESAERODROME.COM |
| A 033 | RWY 04/22 HAS VARIATIONS IN RWY SFC. |
| A 040 | RWY 10/28 NSTD MIRL; LGTS ARE 38 FT FM PAVEMENT EDGE. |
| A 052 | RWY 04 RWY 22 FENCE CROSSES RWY 10 FT FM THR BLO RWY ELEV. |
| A 058 | RWY 10 TWO 30 FT PWR POLES 80 FT EITHER SIDE OF CNTRLN 60 FT FM THLD; 3 FT FENCE OB 20 FT FM THLD 15 FT ROAD OB 30 FT FM THLD. 4 FT FENCE OB 80 FT FM THLD. |
| A 058 | RWY 28 33 FT TREE 138 FT FM RWY 120 FT RIGHT; 10 FT FARM ROAD CROSSES APPROACH END 117 FT FM THR. |
| A 081 | ACTVT MIRL RWY 10/28 - CTAF. |
| A 110 | THIS AIRPORT HAS BEEN SURVEYED BY THE NATIONAL GEODETIC SURVEY. |
| A 110-001 | RWY 04/22 AVBL 15 MAY TO 15 OCT. |
| A 110-002 | RY 28 TWO 55 FT POWER POLES 70 FT EITHER SIDE OF CNTRLN 700 FM THRESHOLD. |
| A 110-004 | RY 10 3 FT FENCE 20 FT FM THLD ON BOTH SIDES 15 FT ROAD 30 FT FM THLD ON BOTH SIDES & 4 FT FENCE 80 FT FM THLD ON BOTH SIDES. -10 FT CULVERT/DITCH 50 FT LEFT OF CNTRLNE AT THRESHOLD. |
| A 110-005 | FUEL AVBL 24 HRS SELF SER CREDIT CARD. |
| A 110-006 | FOR CD CTC SYRACUSE APCH AT 315-455-6218. |

111 INSPECTOR: ( S ) 112 LAST INSP: 07/15/2024 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 11/14/2026
**AFD EFF 10/29/2026**

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NY LOC ID: 6B9 FAA SITE NR: 16191.1*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/NYC 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

## SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

## FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

## RUNWAY DATA

| | | | | |
|---|---|---|---|---|
| > 30 RUNWAY INDENT: | | | | |
| > 31 LENGTH: | | | | |
| > 32 WIDTH: | | | | |
| > 33 SURF TYPE-COND: | | | | |
| > 34 SURF TREATMENT: | | | | |
| 35 GROSS WT: | S | | | |
| 36 (IN THSDS) | D | | | |
| 37 | 2D | | | |
| 38 | 2D/2D2 | | | |
| > 39 PCN: | | | | |

## LIGHTING/APCH AIDS

| | | | | |
|---|---|---|---|---|
| > 40 EDGE INTENSITY: | | | | |
| > 42 RWY MARK TYPE-COND: | - / - | - / - | - / - | - / - |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

## OBSTRUCTION DATA

| | | | | |
|---|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

## DECLARED DISTANCES

| | | | | |
|---|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: ( S ) 112 LAST INSP: 07/15/2024 113 LAST INFO REQ: