

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: NANTUCKET 4 STATE: MA LOC ID: ACK FAA SITE NR: 09110.\*A  
> 2 AIRPORT NAME: NANTUCKET MEML 5 COUNTY: NANTUCKET MA  
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: TOWN OF NANTUCKET  
> 12 ADDRESS: SELECTMAN'S OFFICE  
NANTUCKET, MA 02554  
> 13 PHONE NR:  
> 14 MANAGER: WARREN SMITH  
> 15 ADDRESS: 14 AIRPORT RD  
NANTUCKET, MA 02554  
> 16 PHONE NR: 508-325-7531  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: NONE  
72 PWR PLANT RPRS: NONE  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, CHTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 41-15-11.8770N ESTIMATED  
20 ARPT LONG: 070-03-37.8410W  
21 ARPT ELEV: 46.8 SURVEYED  
22 ACREAGE: 1,200  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGRY3  
> 26 FAR 139 INDEX: I C S 05/1973

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: BRIDGEPORT  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	06/24	15/33
> 30 RUNWAY INDENT:	6,303	4,500
> 31 LENGTH:	150	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	75.0	60.0
35 GROSS WT: S	170.0	85.0
36 (IN THSDS) D	280.0	155.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	/ P4L	/	/
> 43 VGS: I	57 / 48	/ 45	/	/
44 THR COSSING HGT.:	3.00 / 3.00	/ 3.00	/	/
45 VISUAL GLIDE ANGLE:	Y - / Y - Y	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	TR - / TR - Y	- / -	- / -	- / -
> 47 RVR-RVV:	/	Y / Y	/	/
> 48 REIL:	MALSF / SSALR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	PIR / PIR	C / C		
50 FAR 77 CATEGORY	538 /	/	/	/
> 51 DISPLACED THR:	/	BLDG /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	30 /	/	/
> 54 HGT ABOVE RWY END:	/	800 /	/	/
> 55 DIST FROM RWY END:	/	280L /	/	/
> 56 CNTRLN OFFSET:	50:1 / 50:1	20:1 / 34:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	6,303 / 6,303	4,500 / 4,500		
> 60 TAKE OFF RUN AVBL (TORA):	6,303 / 6,303	4,500 / 4,500	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,303 / 6,303	4,500 / 4,500	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,303 / 6,303	4,500 / 4,500	/	/
> 63 LNDG DIST AVBL (LDA):	5,765 / 6,303	4,500 / 4,500	/	/

> 110 REMARKS

A 024 FEE FOR NON-COML ACFT PRKG.  
A 026 ARFF INDEX C SVCS PRVD BTN 0600 AND 2200. FOR INDEX C SVCS BTN 2201 AND 0559, 2 HR PPR AT 508-325-7569 TO NANTUCKET AIRPORT OPS. PPR 2 HRS FOR UNSKED ACFT OPS WITH MORE THAN 9 PAX SEATS; CALL AMGR 508-325-5300.  
A 039 RWY 06/24 PCR VALUE: 770/F/A/X/T  
A 039 RWY 15/33 PCR VALUE: 430/F/A/X/T  
A 049 RWY 24 SSALR UNMON WHEN TWR CLSD.  
A 081 WHEN ATCT CLSD ACTVT MALSF RWY 06; SSALR RWY 24; HIRL RWY 06/24; MIRL RWY 15/33; TWY LGTS - CTAF. PAPI RWY 06, 24 & 33 OPR 24 HRS.  
A 110-001 BE AWARE OF HIGH-SPD MIL JET & HVY HEL TFC VCNTY AIR STATION CAPE COD.  
A 110-002 ARPT HAS NOISE ABATEMENT PROCS CTC NOISE OFFICER 508-325-5300.  
A 110-003 DEER & BIRDS ON & INVOF ARPT.  
A 110-006 FOR CD IF TWR CLSD & UNA TO CTC FSS FREQ, CTC BOSTON APCH AT 603-594-5554.  
A 110-010 TWY F RSTRD TO SML ACFT 12500 LBS OR LESS.  
A 110-011 TXL F BTN TWY B & TWY H CLSD TO ACFT WITH WINGSPAN MORE THAN 79FT.

111 INSPECTOR: ( F )

112 LAST INSP: 05/29/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MA LOC ID: ACK FAA SITE NR: 09110.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 05/29/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/14/2026  
AFD EFF 05/14/2026