

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: ATLANTIC CITY 4 STATE: NJ LOC ID: ACY FAA SITE NR: 13487.\*A  
> 2 AIRPORT NAME: ATLANTIC CITY INTL 5 COUNTY: ATLANTIC NJ  
> 3 CBD TO AIRPORT (NM): 09 NW 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: WASHINGTON

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: SOUTH JERSEY TRANSPORTATION AUTH  
> 12 ADDRESS: SUITE 106  
EGG HARBOR TOWNSHIP, NJ 08234  
> 13 PHONE NR: 609-645-7895  
> 14 MANAGER: TIM KROLL  
> 15 ADDRESS: SUITE 100  
EGG HARBOR TOWNSHIP, NJ  
08234  
> 16 PHONE NR: 609-645-7895  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A A++  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
CHTR

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED :  
BCN LGT SKED: SS-SR  
82 UNICOM:  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: MILLVILLE  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 39-27-27.2730N ESTIMATED  
20 ARPT LONG: 074-34-37.7590W  
21 ARPT ELEV: 74.8 SURVEYED  
22 ACREAGE: 5,000  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: I C S 12/1974

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	13/31	H1
> 30 RUNWAY INDENT:	6,145	10,001	102
> 31 LENGTH:	150	150	102
> 32 WIDTH:	ASPH-CONC-G	ASPH-G	ASPH
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
35 GROSS WT: S	120.0	120.0	
36 (IN THSDS) D	161.0	250.0	
37 2D	278.0	550.0	
38 2D/2D2	682.0	1120.0	

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / V4L	P4L / P4L	/	/
> 43 VGS:	50 / 51	71 / 69	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	TR - Y / TR -	- / -	- / -
> 47 RVR-RVV:	/	N / Y	/	/
> 48 REIL:	/	MALSR /	/	/
> 49 APCH LIGHTS:	/		/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / C	PIR / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	64 / 70	64 / 50	/	/
> 54 HGT ABOVE RWY END:	2,259 / 2,073	2,472 / 1,296	/	/
> 55 DIST FROM RWY END:	471R / 505R	708L / 622L	/	/
> 56 CNTRLN OFFSET:	32:1 / 27:1	36:1 / 22:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	6,145 / 6,145	10,001 / 10,001		
> 60 TAKE OFF RUN AVBL (TORA):	6,145 / 6,145	10,001 / 10,001	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,145 / 6,145	10,001 / 10,001	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,145 / 6,145	10,001 / 10,001	/	/
> 63 LNDG DIST AVBL (LDA):	6,145 / 6,145	10,001 / 10,001	/	/

### > 110 REMARKS

A 030 RWY H1 PVT - EXPERIMENTAL USE ONLY. CTC FAA TECH CENTER AT 609-485-6675.  
A 039 RWY 04/22 PCR VALUE: 480/R/B/W/T  
A 039 RWY 13/31 PCR VALUE: 601/F/A/X/T  
A 076 FOR CHARTER OPNS CTC 609-645-7895 EXT 4702.  
A 110-004 FAA APRON PPR CALL 609-485-6482.  
A 110-006 TWY C CLSD TO DUAL TANDEM & DOUBLE TANDEM EQUIPPED ACFT.  
A 110-007 NO TRNG FLTS 2300-0700 LCL.  
A 110-009 FOX & BIRDS ON & INVOF ARPT.  
A 110-011 HIGH PER MIL ACFT OPERATING AT ARPT.  
A 110-012 NOISE ABATEMENT PROCS IN EFCT CTC ARPT OPNS AT (609) 645-7895 EXT 4702.  
A 110-017 MILITARY: ANG APRON PPR, CTC ANG BASE OPS C609-761-6009, FAX C609-761-6484, COMD POST C609-761-6001. LTD TRAN SVC AVBL 1100-2030Z++ TUE-FRI, CLSD SAT-MON AND HOL.  
A 110-018 MILITARY: ANG: BASH PHASE II IN EFCT APR-OCT CTC BASE OPS ON 261.0 OR 140.7 FOR CURRENT BASH COND.  
A 110-019 MILITARY: ANG: NSTD MRK ON ANG RAMPS: BLUE LINES DELINEATE F-16 WING TIP CLNC, YELLOW LINES AT HGR DOORS FOR PERS CLEAR ZONE.

111 INSPECTOR: ( F ) 112 LAST INSP: 03/11/2026 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NJ LOC ID: ACY FAA SITE NR: 13487.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-021 AVOID CNTRLN LGT DUR CABLE ENGAGEMENT TO PREVENT TAILHOOK BOUNCE.
- A 110-022 DURG ATC ZERO EVENTS, CTAF 120.3.
- A 110-023 ANG ARM/DEARM PADS FOR MIL USE ONLY.
- A 110-024 FOR ITINERANT MIL ACFT OPS PPR CTC ARPT OPS 609-645-7895 EXT 4702.
- A 110-025 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 13.
- A 110-026 DE-ICING PAD FOR DE-ICING OPS ONLY. EXE CTC ARPT OPS 609-645-7895 EXT 4702.

111 INSPECTOR: ( F )

112 LAST INSP: 03/11/2026

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/11/2026  
AFD EFF 06/11/2026