

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ATLANTIC CITY 4 STATE: NJ LOC ID: ACY FAA SITE NR: 13487.*A
> 2 AIRPORT NAME: ATLANTIC CITY INTL 5 COUNTY: ATLANTIC NJ
> 3 CBD TO AIRPORT (NM): 09 NW 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: WASHINGTON

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: SOUTH JERSEY TRANSPORTATION AUTH
> 12 ADDRESS: SUITE 106
EGG HARBOR TOWNSHIP, NJ 08234
> 13 PHONE NR: 609-645-7895
> 14 MANAGER: TIM KROLL
> 15 ADDRESS: SUITE 100
EGG HARBOR TOWNSHIP, NJ
08234
> 16 PHONE NR: 609-645-7895
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A A++
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
CHTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : BCN LGT SKED: SS-SR
82 UNICOM:
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: MILLVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	04/22	13/31	H1
> 30 RUNWAY INDENT:	6,145	10,001	102
> 31 LENGTH:	150	150	102
> 32 WIDTH:	ASPH-CONC-G	ASPH-G	ASPH
> 33 SURF TYPE-COND:	GRVD	GRVD	NONE
> 34 SURF TREATMENT:	120.0	120.0	
35 GROSS WT: S	161.0	250.0	
36 (IN THSDS) D	278.0	550.0	
37 2D	682.0	1120.0	
38 2D/2D2			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / V4L	P4L / P4L	/	/
> 43 VGS:	50 / 51	71 / 69	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	Y - Y / Y -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	TR - Y / TR -	- / -	- / -
> 47 RVR-RVV:	/	N / Y	/	/
> 48 REIL:	/	MALSR /	/	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	PIR / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREE / TREE	TREE / TREE	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	64 / 70	64 / 50	/	/
> 54 HGT ABOVE RWY END:	2,259 / 2,073	2,472 / 1,296	/	/
> 55 DIST FROM RWY END:	471R / 505R	708L / 622L	/	/
> 56 CNTRLN OFFSET:	32:1 / 27:1	36:1 / 22:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	6,145 / 6,145	10,001 / 10,001		
> 60 TAKE OFF RUN AVBL (TORA):	6,145 / 6,145	10,001 / 10,001	/	/
> 61 TAKE OFF DIST AVBL (TODA):	6,145 / 6,145	10,001 / 10,001	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	6,145 / 6,145	10,001 / 10,001	/	/
> 63 LNDG DIST AVBL (LDA):	6,145 / 6,145	10,001 / 10,001	/	/

> 110 REMARKS

A 030 RWY H1 PVT - EXPERIMENTAL USE ONLY. CTC FAA TECH CENTER AT 609-485-6675.
A 039 RWY 04/22 PCR VALUE: 480/R/B/W/T
A 039 RWY 13/31 PCR VALUE: 601/F/A/X/T
A 076 FOR CHARTER OPNS CTC 609-645-7895 EXT 4702.
A 110-004 FAA APRON PPR CALL 609-485-6482.
A 110-006 TWY C CLSD TO DUAL TANDEM & DOUBLE TANDEM EQUIPPED ACFT.
A 110-007 NO TRNG FLTS 2300-0700 LCL.
A 110-009 FOX & BIRDS ON & INVOF ARPT.
A 110-011 HIGH PER MIL ACFT OPERATING AT ARPT.
A 110-012 NOISE ABATEMENT PROCS IN EFCT CTC ARPT OPNS AT (609) 645-7895 EXT 4702.
A 110-017 MILITARY: ANG APRON PPR, CTC ANG BASE OPS C609-761-6009, FAX C609-761-6484, COMD POST C609-761-6001. LTD TRAN SVC AVBL 1100-2030Z++ TUE-FRI, CLSD SAT-MON AND HOL.
A 110-018 MILITARY: ANG: BASH PHASE II IN EFCT APR-OCT CTC BASE OPS ON 261.0 OR 140.7 FOR CURRENT BASH COND.
A 110-019 MILITARY: ANG: NSTD MRK ON ANG RAMPS: BLUE LINES DELINEATE F-16 WING TIP CLNC, YELLOW LINES AT HGR DOORS FOR PERS CLEAR ZONE.

111 INSPECTOR: (F) 112 LAST INSP: 03/12/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: NJ LOC ID: ACY FAA SITE NR: 13487.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-021 AVOID CNTRLN LGT DUR CABLE ENGAGEMENT TO PREVENT TAILHOOK BOUNCE.
A 110-022 DURG ATC ZERO EVENTS, CTAF 120.3.
A 110-023 ANG ARM/DEARM PADS FOR MIL USE ONLY.
A 110-024 FOR ITINERANT MIL ACFT OPS PPR CTC ARPT OPS 609-645-7895 EXT 4702.
A 110-025 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 13.

111 INSPECTOR: (F)

112 LAST INSP: 03/12/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026