

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: KODIAK 4 STATE: AK LOC ID: ADQ FAA SITE NR: 50425.*A
> 2 AIRPORT NAME: KODIAK 5 COUNTY: KODIAK ISLAND AK
> 3 CBD TO AIRPORT (NM): 04 SW 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT: KODIAK

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: ALASKA DOT&PF SOUTHCOAST REGION
> 12 ADDRESS: P O BOX 112500
JUNEAU, AK 99811-2500
> 13 PHONE NR: 907-465-4512
> 14 MANAGER: CLARK YATSIK
> 15 ADDRESS: 1500 ANTON LARSON RD
KODIAK, AK 99615
> 16 PHONE NR: 907-487-4952
> 17 ATTENDANCE SCHEDULE:
SAME AS ARPT
MAINT HRS

SERVICES

70 FUEL: 100LL A1
71 AIRFRAME RPRS: MINOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:
AFRT, CARGO, CHTR

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 57-44-59.2580N ESTIMATED
20 ARPT LONG: 152-29-38.1970W
21 ARPT ELEV: 78.7 SURVEYED
22 ACREAGE:
> 23 RIGHT TRAFFIC: 01, 26, 29
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGY
> 26 FAR 139 INDEX: I B S 04/2005

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.800
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: KENAI
87 FSS ON ARPT: NO
88 FSS PHONE NR: 907-283-7211
89 TOLL FREE NR: 1-866-864-1737

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	01/19	08/26	11/29
> 30 RUNWAY INDENT:	5,010	7,534	5,400
> 31 LENGTH:	150	150	150
> 32 WIDTH:	ASPH-G	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD	GRVD
> 34 SURF TREATMENT:	53.0	53.0	53.0
35 GROSS WT: S	110.0	110.0	110.0
36 (IN THSDS) D	150.0	150.0	150.0
37 2D			
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	HIGH	HIGH	HIGH	
	PIR - G / BSC - G	BSC - G / PIR - G	NPI - F / NPI - F	- / -
> 40 EDGE INTENSITY:	V2L /	/ V2L	/ V2L	/
> 42 RWY MARK TYPE-COND:	57 /	/ 54	/	/
> 43 VGSI:	3.75 /	/ 2.05	/	/
44 THR COSSING HGT.:	- / -	- / -	- / -	- / -
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	Y /	/ Y	/	/
> 47 RVR-RVV:	/	/	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / B(V)	B(V) / PIR	B(V) / B(V)	/
50 FAR 77 CATEGORY	/	1,138 /	440 / 556	/
> 51 DISPLACED THR:	TREES /	HILL /	TREES /	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	130 /	2427 /	60 /	/
> 54 HGT ABOVE RWY END:	3,000 /	5,686 /	560 /	/
> 55 DIST FROM RWY END:	0B /	0B /	0B /	/
> 56 CNTRLN OFFSET:	21:1 / 50:1	2:1 / 50:1	6:1 / 50:1	/
57 OBSTN CLNC SLOPE:	N / N	Y / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	7,534 / 7,534	4,960 / 4,844	/
> 61 TAKE OFF DIST AVBL (TODA):	/	7,534 / 7,534	4,960 / 4,844	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	7,534 / 7,534	4,960 / 4,844	/
> 63 LNDG DIST AVBL (LDA):	/	6,396 / 7,534	4,402 / 4,402	/

> 110 REMARKS

A 017 ARPT INFO - 907-487-4952 MON-FRI 0700-1630.
A 026 CLSD TO ACR OPS GTR THAN 30 PAX SEATS EXC PPR IN WRITING - AMGR P.O. BOX 1500 ANTON LARSON ROAD KODIAK AK 99615.
A 030 RWY 08/26 WHEN ATCT CLSD; LNDG RWY 26 OR DEP RWY 08 PSBL TALL VESSELS XNG RWY 26 APCH 3200-5000 FT FM APCH END. 120 FT SHIPS X CHNL BTN PUFFIN ISLAND/ADQ; ALL HR.
A 039 RWY 01/19 PCR VALUE: 480/F/C/X/T
A 039 RWY 08/26 PCR VALUE: 480/F/C/X/T
A 039 RWY 11/29 PCR VALUE: 480/F/C/X/T
A 043 RWY 01 VASI DOES NOT PRVD OBS CLNC BYD 2.0 NM FM THR; UNUSBL BYD 2.0 NM.
A 048 RWY 01 OMNI DRCTNL.
A 057 RWY 08 APCH RATIO 2:1 TO DTHR.
A 058 RWY 08 7 FT BLAST BARRIER 40 FT FM THR; HWY 60 FT FM THR.
A 076 SUMMER MAINT APR 1 - OCT 13 DAILY 0600-1830. WINTER MAINT OCT 14 - MAR 31 DAILY 0500-1830.
A 081 ACTVT REIL RWY 01 & 26; VASI RWY 01, 26, 29; HIRL RWY 01/19, 08/26, 11/29; TWY LGTS - CTAF.
A 110-001 JASU-5(A/M32A-86); 1(MA-1A). AVBL USCG ONLY.
A 110-002 FIRST 3000 FT RWY 08, FIRST 2000 FT RWY 01 & PTNS OF ALL TXYS NOT VIS FM ATCT.
111 INSPECTOR: (F) 112 LAST INSP: 11/15/2023 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: ADQ FAA SITE NR: 50425.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-003 UNLGT HIGH TRRN ALL QUADS. BIRDS, WATERFOWL & WILDLIFE ON & INVOF OF ARPT.
- A 110-004 SNOW REMOVAL & DEICING NA 1830-0500.
- A 110-007 ROAD WI 50 FT OF THR ALL RWYS.
- A 110-008 LNDG RWY 08 & 11; TKOF RWY 26 & 29 NOT RCMD DURG DARKNESS OR WHEN MT PEAKS OBSCD.
- A 110-010 TSNT MIL CTC MAINT - 164.550 OR KODIAK AIR 345.0 FOR MARSHALLER.
- A 110-013 PAEW ON & INVOF RWY.
- A 110-015 72 HR PPR FOR ACES TO CG RAMP. TSNT MUST PRVD OWN SVC & MAINT CREW. EXP DLA OTR TIME EXC SAR & MEDEVAC - V487-5889/C907-487-5889.
- A 110-016 ARR CTC KODIAK AIR 345.0 OR 164.55 FOR CLRNC ON CG RAMP, MARSHALLER & PRKG SVC. TXY TO CG RAMP XS TWO ROADS; ACTVT CROSSING LIGHTS 122.8; ON 5 CLICKS; OFF 7 CLICKS. NONSTD TAX LINE OBS CLNC ON CG RAMP.
- A 110-017 CG RAMP CLSD TO WINGSPAN GTR THAN 132.5 FT.
- A 110-018 WX CAMERA AVBL ON INTERNET AT [HTTPS://WEATHERCAMS.FAA.GOV](https://weathercams.faa.gov).
- A 110-019 ARPT SAND LRG GRAD THAN FAA RCMD/SEE AC150/5200-30.

111 INSPECTOR: (F)

112 LAST INSP: 11/15/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: AK LOC ID: ADQ FAA SITE NR: 50425.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AAL/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-022 WX BLN LAUNCH FAC ON ARPT; SEE INSIDE BACK CVR FOR OPS DTLS.
A 110-023 LIFEFLIGHT/MEDEVAC USE RAMP AREA IN OR ADJ TO TSNT PRKG E SIDE OF COML RAMP; OUTSIDE OF SIDA MARKINGS.
A 110-025 LOCKED WHEEL TURNS NA ALL SFCS.
A 110-026 PPR ALL OPS GTR THAN 200000 LB GROSS TKOF & LNDG WT.
A 110-027 TSA REGULATED ARPT. SEE 49 CFR 1542. ALL GATES & DOORS MUST BE SECURED AT ALL TIMES. TSNT OR UNFAMILIAR PILOTS - AMGR WITH QUESTIONS.
A 30A RWY 08 MTUS TRRN ON APCH; RCMD USE ONLY BY PILOTS FAMILIAR. HEAVY LIFT CARGO RSTRD FM FULL PWR TKOFF WO PPR - AMGR.

111 INSPECTOR: (F)

112 LAST INSP: 11/15/2023

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/25/2026
AFD EFF 06/11/2026