

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/21/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: ALTON/ST LOUIS 4 STATE: IL LOC ID: ALN FAA SITE NR: 04372.\*A  
> 2 AIRPORT NAME: ST LOUIS RGNL 5 COUNTY: MADISON IL  
> 3 CBD TO AIRPORT (NM): 04 E 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: ST LOUIS

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: ST. LOUIS REGIONAL  
> 12 ADDRESS: 8 TERMINAL DR SUITE 1  
EAST ALTON, IL 62024  
> 13 PHONE NR: 618-259-2531  
> 14 MANAGER: DANIEL ADAMS, AAE  
> 15 ADDRESS: 8 TERMINAL DR, SUITE 1  
EAST ALTON, IL 62024  
> 16 PHONE NR: 618-259-2531  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-2200

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN: HIGH  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: CHTR, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 38-53-23.7000N ESTIMATED  
20 ARPT LONG: 090-02-45.6000W  
21 ARPT ELEV: 543.5 SURVEYED  
22 ACREAGE: 2,250  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX: IV A U 10/1974

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: NONE  
85 CONTROL TWR: YES  
86 FSS: SAINT LOUIS  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	11/29	17/35
> 30 RUNWAY INDENT:	8,099	6,500
> 31 LENGTH:	150	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	106.0	47.0
35 GROSS WT: S	144.0	63.0
36 (IN THSDS) D	198.0	109.0
37 2D	575.0	
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED	
> 40 EDGE INTENSITY:	PIR - G / PIR - G	NPI - F / NPI - F	- / -
> 42 RWY MARK TYPE-COND:	P4R /	P4L / P4L	/ /
> 43 VGSI:	44 /	43 / 43	/ /
44 THR COSSING HGT.:	3.00 /	3.00 / 3.00	/ /
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -
> 47 RVR-RVV:	Y / N	/	/ /
> 48 REIL:	/ MALSR	/	/ /

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / PIR	C / C	
50 FAR 77 CATEGORY	/	/	/ /
> 51 DISPLACED THR:	TREE /	TREE / TREES	/ /
> 52 CTLG OBSTN:	/	/	/ /
> 53 OBSTN MARKED/LGTD:	35 /	18 / 32	/ /
> 54 HGT ABOVE RWY END:	1,275 /	896 / 1,379	/ /
> 55 DIST FROM RWY END:	475R /	139L / 72R	/ /
> 56 CNTRLN OFFSET:	30:1 / 50:1	38:1 / 36:1	/ /
57 OBSTN CLNC SLOPE:	N / N	N / N	/ /

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	8,099 / 8,099	/	/ /
> 61 TAKE OFF DIST AVBL (TODA):	8,099 / 8,099	/	/ /
> 62 ACLT STOP DIST AVBL (ASDA):	8,099 / 8,099	/	/ /
> 63 LNDG DIST AVBL (LDA):	8,099 / 8,099	/	/ /

> 110 REMARKS

A 017 ATTENDANT AFT HR - CALL 618-259-3230 OR 258-1005.  
A 030 RWY 11/29 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.  
A 030 RWY 17/35 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. 90 DAY PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.  
A 039 RWY 11/29 PCR VALUE: 440/F/D/X/T  
A 039 RWY 17/35 PCR VALUE: 180/F/D/X/T  
A 081 ACTVT MALSR RWY 29; REIL RWY 11 - CTAF. WHEN ATCT CLSD PAPI 11, 17, 35; HIRL RWY 11/29; MIRL RWY 17/35 PRESET ON LOW INTST, TO INCR INTST & ACTVT - CTAF.  
A 110-003 RWY 11 & 17 APCH ENDS CLOSELY ALIGNED; VERIFY CORRECT COMPASS HDG PRIOR TO DEP.  
A 110-004 INDEX B FFR EQUIP AVBL WITH 30-MIN PPR.  
A 110-005 MIGRATORY BIRD ACTIVITY IN VICINITY OF ARPT SEPTEMBER THROUGH APRIL.  
A 110-006 WILDLIFE ON AND IN VICINITY OF AIRPORT

111 INSPECTOR: (F)

112 LAST INSP: 11/30/2018

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/21/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/21/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: IL LOC ID: ALN FAA SITE NR: 04372.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 11/30/2018

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/21/2026  
AFD EFF 04/16/2026