

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aer_o_data/

PRINT DATE: 5/5/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ALTOONA 4 STATE: PA LOC ID: AOO FAA SITE NR: 19685.*A
 > 2 AIRPORT NAME: ALTOONA/BLAIR COUNTY 5 COUNTY: BLAIR PA
 3 CBD TO AIRPORT (NM): 12 S 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT: DETROIT

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: BLAIR COUNTY AIRPORT AUTH
 > 12 ADDRESS: 310 AIRPORT DRIVE, SUITE 6
 MARTINSBURG, PA 16662
 > 13 PHONE NR: 814-793-2027
 > 14 MANAGER: TRACY PLESSINGER
 > 15 ADDRESS: 310 AIRPORT DRIVE, SUITE 6
 MARTINSBURG, PA 16662
 > 16 PHONE NR: 814-793-2027
 > 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0430-2230
 ALL SAT 0730-1930
 ALL SUN 0830-2030

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 40-17-46.9000N ESTIMATED
 20 ARPT LONG: 078-19-12.1000W
 21 ARPT ELEV: 1503.4 SURVEYED
 22 ACREAGE: 320
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY
 > 26 FAR 139 INDEX: II A S 07/1990

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: HIGH
 74 BULK OXYGEN: HIGH
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES:
 AVNCS, CARGO, CHTR, INSTR, RNTL,
 SALES

FACILITIES

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: YES
 85 CONTROL TWR: NO
 86 FSS: ALTOONA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	03/21	12/30
> 30 RUNWAY INDENT:	5,465	3,668
> 31 LENGTH:	100	75
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	16.0	11.5
35 GROSS WT: S	44.0	33.0
36 (IN THSDS) D		
37 2D		
38 2D/2D2		
> 39 PCN:		11 /F/B/X/T

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGSI:
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	NPI - G / PIR - G	BSC - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4R	/	/
> 43 VGSI:	43 / 52	54 / 54	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 4.00	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	Y /	Y / Y	/	/
> 48 REIL:	/ MALSR	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	C / PIR	B(V) / B(V)		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	TREES / TREE	TREE / TREES	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	46 / 72	7 / 15	/	/
> 54 HGT ABOVE RWY END:	886 / 1,950	260 / 397	/	/
> 55 DIST FROM RWY END:	522L / 685R	82R / 59R	/	/
> 56 CNTRLN OFFSET:	14:1 / 24:1	8:1 / 13:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / Y	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	5,465 / 5,465	3,668 / 3,668		
> 60 TAKE OFF RUN AVBL (TORA):	5,465 / 5,465	3,668 / 3,668	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,465 / 5,465	3,668 / 3,668	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,465 / 5,465	3,668 / 3,668	/	/
> 63 LNDG DIST AVBL (LDA):	5,465 / 5,465	3,668 / 3,668	/	/

> 110 REMARKS

A 026 PPR 24 FOR UNSKED ACR & NON-ACR OPNS WITH MORE THAN 30 PSGR SEATS; CALL AMGR 814-793-2027.
 A 030 RWY 12/30 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NO PART 121/PART 380 OPS EXC FOR TAX.
 A 039 RWY 03/21 PCR VALUE: 321/F/D/X/T
 A 040 RY 03/21, THRESHOLD LGTS & EDGE LGTS OTS EXCEPT WITH PCL, AVBL FM 0100-1300Z DAILY.
 A 040 RY 12/30, THRESHOLD LGTS & EDGE LGTS OTS EXCEPT WITH PCL, AVBL FM 0100-1300Z DAILY.
 A 058 RWY 30 HAS + 4 FT GND 20 FT FM RY END 215 FT RIGHT.
 A 081 HIRL RY 03/21 & MIRL RY 12/30 PRESET LOW INTST, INCR INTST & ACTVT PAPI RYS 12, 30, 03 & 21, MALSR RY 21 & REIL RYS 03, 12, & 30 - CTAF.
 A 110-001 PREFERRED RWY IS RWY 21; FOR NOISE ABATEMENT WHEN DEP RWY 03 MAINT RWY HDG TIL 2 NM N OF ARPT.
 A 110-004 SPECIALIZED ACFT (ULTRALGT, HOMEBUILT, ETC) CTC AMGR 814-793-2027 OR UNICOM PRIOR TO LDG.
 A 110-006 RWY/TWY CONDITIONS UNMONITORED OUTSIDE OF NML ATTENDANCE HRS.
 A 110-007 FOR CD CTC JOHNSTOWN APCH AT 814-532-5960, WHEN APCH CLSD CTC CLEVELAND ARTCC AT 440-774-0213.

111 INSPECTOR: (F)

112 LAST INSP: 07/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/5/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/5/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: PA LOC ID: AOO FAA SITE NR: 19685.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AEA/HAR 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 07/16/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/5/2026
AFD EFF 04/16/2026