

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/7/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ASTORIA 4 STATE: OR LOC ID: AST FAA SITE NR: 19354.*A
> 2 AIRPORT NAME: ASTORIA RGNL 5 COUNTY: CLATSOP OR
> 3 CBD TO AIRPORT (NM): 03 SW 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT: SEATTLE

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: PORT OF ASTORIA
> 12 ADDRESS: 422 GATEWAY AVENUE, SUITE 100, SUITE 103
ASTORIA, OR 97103
> 13 PHONE NR: 503-741-3300
> 14 MANAGER: MATT MCGRATH
> 15 ADDRESS: 422 GATEWAY AVENUE, SUITE 100
ASTORIA, OR 97103
> 16 PHONE NR: 503-298-0909
> 17 ATTENDANCE SCHEDULE:
ALL ALL 0800-1700

SERVICES

70 FUEL: 100LL A A+
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MINOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AMB, CARGO, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 46-09-28.7220N ESTIMATED
20 ARPT LONG: 123-52-43.0450W
21 ARPT ELEV: 14.7 SURVEYED
22 ACREAGE: 870
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: NO
25 NPIAS/FED AGREEMENTS: NGPY3
> 26 FAR 139 INDEX:

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.800
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: MC MINNVILLE
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 08/26 | 14/32 |
|----------------------|-------|--------|
| > 30 RUNWAY INDENT: | 5,794 | 4,467 |
| > 31 LENGTH: | 100 | 100 |
| > 32 WIDTH: | ASPH | ASPH-E |
| > 33 SURF TYPE-COND: | NONE | NONE |
| > 34 SURF TREATMENT: | 60.0 | 60.0 |
| 35 GROSS WT: S | 76.0 | 76.0 |
| 36 (IN THSDS) D | 119.0 | 119.0 |
| 37 2D | | |
| 38 2D/2D2 | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | MED | MED | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - F / PIR - F | BSC - G / BSC - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | V4L / | V4L / P4L | / | / |
| > 43 VGSI: | 38 / | 55 / 61 | / | / |
| 44 THR COSSING HGT.: | 3.00 / | 3.00 / 4.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | - / - | - / - | - / - | - / - |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | Y / | Y / | / | / |
| > 48 REIL: | / MALSR | / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | C / PIR | B(V) / B(V) | | |
|-------------------------|--------------|-------------|---|---|
| 50 FAR 77 CATEGORY | 300 / 713 | / | / | / |
| > 51 DISPLACED THR: | TREE / FENCE | BERM / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | 116 / 12 | 5 / | / | / |
| > 54 HGT ABOVE RWY END: | 3,100 / 200 | 200 / | / | / |
| > 55 DIST FROM RWY END: | 900R / 50R | 0B / 0B | / | / |
| > 56 CNTRLN OFFSET: | 25:1 / 0:1 | 0:1 / 20:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / N | Y / N | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | 5,794 / 5,794 | 4,467 / 4,467 | | |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 5,794 / 5,794 | 4,467 / 4,467 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 5,194 / 5,494 | 4,467 / 4,467 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 4,894 / 4,780 | 4,467 / 4,467 | / | / |

> 110 REMARKS

A 017 FOR FUEL OUTSIDE NML WORKING HRS CTC FBO 503-298-7531.
A 057 RWY 14 APCH SLOPE 21:1 TO DSPLCD THR.
A 057 RWY 26 +4 FT LEVEE DIST 350 FT 500 FT R, +50:1 BASED ON DSPLCD THR.
A 058 RWY 14 5 FT LEVEE 150 FT FROM RY END 250 FT L TO 250 FT R.
A 070 L MIL FUEL AVBL ON GEN AVN/FBO RAMP, US GOVT AIRCARD ACPTD. CTC ASTORIA MAINT CTL 171.35 15 MIN PRIOR TO ENTERING CG RAMP. C503-861-6288.
A 081 ACTVT MRL RWY 08/26 & RY 14/32, MALSR RWY 26 AND REIL RWY 08 - CTAF.
A 110-002 MIGRATORY FLOCKS OF WATERFOWL ON & INVOF ARPT.
A 110-003 HIGH CONCENTRATION HEL OPNS IN AREA.
A 110-006 (E94) SAWRS.
A 110-007 RWY 14/32 HAS BASIC MARKINGS WITH SIDE STRIPES.
A 110-008 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SEATTLE ARTCC AT 253-351-3694.
A 110-009 USCG ASTORIA AIR 345.0.
A 110-010 SERVICE FUEL: PORT OF ASTORIA, AVBL 1600-0100Z-, C503-861-1222. OT C503-298-7531, \$50 FEE

111 INSPECTOR: (S) 112 LAST INSP: 09/29/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/7/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/7/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: OR LOC ID: AST FAA SITE NR: 19354.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANM/SEA 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 09/29/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/7/2026
AFD EFF 04/16/2026