

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: APPLETON 4 STATE: WI LOC ID: ATW FAA SITE NR: 27013.1*A
 > 2 AIRPORT NAME: APPLETON INTL 5 COUNTY: OUTAGAMIE WI
 3 CBD TO AIRPORT (NM): 03 W 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT: GREEN BAY

GENERAL

10 OWNERSHIP: PUBLIC
 > 11 OWNER: OUTAGAMIE COUNTY
 > 12 ADDRESS: W6390 CHALLENGER DR-SUITE 201
 APPLETON, WI 54915
 > 13 PHONE NR: 920-832-5267
 > 14 MANAGER: ABE WEBER, AIRPORT DIRECTOR
 > 15 ADDRESS: W6390 CHALLENGER DR-SUITE 201
 APPLETON, WI 54914-9119
 > 16 PHONE NR: 920-832-5267
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
 71 AIRFRAME RPRS: MAJOR
 72 PWR PLANT RPRS: MAJOR
 73 BOTTLE OXYGEN: NONE
 74 BULK OXYGEN: HIGH/LOW
 75 TSNT STORAGE: HGR, TIE
 76 OTHER SERVICES: AFRT, AVNCS, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
 19 ARPT LAT: 44-15-29.1350N ESTIMATED
 20 ARPT LONG: 088-31-08.6600W
 21 ARPT ELEV: 918.0 SURVEYED
 22 ACREAGE: 1,638
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO
 25 NPIAS/FED AGREEMENTS: NGY
 > 26 FAR 139 INDEX: I B S 11/1974

80 ARPT BCN: WG
 81 ARPT LGT SKED : SEE RMK
 BCN LGT SKED: SS-SR
 82 UNICOM: 122.950
 83 WIND INDICATOR: YES-L
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: GREEN BAY
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:
 > 34 SURF TREATMENT:
 35 GROSS WT: S
 36 (IN THSDS) D
 37 2D
 38 2D/2D2
 > 39 PCN:

	03/21	12/30
> 30 RUNWAY INDENT:	8,003	6,502
> 31 LENGTH:	150	150
> 32 WIDTH:	CONC-G	CONC-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	250.0	224.0
36 (IN THSDS) D	524.0	360.0
37 2D	1043.0	835.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:
 > 43 VGS: I
 44 THR COSSING HGT.:
 45 VISUAL GLIDE ANGLE:
 > 46 CNTRLN-TDZ:
 > 47 RVR-RVV:
 > 48 REIL:
 > 49 APCH LIGHTS:

	HIGH	HIGH
> 40 EDGE INTENSITY:	PIR - G / PIR - G	PIR - G / PIR - G
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L / P4L
> 43 VGS: I	47 / 47	35 / 61
44 THR COSSING HGT.:	3.00 / 3.00	3.00 / 3.00
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N
> 46 CNTRLN-TDZ:	T - N / R - N	- N / - N
> 47 RVR-RVV:	N / Y	Y /
> 48 REIL:	MALSR /	/ MALSR

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

	PIR / D	D / PIR
50 FAR 77 CATEGORY	/	/
> 51 DISPLACED THR:	TREE / TREE	TREE /
> 52 CTLG OBSTN:	/	/
> 53 OBSTN MARKED/LGTD:	56 / 62	57 /
> 54 HGT ABOVE RWY END:	2,400 / 2,600	2,800 /
> 55 DIST FROM RWY END:	200L / 350L	350R /
> 56 CNTRLN OFFSET:	39:1 / 38:1	45:1 / 50:1
57 OBSTN CLNC SLOPE:	N / N	N / N

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
 > 61 TAKE OFF DIST AVBL (TODA):
 > 62 ACLT STOP DIST AVBL (ASDA):
 > 63 LNDG DIST AVBL (LDA):

	8,002 / 8,002	6,501 / 6,501
> 60 TAKE OFF RUN AVBL (TORA):	8,002 / 8,002	6,501 / 6,501
> 61 TAKE OFF DIST AVBL (TODA):	8,002 / 8,002	6,501 / 6,501
> 62 ACLT STOP DIST AVBL (ASDA):	8,002 / 8,002	6,501 / 6,501
> 63 LNDG DIST AVBL (LDA):	8,002 / 8,002	6,501 / 6,501

> 110 REMARKS

A 039 RWY 03/21 PCR VALUE: 1000/R/C/W/T
 A 039 RWY 12/30 PCR VALUE: 730/R/C/W/T
 A 043 RWY 03 OPERATES CONTINUOUSLY.
 A 043 RWY 21 OPERATES CONTINUOUSLY. PAPI RESTRICTED BYD 8.5 DEG RGT OF COURSE.
 A 043 RWY 30 OPERATES CONTINUOUSLY.
 A 081 WHEN ATCT CLSD HIRL RWY 03/21 PRESET ON LOW INTST; TO INCR INTST & ACTVT MALSR RWY 03, 30; REIL RWY 12, 21; PAPI RWY 12; HIRL RWY 03/21, 12/30 - CTAF.
 A 110-002 BIRDS & MIGRATORY WATERFOWL ON & INVOF ARPT.
 A 110-003 SNOW REMOVAL OPNS IN PROGRESS WINTER MONTHS. VEHICLE OPERATORS WILL BE MONITORING CTAF; ACFT LNDG/DEP APPLETON SHOULD USE CTAF WHEN ATCT CLSD.
 A 110-004 US CSTMS AND BORDER PROTECTION. PPR US CSTMS SVC MON-FRI 1300-2100Z (0800-1600 LOCAL) CALL 920-968-2348.
 A 110-005 WHEN ATCT CLSD, FOR CD CTC GREEN BAY APCH ON FREQ, IF UNA CTC MINNEAPOLIS ARTCC AT 651-463-5588.
 A 110-006 PERIODIC LIVE FIRE TRNG SOUTH SIDE OF ARPT.
 A 110-007 COML RAMP DEICING PADS ARE AVBL FOR LIVE ENG RUN OPN DRG DEICING.

111 INSPECTOR: (F)

112 LAST INSP: 04/01/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: WI LOC ID: ATW FAA SITE NR: 27013.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/CHI 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (F)

112 LAST INSP: 04/01/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/1/2026
AFD EFF 04/16/2026