

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: AUGUSTA 4 STATE: ME LOC ID: AUG FAA SITE NR: 07819.*A
> 2 AIRPORT NAME: AUGUSTA STATE 5 COUNTY: KENNEBEC ME
> 3 CBD TO AIRPORT (NM): 01 NW 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: MONTREAL

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: STATE OF MAINE
> 12 ADDRESS: 16 STATE HOUSE STATION
AUGUSTA, ME 04333
> 13 PHONE NR: 207-624-3250
> 14 MANAGER: JOHN GUIMOND
> 15 ADDRESS: 75 AIRPORT RD
AUGUSTA, ME 04330
> 16 PHONE NR: 207-626-2306
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-2000

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: NONE
74 BULK OXYGEN: NONE
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: AFRT, AMB, CHTR, INSTR, RNTL, SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 123.000
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: NO
86 FSS: BANGOR
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 44-19-14.4730N ESTIMATED
20 ARPT LONG: 069-47-50.3110W
21 ARPT ELEV: 351.7 SURVEYED
22 ACREAGE: 406
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPY3
> 26 FAR 139 INDEX:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

| | 08/26 | 17/35 |
|----------------------|--------|--------|
| > 30 RUNWAY INDENT: | 2,613 | 5,002 |
| > 31 LENGTH: | 75 | 100 |
| > 32 WIDTH: | ASPH-F | ASPH-G |
| > 33 SURF TYPE-COND: | NONE | GRVD |
| > 34 SURF TREATMENT: | 30.0 | 50.0 |
| 35 GROSS WT: S | | 60.0 |
| 36 (IN THSDS) D | | |
| 37 2D | | |
| 38 2D/2D2 | | |

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

| | MED | HIGH | | |
|--------------------------|-------------------|-------------------|-------|-------|
| > 40 EDGE INTENSITY: | NPI - G / NPI - G | PIR - G / PIR - G | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | P4L / P4L | / | / |
| > 43 VGSI: | / | 53 / 40 | / | / |
| 44 THR COSSING HGT.: | / | 3.00 / 3.00 | / | / |
| 45 VISUAL GLIDE ANGLE: | N - N / N - N | N - N / N - N | - / - | - / - |
| > 46 CNTRLN-TDZ: | - N / - N | - N / - N | - / - | - / - |
| > 47 RVR-RVV: | N / N | / Y | / | / |
| > 48 REIL: | / | MALSR / | / | / |

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

| | A(V) / A(V) | PIR / C | | |
|-------------------------|---------------|-------------|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | TREES / FENCE | TREE / TREE | / | / |
| > 52 CTLG OBSTN: | / L | / L | / | / |
| > 53 OBSTN MARKED/LGTD: | 16 / 6 | 6 / 8 | / | / |
| > 54 HGT ABOVE RWY END: | 287 / 201 | 210 / 201 | / | / |
| > 55 DIST FROM RWY END: | 80L / 131L | 20L / 90R | / | / |
| > 56 CNTRLN OFFSET: | 5:1 / 0:1 | 1:1 / 0:1 | / | / |
| 57 OBSTN CLNC SLOPE: | N / Y | Y / Y | / | / |

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

| | 2,613 / 2,613 | 5,002 / 5,002 | | |
|----------------------------------|---------------|---------------|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | 2,613 / 2,613 | 5,002 / 5,002 | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | 2,613 / 2,613 | 5,002 / 5,002 | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | 2,613 / 2,613 | 5,002 / 5,002 | / | / |
| > 63 LNDG DIST AVBL (LDA): | 2,613 / 2,613 | 5,002 / 5,002 | / | / |

> 110 REMARKS

A 017 ARPT UNATNDD AFT DARK DURG SN & ICE SEASON. FLD COND RPRTS, SN DEPTHS & BA MAY NOT BE AVBL FOR RWYS FM 1800-0600.
A 057 RWY 17 APCH SLP GTR THAN 45 DEG.
A 058 RWY 17 7-8 FT BRUSH 190 FT FM THR, 110-120 FT R OF CNTRLN.
A 058 RWY 26 ROAD & FENCE L OF APCH, 0-200 FT FM RWY END, LGTD.
A 058 RWY 35 ROAD 240 FT R, 0-200 FT; 3-7 FT BRUSH 195-200 FT FM THR, 65-130 FT R OF CNTRLN.
A 070 FOR FUEL AFT NML BUS HRS CALL 207-622-2507.
A 075 CALL 207-622-1211 FOR HNGR AVBL.
A 081 ACTVT MALSR RWY 17; REIL RWY 35; PAPI RWY 17 & 35; HIRL RWY 17/35; MIRL RWY 08/26 - CTAF.
A 110-001 RWY 35 DESIGNATED CALM WIND RWY.
A 110-002 TWY F EAST CLSD TO ALL ACFT WITH WING SPAN GTR THAN 45 FT.
A 110-003 LDG FEE FOR MULTI-ENG ACFT; FEE WAIVED WITH FUEL PURCHASE.
A 110-007 BIRDS & DEER ON & INVOF ARPT.
A 110-012 ACR RAMP CLSD TO GA TFC.
A 110-013 RWY 17/35 HAVE EMAS CATEGORY B2.
A 110-014 FOR CD WHEN PORTLAND APCH CLSD, CTC BOSTON ARTCC AT 603-879-6859.

111 INSPECTOR: (C)

112 LAST INSP: 08/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: ME LOC ID: AUG FAA SITE NR: 07819.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

| | | | | |
|--------------------------|-------|-------|-------|-------|
| > 40 EDGE INTENSITY: | - / - | - / - | - / - | - / - |
| > 42 RWY MARK TYPE-COND: | / | / | / | / |
| > 43 VGSI: | / | / | / | / |
| 44 THR COSSING HGT.: | / | / | / | / |
| 45 VISUAL GLIDE ANGLE: | / | / | / | / |
| > 46 CNTRLN-TDZ: | - / - | - / - | - / - | - / - |
| > 47 RVR-RVV: | - / - | - / - | - / - | - / - |
| > 48 REIL: | / | / | / | / |
| > 49 APCH LIGHTS: | / | / | / | / |

OBSTRUCTION DATA

| | | | | |
|-------------------------|---|---|---|---|
| 50 FAR 77 CATEGORY | / | / | / | / |
| > 51 DISPLACED THR: | / | / | / | / |
| > 52 CTLG OBSTN: | / | / | / | / |
| > 53 OBSTN MARKED/LGTD: | / | / | / | / |
| > 54 HGT ABOVE RWY END: | / | / | / | / |
| > 55 DIST FROM RWY END: | / | / | / | / |
| > 56 CNTRLN OFFSET: | / | / | / | / |
| 57 OBSTN CLNC SLOPE: | / | / | / | / |
| 58 CLOSE-IN OBSTN: | / | / | / | / |

DECLARED DISTANCES

| | | | | |
|----------------------------------|---|---|---|---|
| > 60 TAKE OFF RUN AVBL (TORA): | / | / | / | / |
| > 61 TAKE OFF DIST AVBL (TODA): | / | / | / | / |
| > 62 ACLT STOP DIST AVBL (ASDA): | / | / | / | / |
| > 63 LNDG DIST AVBL (LDA): | / | / | / | / |

> 110 REMARKS

A 110-015 PILOTS CONDUCTING EFVS OPS; BE AWARE LED ALS IN USE RWY 17.

111 INSPECTOR: (C)

112 LAST INSP: 08/14/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/16/2026
AFD EFF 06/11/2026