

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/26/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: AUSTIN 4 STATE: TX LOC ID: AUS FAA SITE NR: 23369.\*A  
 > 2 AIRPORT NAME: AUSTIN-BERGSTROM INTL 5 COUNTY: TRAVIS TX  
 3 CBD TO AIRPORT (NM): 05 SE 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT: SAN ANTONIO

### GENERAL

10 OWNERSHIP: PUBLIC  
 > 11 OWNER: CITY OF AUSTIN  
 > 12 ADDRESS: PO BOX 1088  
 AUSTIN, TX 78767  
 > 13 PHONE NR: 512-974-2000  
 > 14 MANAGER: GHIZLANE BADAWI  
 > 15 ADDRESS: 3600 PRESIDENTIAL BLVD, SUITE 411  
 AUSTIN, TX 78719  
 > 16 PHONE NR: 512-530-8846  
 > 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100LL A  
 71 AIRFRAME RPRS: MINOR  
 72 PWR PLANT RPRS: MINOR  
 73 BOTTLE OXYGEN: HIGH/LOW  
 74 BULK OXYGEN:  
 75 TSNT STORAGE: HGR, TIE  
 76 OTHER SERVICES:  
 AFRT, AVNCS, CARGO, CHTR, INSTR,  
 RNTL, SALES

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
 81 ARPT LGT SKED : SS-SR  
 BCN LGT SKED: SS-SR  
 82 UNICOM: 122.950  
 83 WIND INDICATOR: YES-L  
 84 SEGMENTED CIRCLE: NONE  
 85 CONTROL TWR: YES  
 86 FSS: SAN ANGELO  
 87 FSS ON ARPT: NO  
 88 FSS PHONE NR:  
 89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
 19 ARPT LAT: 30-11-40.2980N ESTIMATED  
 20 ARPT LONG: 097-40-11.5540W  
 21 ARPT ELEV: 541.5 SURVEYED  
 22 ACREAGE: 4,242  
 > 23 RIGHT TRAFFIC: 36R, 18R  
 > 24 NON-COMM LANDING: NO  
 25 NPIAS/FED AGREEMENTS: NGPY  
 > 26 FAR 139 INDEX: I D S 06/1997

### RUNWAY DATA

> 30 RUNWAY INDENT:  
 > 31 LENGTH:  
 > 32 WIDTH:  
 > 33 SURF TYPE-COND:  
 > 34 SURF TREATMENT:  
 35 GROSS WT: S  
 36 (IN THSDS) D  
 37 2D  
 38 2D/2D2  
 > 39 PCN:

18L/36R	18R/36L	H1	H2
9,000	12,250	60	60
150	150	60	60
CONC-G	CONC-G	CONC-G	CONC-G
GRVD	GRVD	NONE	NONE
120.0	120.0		
250.0	250.0		
513.0	550.0		
1033.0	1120.0		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
 > 42 RWY MARK TYPE-COND:  
 > 43 VGS: 44 THR COSSING HGT.:  
 45 VISUAL GLIDE ANGLE:  
 > 46 CNTRLN-TDZ:  
 > 47 RVR-RVV:  
 > 48 REIL:  
 > 49 APCH LIGHTS:

18L/36R	18R/36L	H1	H2
HIGH	HIGH		
PIR - G / PIR - G	PIR - G / PIR - G	NONE - G / -	NONE - G / -
P4L / P4L	P4L / P4L	/	/
74 / 59	60 / 60	/	/
3.00 / 3.00	3.00 / 3.00	/	/
Y - Y / Y - Y	- / -	- / -	- / -
TMR - / TMR -	TR - N / TR - N	- / -	- / -
N / N	N / N	/	/
ALSF2 / MALSR	MALS / MALS	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
 > 51 DISPLACED THR:  
 > 52 CTLG OBSTN:  
 > 53 OBSTN MARKED/LGTD:  
 > 54 HGT ABOVE RWY END:  
 > 55 DIST FROM RWY END:  
 > 56 CNTRLN OFFSET:  
 57 OBSTN CLNC SLOPE:  
 58 CLOSE-IN OBSTN:

18L/36R	18R/36L	H1	H2
PIR / PIR	PIR / PIR	/	/
/	/	/	/
TOWER /	/	/	/
L /	/	/	/
90 /	/	/	/
3,807 /	/	/	/
236R /	/	/	/
40:1 / 50:1	50:1 / 50:1	/	/
N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
 > 61 TAKE OFF DIST AVBL (TODA):  
 > 62 ACLT STOP DIST AVBL (ASDA):  
 > 63 LNDG DIST AVBL (LDA):

18L/36R	18R/36L	H1	H2
9,000 / 9,000	12,250 / 12,250	/	/
9,000 / 9,000	12,250 / 12,250	/	/
9,000 / 9,000	12,250 / 12,250	/	/
9,000 / 9,000	12,250 / 12,250	/	/

### > 110 REMARKS

A 016 GHIZLANE.BADAWI@FLYAUSTIN.COM  
 A 039 RWY 18L/36R PCR VALUE: 900/R/B/W/T  
 A 039 RWY 18R/36L PCR VALUE: 1070/R/B/W/T  
 A 110-001 BIRD ACTIVITY ON & INVOF ARPT.  
 A 110-005 DURG THE HRS 0000-0600 ARRG ACFT WILL BE ASGND RWY 36L OR RWY 36R & DEPARTING ACFT WILL BE ASGND RWY 18L OR RWY 18R TO AVOID NOISE SENSITIVE AREAS.  
 A 110-008 NOISE ABATEMENT: ALL DEP FOLLOW ATC INSTRUCTIONS; CLIMB ASAP TO 4000 FT OR ABOVE.  
 A 110-009 PPR ENGINE MAINTENANCE RUN UPS CALL OPS 512-530-7550.  
 A 110-012 PPR GA ACFT ON THE PSGR TERMINAL APRON, CALL OPS 512-530-7550.  
 A 110-013 ARNG: OPR 1300-2300++ TUE-FRI, DSN 954-5001 EXT 7024614, C512-356-7900 EXT 7024614.  
 A 110-014 TWY A CLSD TO ACFT WITH WINGSPAN MORE THAN 171 FT.  
 A 110-015 PPR FOR NON STATE OF TEXAS AIRCRAFT ENTERING THE STATE RAMP ABEAM TWY E. CALL STATE OPS 512-936-8900 OR FREQ. 131.375.  
 A 110-016 TXLN R4 CLSD TO AFCT WITH WINGSPAN MORE THAN 135.  
 A 110-017 TXLN C2 CLSD TO AFCT WITH WINGSPAN MORE THAN 171.  
 A 110-018 TXLN R1, R3, R5 CLSD TO AFCT WITH WINGSPAN MORE THAN 118.

111 INSPECTOR: ( F ) 112 LAST INSP: 04/17/2025 113 LAST INFO REQ: 09/09/1976

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/26/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/26/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: TX LOC ID: AUS FAA SITE NR: 23369.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ASW/TEX 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics  
<https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

H3  
50  
50  
CONC-G  
NONE

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

BSC - G / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
N / N	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-019 TXLN C2 BTWN TWY C AND G1, AND TXLN R1 CLSD 2000L-0800L.  
A 110-020 CTC RAMP CTL AT 126.225 PRIOR TO ENTRY/EXIT TO/FM THE TRML APN.

111 INSPECTOR: ( F )

112 LAST INSP: 04/17/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/26/2026  
AFD EFF 04/16/2026