

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: MARANA 4 STATE: AZ LOC ID: AVQ FAA SITE NR: 00813.\*A  
> 2 AIRPORT NAME: MARANA RGNL 5 COUNTY: PIMA AZ  
> 3 CBD TO AIRPORT (NM): 15 NW 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: TOWN OF MARANA  
> 12 ADDRESS: 11555 W. CIVIC CENTER DRIVE  
MARANA, AZ 85653  
> 13 PHONE NR: 520-382-1999  
> 14 MANAGER: GALEN BEEM  
> 15 ADDRESS: 11700 W. AVRA VALLEY RD, #91, TOWN OF  
MARANA, AZ 85653  
> 16 PHONE NR: 520-382-8053  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0700-1730

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: HIGH  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
INSTR, PAJA, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 32-24-34.4000N ESTIMATED  
20 ARPT LONG: 111-13-06.2000W  
21 ARPT ELEV: 2031.5 SURVEYED  
22 ACREAGE: 630  
> 23 RIGHT TRAFFIC: 03, 30  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX:

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 123.000  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: PRESCOTT  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	03/21	12/30
> 30 RUNWAY INDENT:	3,892	6,901
> 31 LENGTH:	75	100
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE
> 34 SURF TREATMENT:	75.0	75.0
35 GROSS WT: S	100.0	100.0
36 (IN THSDS) D	150.0	300.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	BSC - G / BSC - G	NPI - G / NPI - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P2L / P2L	P4L / P4L	/	/
> 43 VGS: I	53 / 41	45 / 45	/	/
44 THR COSSING HGT.:	2.91 / 2.91	3.06 / 3.41	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	Y / Y	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	A(NP) / A(NP)	C / B(V)		
50 FAR 77 CATEGORY	494 /	/	/	/
> 51 DISPLACED THR:	ROAD / BRUSH	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	15 / 13	/	/	/
> 54 HGT ABOVE RWY END:	200 / 225	/	/	/
> 55 DIST FROM RWY END:	250R / 150R	/	/	/
> 56 CNTRLN OFFSET:	0:1 / 1:1	50:1 / 20:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

### > 110 REMARKS

A 016 520-382-2607  
A 030 RWY 12/30 RWY 12 CALM WIND RWY.  
A 043 RWY 21 PAPI UNUSBL BYD 7.0 NM DUE TO TRRN.  
A 043 RWY 30 PAPI UNUSBL BYD 3.5 NM DUE TO TRRN.  
A 057 RWY 03 APCH RATIO 50:1 TO DTHR.  
A 075 FOR AVBLTY - 520-682-2999.  
A 081 ACTVT REIL RWY 12 & 30; MIRL RWY 03/21 & 12/30 - CTAF. PAPI RWY 03, 12, 21 & 30 ON CONSPLY.  
A 110-001 AEROBATIC ACT 2 MI SE SFC-7000 FT MSL; HIGH & LOW LEVEL PRCHT TRNG NW QUAD.  
A 110-009 HEL LND SE HELIPAD ONLY; FUEL & TERM RAMP LNDG NA.  
A 110-013 FOR CD CTC TUCSON APCH AT 520-829-6121.  
A 110-014 PREF TFC PAT ALT 3000 FT MSL, LIGHT ACFT; 3500 FT MSL, HEAVY ACFT.  
A 110-015 FRMN FLT PPR WI 5 NM - AMGR.  
A 110-016 SELF SVC CREDIT CARD FUEL H24. AFT HR CALL OUT FEE - 520-730-4318.  
A 110-017 HOT AIR BALLON OPS NA.

111 INSPECTOR: (C)

112 LAST INSP: 04/15/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: AZ LOC ID: AVQ FAA SITE NR: 00813.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (C)

112 LAST INSP: 04/15/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 4/27/2026  
AFD EFF 04/16/2026