

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: KALAMAZOO 4 STATE: MI LOC ID: AZO FAA SITE NR: 09986.*A
> 2 AIRPORT NAME: KALAMAZOO/BATTLE CREEK INTL 5 COUNTY: KALAMAZOO MI
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: CHICAGO

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: KALAMAZOO CO
> 12 ADDRESS: 5235 PORTAGE RD
PORTAGE, MI 49002
> 13 PHONE NR: 269-388-3668
> 14 MANAGER: CRAIG WILLIAMS, AIRPORT DIRECTOR
> 15 ADDRESS: 5235 PORTAGE RD
PORTAGE, MI 49002
> 16 PHONE NR: 269-388-3668
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH
74 BULK OXYGEN: HIGH
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES: CARGO, CHTR, INSTR, RNTL

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-14-03.8000N ESTIMATED
20 ARPT LONG: 085-33-05.6000W
21 ARPT ELEV: 873.9 SURVEYED
22 ACREAGE: 832
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGSY3
> 26 FAR 139 INDEX: I B S 05/1973

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SEE RMK
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: LANSING
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	09/27	17/35
> 30 RUNWAY INDENT:	3,438	2,800	6,502
> 31 LENGTH:	100	60	150
> 32 WIDTH:	ASPH-F	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	NONE	GRVD
> 34 SURF TREATMENT:	30.0	30.0	85.0
35 GROSS WT: S	45.0	60.0	121.0
36 (IN THSDS) D	60.0		240.0
37 2D			
38 2D/2D2			
> 39 PCN:			

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGS: 44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	MED	HIGH	
> 40 EDGE INTENSITY:	NPI - F / NPI - F	BSC - F / BSC - F	PIR - G / PIR - G	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	/	P4L / P4L	/
> 43 VGS:	28 / 38	/	45 / 53	/
44 THR COSSING HGT.:	3.00 / 3.50	/	3.00 / 3.00	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	N - N / N - N	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	R - N / T - N	- / -
> 47 RVR-RVV:	Y / Y	N / N	Y / N	/
> 48 REIL:	/	/	/ MALSR	/
> 49 APCH LIGHTS:				

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	C / C	A(V) / A(V)	C / PIR	
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	POLE / TREE	TREE / RR	TREES / RR	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	46 / 53	84 / 17	76 / 18	/
> 54 HGT ABOVE RWY END:	900 / 1,050	1,710 / 640	2,090 / 758	/
> 55 DIST FROM RWY END:	275R / 340L	275L / 0R	750L / 586R	/
> 56 CNTRLN OFFSET:	15:1 / 16:1	17:1 / 25:1	24:1 / 31:1	/
57 OBSTN CLNC SLOPE:	N / N	N / N	N / N	/
58 CLOSE-IN OBSTN:				

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	3,438 / 3,438	2,800 / 2,800	6,502 / 6,502	
> 60 TAKE OFF RUN AVBL (TORA):	3,438 / 3,438	2,800 / 2,800	6,502 / 6,502	/
> 61 TAKE OFF DIST AVBL (TODA):	3,438 / 3,438	2,800 / 2,800	6,502 / 6,502	/
> 62 ACLT STOP DIST AVBL (ASDA):	3,438 / 3,438	2,800 / 2,800	6,502 / 6,502	/
> 63 LNDG DIST AVBL (LDA):	3,438 / 3,438	2,800 / 2,800	6,502 / 6,502	/

> 110 REMARKS

A 024 GA LDG FEE FOR ACFT WITH MAX LDG WT 8000 LB OR GTR.
A 026 PPR FOR UNSKED ACR OPS GTR THAN 30 PAX SEATS - CALL AMGR.
A 030 RWY 05/23 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NO PART 121/PART 380 OPS EXC FOR TAX.
A 030 RWY 09/27 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 039 RWY 05/23 PCR VALUE: 354/F/C/X/T
A 039 RWY 09/27 PCR VALUE: 66/F/C/X/T
A 039 RWY 17/35 PCR VALUE: 402/F/C/X/T
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 35; REIL RWY 17, 05, & 23; HIRL RWY 17/35; MIRL RWY 05/23 & 09/27 - CTAF. PAPI RWY 17, 35, 05, & 23 OPR CONSLY.
A 081 ATC-CTL
A 110-001 MIGRATORY WATER FOWL ROOSTING AREA 5500 FT APCH END RY 35. BIRDS ON & INVOF ARPT.
A 110-003 FOR CUSTOMS CALL 269-965-3349.
A 110-004 TWYS F & G E OF RY 17/35 RSTRD ACFT LESS THAN 12500 LBS.

111 INSPECTOR: (F) 112 LAST INSP: 05/08/2024 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MI LOC ID: AZO FAA SITE NR: 09986.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-008 RY 09 & RY 05 APCH ENDS ARE CLOSELY ALIGNED. VERIFY CORRECT RY AND COMPASS HEADING PRIOR TO DEP.
A 110-009 FOR CD WHEN TWR CLSD CTC GREAT LAKES APCH AT 269-459-3344, WHEN APCH CLSD CTC CHICAGO ARTCC AT 630-906-8921.
A 110-010 11C SPB LCTD 3.6 NM SOUTH. ACFT OPRG AT 11C WILL ANNC INTNS ON AZO CTAF.
A 110-011 PPR FOR UNSKED ACR OPS GTR THAN 175,000 LB MAX TOG.
A 110-012 FICONS UNMON NOV-APR 0000-0300 & MAY-OCT 0000-0400.

111 INSPECTOR: (F)

112 LAST INSP: 05/08/2024

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/15/2026
AFD EFF 06/11/2026