

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: MARYSVILLE 4 STATE: CA LOC ID: BAB FAA SITE NR: 01873.3*A
 > 2 AIRPORT NAME: BEALE AFB 5 COUNTY: YUBA CA
 > 3 CBD TO AIRPORT (NM): 06 E 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT: SAN FRANCISCO

GENERAL

10 OWNERSHIP: AIR FORCE 70 FUEL:
 > 11 OWNER: USAF
 > 12 ADDRESS: BEALE AFB
 MARYSVILLE, CA 95903
 > 13 PHONE NR:
 > 14 MANAGER: BASE OPERATIONS (USAF)
 > 15 ADDRESS: 9TH CBAT SUP GP (SAC) BEALE AFB
 MARYSVILLE, CA 95903
 > 16 PHONE NR: 530-634-4823
 > 17 ATTENDANCE SCHEDULE:

ALL

SERVICES

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PRIVATE
 19 ARPT LAT: 39-08-09.9628N ESTIMATED
 20 ARPT LONG: 121-26-11.7131W
 21 ARPT ELEV: 112.9 SURVEYED
 22 ACREAGE:
 > 23 RIGHT TRAFFIC: NO
 > 24 NON-COMM LANDING: NO

80 ARPT BCN: SWG
 81 ARPT LGT SKED : SS-SR
 BCN LGT SKED: SS-SR
 82 UNICOM:
 83 WIND INDICATOR: YES
 84 SEGMENTED CIRCLE: NONE
 85 CONTROL TWR: YES
 86 FSS: RANCHO MURIETA
 87 FSS ON ARPT: NO
 88 FSS PHONE NR:
 89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
 > 31 LENGTH:
 > 32 WIDTH:
 > 33 SURF TYPE-COND:

15/33
 12,001
 300
 CONC

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
 > 42 RWY MARK TYPE-COND:

HIGH
 PIR - G / PIR - G - / - - / -
 54 51

OBSTRUCTION DATA

50 FAR 77 CATEGORY
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:

/ / / /
 / / / /
 / / / /
 / / / /
 / / / /
 / / / /

> 110 REMARKS

A 017 OPR H24 FR 1400Z++ MON THRU 0600Z++ SAT (2200L FRI), AND/OR BY NOTAM; CLSD WKEND AND HOL, OPENING AT 1400Z++ THE NEXT DUTY DAY.
 A 032 RWY 15/33 RWY 300 FT WIDE MARKED AT 200 FT; FULL 300 FT WIDTH USBL.
 A 110-001 BEARING STRENGTH RWY 15/33: S160 T300 ST175 ST175 SBTT620 TT490 TDT840.
 A 110-002 JASU: (AM32A-60A) (A/M32A-86) 7(MC-1A) (MC-2A).
 A 110-003 FUEL: J8.
 A 110-004 FLUID: W SP LPOX LOX.
 A 110-005 RWYLGTS: RY 33, SF.
 A 110-006 OIL: O-128-133-148.
 A 110-007 TRAN ALERT: SVC AVBL 1500-0600Z++ MON-FRI EXC FEDERAL HOL. ACFT THAT ARR AFTER 0600Z++ WILL NOT BE SVCD UNTIL NEXT DUTY DAY. FLEET SVC AVBL, 24 HR PN.
 A 110-008 RSTD: PPR 24 HR PN, CTC BASE OPS DSN 368-2002/9120, C530-634-2002/9120. ISSUED PPR VALID 1 HR +/- ETA, EARLY/LATE ARR/DEP MUST RE-COORD.
 A 110-009 RSTD: NO UNANNOUNCED ACFT PRACTICE APCH. INBOUND TSNT ACFT OBTAIN APVL FROM CTL TWR DSN 368-9140 FOR ACFT PRACTICE APCH PRIOR TO FLT. LTD PRKG AVBL.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: 09/09/1976

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: BAB FAA SITE NR: 01873.3*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

SERVICES

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

- A 110-012 CSTMS/AG/IMG: 24 HR PN RQR FOR CSTMS AND AG.
- A 110-013 MISC: TRAN ACFT EXP PROGRESSIVE TAXI. NO COMSEC MATERIAL AVBL. TRAN AIRCREW SHOULD PLAN TO ARR WITH APPROPRIATE COMSEC TO COMPLETE ENTIRE MSN. RWY 15-33 GROOVED. CLASS C AIRSPACE CONT.
- A 110-015 RWY LGTS: RY 15, SF.
- A 110-016 CAUTION: BEALE AFB IS LCTD ON A MAJ MIGRATORY BIRD FLYWAY.
- A 110-017 BEARING STRENGTH RWY 15/33: S81, T122, ST175, SBTT590, TT490, TDT840.
- A 110-019 PMSV METRO: WX OBSN AVBL H24 VIA AUTO OBSN SYS; WX SVC AVBL 1 HR PRIOR TO AFLD OPR HRS AND DUR FCST SEVERE WX DSN 368-9134, C530-634-9134. DUR WX FLT CLOSURES REMOTE BRIEFING SVC AVBL FROM 25 OP WX SQ DSN 228-6598/6599/6588.
- A 110-020 PMSV METRO: WHEN AUTO OBSN SYS INOP, OBST FR 325-060 DEG, 080-220 DEG, AND 245-280 DEG MAY IMPACT PREVAILING VIS.
- A 110-021 CAUTION: USE EXTREME CAUTION FOR UNMANNED ACFT ACT IN VCNTY OF BEALE AFB.
- A 110-022 CSTMS/AG/IMG: LTD CSTMS/AG AVBL TO MIL ACFT ONLY, 24 HR PN RQR. CTC AFLD MGT AT C530-634-2002 OR DSN 368-2002.
- A 110-023 ATIS: OPR WHEN AERODROME IS OPEN.
- A 110-024 FOR CD WHEN ATCT IS CLSD CTC NORCAL APCH AT 916-361-6874

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: CA LOC ID: BAB FAA SITE NR: 01873.3*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/SFO 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY: - / - - / - - / - - / -
> 42 RWY MARK TYPE-COND:

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-025 MISC: NO SPACE-A PAX SUPPORT AVBL ON WKENDS, HOL, AND ACC FAMILY DAYS.
A 110-026 RSTD: VIP PRKG RSTD TO ACFT WITH WINGSPAN 85 FT OR LESS. LRGR DV ACFT WILL PARK ON CARGO SPOTS.
A 110-027 MISC: WX SVC AVBL H24. CURRENT WX OBSN AVBL VIA ATIS OR CTC ATC.
A 110-030 SVC TRAN ALERT: LAV CART AVBL FOR TSNT ACFT WITH PRIOR CDN. AIRCREW WILL HAVE TO PERFORM THEIR OWN LAV SVC AND CLEANUP.
A 110-031 SVC TRAN ALERT: NO POTABLE WATER OR ICE SVC.
A 110-032 AFRC: 940TH COMD POST, DSN 368-1960, C530-634-1960.
A 110-033 MISC: FOR SUPPORT OUTSIDE OF AIRFIELD OPR HRS (I.E., WKENDS, WING DOWN DAYS AND HOL) CTC BEALE 9RW COMMAND POST, DSN 368-5700, C530-634-5700.
A 110-034 MISC: STORAGE OF CLASSIFIED MTRL UNAVBL AT AIRFIELD MGMT; CTC COMMAND POST DSN 368-5700, C530-634-5700, H24 PRIOR.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 5/25/2026
AFD EFF 05/14/2026