

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/9/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: BATTLE MOUNTAIN 4 STATE: NV LOC ID: BAM FAA SITE NR: 13016.\*A  
> 2 AIRPORT NAME: BATTLE MOUNTAIN 5 COUNTY: LANDER NV  
> 3 CBD TO AIRPORT (NM): 03 SE 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: SALT LAKE CITY

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: LANDER COUNTY  
> 12 ADDRESS: 50 STATE ROUTE 305  
BATTLE MOUNTAIN, NV 89820  
> 13 PHONE NR: 775-635-2885  
> 14 MANAGER: BERT RAMOS  
> 15 ADDRESS: 50 STATE ROUTE 305  
BATTLE MOUNTAIN, NV 89820  
> 16 PHONE NR: 775-455-6860  
> 17 ATTENDANCE SCHEDULE:

JUN-SEP ALL 0700-1800  
OCT-MAY ALL 0700-1700

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: AFRT, AGRI, AMB, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.800  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: RENO  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 40-35-56.6000N ESTIMATED  
20 ARPT LONG: 116-52-27.6000W  
21 ARPT ELEV: 4536.1 SURVEYED  
22 ACREAGE: 1,066  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGY2  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	13/31	H1	H2
> 30 RUNWAY INDENT:	7,300	7,299	60	60
> 31 LENGTH:	150	100	60	60
> 32 WIDTH:	ASPH-G	ASPH-P	CONC-G	CONC-G
> 33 SURF TYPE-COND:	NONE	NONE	NONE	NONE
> 34 SURF TREATMENT:	30.0	30.0		
35 GROSS WT: S	125.0	104.0		
36 (IN THSDS) D				
37 2D				
38 2D/2D2				

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	MED	PERI	PERI
> 40 EDGE INTENSITY:	NPI - F / NPI - F	BSC - P / BSC - P	BSC - P / -	BSC - P / -
> 42 RWY MARK TYPE-COND:	P4R / P4L	/	/	/
> 43 VGSI:	50 / 51	/	/	/
44 THR COSSING HGT.:	3.20 / 3.00	/	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	- N / - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	N / N	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:				

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTGL OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / B(V)	B(V) / B(V)	/	/
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTGL OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	50:1 / 50:1	50:1 / 50:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 017 AFT HRS CALL (775) 635-2245.  
A 033 RWY 13/31 PCI 54 L & T ALLIGATOR PATCHING, BONE CRACKING, WEEDS GROWING THRU CRACKS.  
A 039 RWY 04/22 PCR VALUE: 63/F/C/W/T  
A 039 RWY 13/31 PCR VALUE: 63/F/C/W/T  
A 042 RWY 04 RWY NRS FADED.  
A 042 RWY 13 THR MARKINGS FADED.  
A 042 RWY 22 RWY NRS FADED.  
A 042 RWY 31 THR MARKINGS FADED.  
A 042 RWY H1 BLACK OUTLINE IS PARTIALLY VSB, W INTERIOR GONE.  
A 042 RWY H2 BLACK OUTLINE PARTIALLY VSB, W INTERIOR GONE.  
A 081 ACTVT REIL RWY 04 & 22; PAPI RWY 04 & 22; MRL RWY 04/22 & 13/31; PERI LGTS H1 - CTAF.  
A 110-001 (E81) EDGE REFLECTORS ON TWYS AND RAMP.  
A 110-002 FOR CD IF UNA TO CTC ON FSS FREQ, CTC SALT LAKE ARTCC AT 801-320-2568.

111 INSPECTOR: (S)

112 LAST INSP: 08/05/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/9/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/9/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: NV LOC ID: BAM FAA SITE NR: 13016.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 08/05/2024

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/9/2026  
AFD EFF 06/11/2026