

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: BEDFORD 4 STATE: MA LOC ID: BED FAA SITE NR: 08750.*A
> 2 AIRPORT NAME: LAURENCE G HANSCOM FLD 5 COUNTY: MIDDLESEX MA
> 3 CBD TO AIRPORT (NM): 00 NE 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: NEW YORK

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: MASS PORT AUTHORITY
> 12 ADDRESS: ONE HARBORSIDE DR
E BOSTON, MA 02128
> 13 PHONE NR: 617-212-6592
> 14 MANAGER: CHRISTOPHER J. WILLENBORG
> 15 ADDRESS: MASSPORT, 200 HANSCOM DR
BEDFORD, MA 01730
> 16 PHONE NR: 617-212-6592
> 17 ATTENDANCE SCHEDULE:
ALL ALL ALL

SERVICES

70 FUEL: 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: HIGH/LOW
74 BULK OXYGEN: HIGH/LOW
75 TSNT STORAGE: HGR, TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,
SALES

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 42-28-11.8000N ESTIMATED
20 ARPT LONG: 071-17-20.4000W
21 ARPT ELEV: 132.0 SURVEYED
22 ACREAGE: 1,125
> 23 RIGHT TRAFFIC: NO
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPRY3
> 26 FAR 139 INDEX: I B S 09/1999

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: BRIDGEPORT
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

	05/23	11/29
> 30 RUNWAY INDENT:	5,107	7,011
> 31 LENGTH:	150	150
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	120.0	120.0
35 GROSS WT: S	248.0	250.0
36 (IN THSDS) D	323.0	389.0
37 2D	823.0	916.0
38 2D/2D2		

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

	MED	HIGH		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	PIR - G / PIR - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4R	P4L / P4R	/	/
> 43 VGSI:	55 / 55	67 / 52	/	/
44 THR COSSING HGT.:	3.50 / 3.20	3.00 / 3.00	/	/
45 VISUAL GLIDE ANGLE:	N - N / N - N	N - N / N - N	- / -	- / -
> 46 CNTRLN-TDZ:	- N / - N	T - N / R - N	- / -	- / -
> 47 RVR-RVV:	Y / Y	N / N	/	/
> 48 REIL:	/	MALSR / MALSR	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

	B(V) / C	PIR / PIR		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	HILL /	/	/
> 53 OBSTN MARKED/LGTD:	/	L /	/	/
> 54 HGT ABOVE RWY END:	/	120 /	/	/
> 55 DIST FROM RWY END:	/	1,050 /	/	/
> 56 CNTRLN OFFSET:	/	734R /	/	/
57 OBSTN CLNC SLOPE:	20:1 / 20:1	34:1 / 34:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

	5,107 / 5,107	7,011 / 7,011		
> 60 TAKE OFF RUN AVBL (TORA):	5,107 / 5,107	7,011 / 7,011	/	/
> 61 TAKE OFF DIST AVBL (TODA):	5,107 / 5,107	7,011 / 7,011	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,107 / 5,107	7,011 / 7,011	/	/
> 63 LNDG DIST AVBL (LDA):	5,107 / 5,107	7,011 / 7,011	/	/

> 110 REMARKS

A 024 SURCHARGE FOR EACH LDG & DEP 2300-0700. COML & TSNT LDG FEE.
A 026 CLSD TO PART 121 ACR OPS WITH OVR 60 SEATS EXCP 24 HR PPR CALL 781-869-8000.
A 039 RWY 05/23 PCR VALUE: 770/F/D/W/T
A 039 RWY 11/29 PCR VALUE: 950/F/D/W/T
A 081 ACTVT MALSR RWY 11 & 29; REIL RWY 05 & 23; HIRL RWY 11/29; MIRL RWY 05/23; TWY LGTS - 118.5.
A 110-001 PPR FOR ALL ACFT CARRYING XPLOS CALL 617-212-6592.
A 110-002 NO PLAS/TGLS FOR ACFT 12500 LBS & OVR.
A 110-003 NOISE ABATEMENT PROCS IN EFCT - HELS OPERG WI CNTLD ASP ARE RQRD TO MNTN HIST PSBL ALT.
A 110-004 SUPPORT: OPR 1200-0400Z++ MON-FRI, 1300-1900Z++ SAT & SUN, CLSD HOL. CTC BASE OPS PRIOR TO 1700Z++ FRI FOR OT SUPPORT.
A 110-006 BIRDS & WILDLIFE ON & INVOF ARPT.
A 110-008 BE ALERT FOR SML ACFT PARKED ON RAMPS.
A 110-009 (A23) RWY 29 RIGHT TFC ACFT OVR 12500 LBS.
A 110-010 TWY C, F, J, N, R, S, T, TWY M SOUTH OF TWY E & TWY G BTN RWY 11/29 & RWY 05/23 CLSD TO ACFT GTR THAN 118 FT WINGSPAN. TWY R CLSD TO ACR OPS-GA USE ONLY.
A 110-014 NO PLAS/TGLS FOR ACFT UNDER 12500 LBS BTN 2300-0700.

111 INSPECTOR: (F)

112 LAST INSP: 10/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: MA LOC ID: BED FAA SITE NR: 08750.*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:
> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:
71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

FACILITIES

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: S
36 (IN THSDS) D
37 2D
38 2D/2D2
> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:
> 43 VGSI:
44 THR COSSING HGT.:
45 VISUAL GLIDE ANGLE:
> 46 CNTRLN-TDZ:
> 47 RVR-RVV:
> 48 REIL:
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:
> 56 CNTRLN OFFSET:
57 OBSTN CLNC SLOPE:
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):
> 61 TAKE OFF DIST AVBL (TODA):
> 62 ACLT STOP DIST AVBL (ASDA):
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

- A 110-016 SVC-TRAN ALERT: OPR 1200-0400Z++ WKD; 1400-2200Z++ SUN; PPR OT AND HOL DSN 845-5589/5592. DE-ICING AVBL FR VENDOR.
- A 110-018 AF: PPR ALL MIL ACFT, PAX MNFST REQ ALL INBD PAX, CTC BASE OPS DSN 845-5589/5592, C781-225-5589/5592.
- A 110-019 AF: COMD POST DSN 845-6960/6961, C781-225-6960/6961.
- A 110-020 VOLUNTARY NOISE ABATEMENT PROCS IN EFCT CTC AMGR 617-212-6592. NOISE SENSITIVE HISTORIC AREA S OF ARPT; FOR RWY 23 DEP CONT RWY HDG TO 1000 FT AGL, TURNING CROSSWIND OVR RTE 2.
- A 110-022 SERVICE: MIL ACFT MUST ARNG FOR PRKG ON EAST RAMP WITH TRAN ALERT OR VENDOR.
- A 110-023 TWY R1, R2 CLSD TO ACFT GTR THAN 49 FT WINGSPAN.
- A 110-024 APU-GPU OPS LTD TO MAX OF 30 MINS.

111 INSPECTOR: (F)

112 LAST INSP: 10/09/2025

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 6/11/2026
AFD EFF 06/11/2026