

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: BENTON HARBOR 4 STATE: MI LOC ID: BEH FAA SITE NR: 09566.\*A  
> 2 AIRPORT NAME: SOUTHWEST MICHIGAN RGNL 5 COUNTY: BERRIEN MI  
> 3 CBD TO AIRPORT (NM): 02 NE 6 REGION/ADO: AGL/DET 7 SECT AERO CHT: CHICAGO

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: BENTON HARBOR/ST JOSEPH  
> 12 ADDRESS: 1123 TERRITORIAL RD  
BENTON HARBOR, MI 49022-2939  
> 13 PHONE NR: 269-927-3194  
> 14 MANAGER: SHANNON CHRISTY  
> 15 ADDRESS: 1123 TERRITORIAL RD  
BENTON HARBOR, MI 49022-2939  
> 16 PHONE NR: 269-486-1118  
> 17 ATTENDANCE SCHEDULE:

ALL MON-FRI 0800-1700  
ALL SAT-SUN ON CALL

### SERVICES

70 FUEL: 100LL A1+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN: HIGH/LOW  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 123.000  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: LANSING  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 42-07-42.1710N ESTIMATED  
20 ARPT LONG: 086-25-29.5720W  
21 ARPT ELEV: 649.1 SURVEYED  
22 ACREAGE: 485  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGY  
> 26 FAR 139 INDEX:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	10/28	14/32
> 30 RUNWAY INDENT:	6,006	3,205
> 31 LENGTH:	100	60
> 32 WIDTH:	ASPH-G	ASPH-F
> 33 SURF TYPE-COND:	GRVD	NONE
> 34 SURF TREATMENT:	60.0	30.0
35 GROSS WT: S	100.0	45.0
36 (IN THSDS) D		
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: I  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
> 40 EDGE INTENSITY:	PIR - G / PIR - G	BSC - G / BSC - G	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P2L / P2L	/	/
> 43 VGS: I	34 / 44	36 / 36	/	/
44 THR COSSING HGT.:	3.00 / 3.00	3.50 / 3.50	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	Y /	Y / Y	/	/
> 49 APCH LIGHTS:	/ MALSR	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTGL OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / PIR	A(V) / A(V)		
50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTGL OBSTN:	TREE / TREE	/ TREE	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	29 / 82	/ 67	/	/
> 55 DIST FROM RWY END:	1,160 / 3,265	/ 1,521	/	/
> 56 CNTRLN OFFSET:	580R / 963R	/ 279R	/	/
57 OBSTN CLNC SLOPE:	33:1 / 37:1	20:1 / 19:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

- A 016 EXTN 10; CELL 269-921-9200.
- A 017 UNATNDD MAJOR HOLS. WKENDS & AFT HRS SVC BY REQ & SUBJ CALL-IN FEE - CALL 269-925-5114 DURG BUS HRS.
- A 024 LDG FEE FOR ALL COML OPS & ALL TURBINE PWRD ACFT; FAC FEE FOR ALL MULT ENG & COML SNGL ENG ACFT WAIVED WITH MNM FUEL PURCHASE.
- A 070 L AVBL H24 SELF SVC & FULL SVC DURG ATNDD HRS.
- A 075 MAX SIZE ACFT HAWKER 800.
- A 081 ACTVT MALSR RWY 28; REIL RWY 10, 14, & 32; PAPI RWY 10, 28, 14, & 32; HIRL RWY 10/28; MIRL RWY 14/32 - CTAF.
- A 110-001 DEER & LRG BIRDS ON & INVOF ARPT.
- A 110-002 RWY 14 DROP OFF 300 FT FM THR.
- A 110-006 SNOW REMOVAL OPS DURG WINTER MONTHS, VEHICLE OPRS MNT CTAF.
- A 110-011 FOR FICONS CALL ASST AMGR AT 269-369-2213; UNMON AFT HRS.
- A 110-013 FOR CD IF UNA VIA FREQ CTC SOUTH BEND APCH AT 574-251-2609. WHEN SOUTH BEND APCH CLSD, FOR CD CTC CHICAGO ARTCC AT 630-906-8921.

111 INSPECTOR: (S)

112 LAST INSP: 06/09/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MI LOC ID: BEH FAA SITE NR: 09566.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AGL/DET 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

111 INSPECTOR: (S)

112 LAST INSP: 06/09/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/1/2026  
AFD EFF 04/16/2026