AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/30/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY:	BAKERSFIELD	4 STATE: CA	LOC ID: BFL	FAA SITE NR:	01291.*A
> 2 AIRPORT NAME:	MEADOWS FLD		5 COUNTY: KERN CA		
3 CBD TO AIRPORT (NM):	03 NW	6 REGION/ADO: AWP/LAX	7 SECT AERO CHT: LOS ANGELES		

GENERAL

10 OWNERSHIP: PUBLIC
> 11 OWNER: COUNTY OF KERN
> 12 ADDRESS: DEPT OF ARPTS, 3701 WINGS WAY, SUITE 300
BAKERSFIELD, CA 93308
> 13 PHONE NR: 661-391-1817
> 14 MANAGER: BILL LAMANQUE
> 15 ADDRESS: 3701 WINGS WAY, #300
BAKERSFIELD, CA 93308
> 16 PHONE NR: 661-747-4053
> 17 ATTENDANCE SCHEDULE:

ALL	ALL	ALL

18 AIRPORT USE: PUBLIC
19 ARPT LAT: 35-26-01.9000N ESTIMATED
20 ARPT LONG: 119-03-27.6000W
21 ARPT ELEV: 509.6 SURVEYED
22 ACREAGE: 1,357
> 23 RIGHT TRAFFIC: 30R, 12R
> 24 NON-COMM LANDING: YES
25 NPIAS/FED AGREEMENTS: NGPY3
> 26 FAR 139 INDEX: I B S 05/1973

SERVICES

70 FUEL: 100 100LL A
71 AIRFRAME RPRS: MAJOR
72 PWR PLANT RPRS: MAJOR
73 BOTTLE OXYGEN: LOW
74 BULK OXYGEN:
75 TSNT STORAGE: TIE
76 OTHER SERVICES:
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL, SALES, SURV

FACILITIES

80 ARPT BCN: WG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.950
83 WIND INDICATOR: YES-L
84 SEGMENTED CIRCLE: YES
85 CONTROL TWR: YES
86 FSS: RANCHO MURIETA
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

	12L/30R	12R/30L		
> 30 RUNWAY INDENT:	10,849	7,700		
> 31 LENGTH:	150	100		
> 32 WIDTH:	ASPH-G	ASPH-E		
> 33 SURF TYPE-COND:	GRVD	NONE		
> 34 SURF TREATMENT:	96.0	18.0		
35 GROSS WT: S	155.0			
36 (IN THSDS) D	260.0			
37 2D	654.0			
38 2D/2D2	PCR/396 /F/	PCR/127 /F/		
> 39 PCN:				
LIGHTING/APCH AIDS				
> 40 EDGE INTENSITY:	HIGH	MED		
> 42 RWY MARK TYPE-COND:	PIR - G / PIR - G	BSC - G / BSC - G	- / -	- / -
> 43 VGSI:	P4L / P4L	P4L / P4L	/	/
44 THR COSSING HGT.:	50 / 51	25 / 25	/	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	3.00 / 3.00	/	/
> 46 CNTRLN-TDZ:	N - N / Y - Y	N - N / N - N	- / -	- / -
> 47 RVR-RVV:	TMR - N / TMR - Y	- N / - N	- / -	- / -
> 48 REIL:	/	Y / Y	/	/
> 49 APCH LIGHTS:	/ MALSR	/	/	/
OBSTRUCTION DATA				
50 FAR 77 CATEGORY	C / PIR	B(V) / B(V)	/	/
> 51 DISPLACED THR:	/ 3,419	/ 1,499	/	/
> 52 CTLG OBSTN:	/	/ TREE	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/ 45	/	/
> 55 DIST FROM RWY END:	/	/ 2,150	/	/
> 56 CNTRLN OFFSET:	/	/ 225L	/	/
57 OBSTN CLNC SLOPE:	/ 50:1	50:1 / 43:1	/	/
58 CLOSE-IN OBSTN:	N / N	N / N	/	/
DECLARED DISTANCES				
> 60 TAKE OFF RUN AVBL (TORA):	10,849 / 10,849	7,703 / 7,703	/	/
> 61 TAKE OFF DIST AVBL (TODA):	10,849 / 10,849	7,703 / 7,703	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	10,849 / 10,849	7,703 / 7,703	/	/
> 63 LNDG DIST AVBL (LDA):	10,849 / 7,430	7,703 / 6,203	/	/

> 110 REMARKS

A 013	BILL LAMANQUE - LAMANQUEBI@KERNCOUNTY.COM
A 016	CELL PHONE: 661-747-4053; H24 CTC: 661-747-4053; FAX: 661-391-1801; EMAIL: LAMANQUEBI@KERNCOUNTY.COM.
A 024	LDG FEE CHRGD TO ALL AIR TAXI, COML ACFT OPS (EXC FLT INSTRN), AND TSNT ACFT WEIGHING MORE THAN 10000 LBS.
A 026	INDEX C ARFF AVAILABLE
A 030	RWY 12R/30L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.
A 081	WHEN ATCT CLSD ACTVT MALSR RWY 30R; PAPI RWY 12L & 30R; HIRL RWY 12L/30R; TWY LGTS - CTAF. RWY 12R/30L CLSD WHEN ATCT CLSD.
A 110-001	MIL HELICOPTERS MAKE ALL APCHS TO RY OR PAVED AREAS. MINIMIZE HOVERING & POWER TO AVOID CAUSING BLOWING DUST; WHEELED HELICOPTERS GND TAXI ONLY. FORMATION JOIN-UP AFT DEP ONLY.
A 110-002	CAP SQUADRON ON ARPT.
A 110-004	RIGHT BASE OPNS FOR RY 30R ESTABLISH WINGS LEVEL ON FINAL APCH NO LOWER THAN 300 FT AGL.
A 110-009	NOISE SENSITIVE AREAS S & E OF ARPT RECOMMENDED TURBOJET TRNG HRS WKDAY 0800-2200 WKENDS 1200-2200; NO MORE THAN TEN PRACTICE APCHS PER HR.
A 110-011	RY 30R 50:1 TO DSPLD THLD.

111 INSPECTOR: (F) 112 LAST INSP: 05/08/2025 113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 10/30/2026
AFD EFF 10/29/2026

> 1 ASSOC CITY: ***CONTINUED*** | 4 STATE: CA | LOC ID: BFL | FAA SITE NR: 01291.*A
> 2 AIRPORT NAME: | 5 COUNTY:
3 CBD TO AIRPORT (NM): | 6 REGION/ADO: AWP/LAX | 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:
25 NPIAS/FED AGREEMENTS:
> 26 FAR 139 INDEX:

SERVICES

70 FUEL:

71 AIRFRAME RPRS:
72 PWR PLANT RPRS:
73 BOTTLE OXYGEN:
74 BULK OXYGEN:
75 TSNT STORAGE:
76 OTHER SERVICES:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
https://aspm.faa.gov

RUNWAY DATA

> 30 RUNWAY INDENT:				
> 31 LENGTH:				
> 32 WIDTH:				
> 33 SURF TYPE-COND:				
> 34 SURF TREATMENT:				
35 GROSS WT:	S			
36 (IN THSDS)	D			
37	2D			
38	2D/2D2			
> 39 PCN:				

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:				
> 42 RWY MARK TYPE-COND:	- / -	- / -	- / -	- / -
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-013 ARPT OPS NA BLO 1200 RVR WITHOUT SMGCS. ARPT OPS NOT INITIATED BLO 600 RVR OR AUTH BLO 500 RVR.
A 30A CNTRLN LGTS ARE ONLY VSB ON RWY 30R.

111 INSPECTOR: (F) 112 LAST INSP: 05/08/2025 113 LAST INFO REQ: