

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: BAKERSFIELD 4 STATE: CA LOC ID: BFL FAA SITE NR: 01291.\*A  
> 2 AIRPORT NAME: MEADOWS FLD 5 COUNTY: KERN CA  
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT: LOS ANGELES

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: COUNTY OF KERN  
> 12 ADDRESS: DEPT OF ARPTS, 3701 WINGS WAY, SUITE 300  
BAKERSFIELD, CA 93308  
> 13 PHONE NR: 661-391-1817  
> 14 MANAGER: BILL LAMANQUE  
> 15 ADDRESS: 3701 WINGS WAY, #300  
BAKERSFIELD, CA 93308  
> 16 PHONE NR: 661-747-4053  
> 17 ATTENDANCE SCHEDULE:

ALL ALL ALL

### SERVICES

70 FUEL: 100 100LL A  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: LOW  
74 BULK OXYGEN:  
75 TSNT STORAGE: TIE  
76 OTHER SERVICES:  
AFRT, AMB, AVNCS, CHTR, INSTR, RNTL,  
SALES, SURV

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES-L  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: RANCHO MURIETA  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 18 AIRPORT USE: PUBLIC  
> 19 ARPT LAT: 35-26-01.9000N ESTIMATED  
> 20 ARPT LONG: 119-03-27.6000W  
> 21 ARPT ELEV: 509.6 SURVEYED  
> 22 ACREAGE: 1,357  
> 23 RIGHT TRAFFIC: 30R, 12R  
> 24 NON-COMM LANDING: YES  
> 25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX: I B S 05/1973

#### 12L/30R

10,849  
150  
ASPH-G  
GRVD  
96.0  
155.0  
260.0  
654.0

#### 12R/30L

7,700  
100  
ASPH-E  
NONE  
18.0

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGS: 44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	HIGH	MED		
PIR - G / PIR - G		BSC - G / BSC - G	- / -	- / -
P4L / P4L		P4L / P4L	/	/
50 / 51		25 / 25	/	/
3.00 / 3.00		3.00 / 3.00	/	/
N - N / Y - Y		N - N / N - N	- / -	- / -
TMR - N / TMR - Y		- N / - N	- / -	- / -
/		Y / Y	/	/
/ MALSR		/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	C / PIR	B(V) / B(V)		
	/ 3,419	/ 1,499	/	/
	/	/ TREE	/	/
	/	/	/	/
	/	/ 45	/	/
	/	/ 2,150	/	/
	/	/ 225L	/	/
	/ 50:1	50:1 / 43:1	/	/
	N / N	N / N	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	12L/30R	12R/30L		
	10,849 / 10,849	7,703 / 7,703	/	/
	10,849 / 10,849	7,703 / 7,703	/	/
	10,849 / 10,849	7,703 / 7,703	/	/
	10,849 / 7,430	7,703 / 6,203	/	/

### > 110 REMARKS

A 013 BILL LAMANQUE - LAMANQUEBI@KERNCOUNTY.COM  
A 016 CELL PHONE: 661-747-4053; H24 CTC: 661-747-4053; FAX: 661-391-1801; EMAIL: LAMANQUEBI@KERNCOUNTY.COM.  
A 024 LDG FEE CHRGD TO ALL AIR TAXI, COML ACFT OPS (EXC FLT INSTRN), AND TSNT ACFT WEIGHING MORE THAN 10000 LBS.  
A 026 INDEX C ARFF AVAILABLE  
A 030 RWY 12R/30L NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS.  
A 039 RWY 12L/30R PCR VALUE: 396/F/B/X/T  
A 039 RWY 12R/30L PCR VALUE: 127/F/B/X/T  
A 081 WHEN ATCT CLSD ACTVT MALSR RWY 30R; PAPI RWY 12L & 30R; HIRL RWY 12L/30R; TWY LGTS - CTAF. RWY 12R/30L CLSD WHEN ATCT CLSD.  
A 110-001 MIL HELICOPTERS MAKE ALL APCHS TO RY OR PAVED AREAS. MINIMIZE HOVERING & POWER TO AVOID CAUSING BLOWING DUST; WHEELED HELICOPTERS GND TAXI ONLY. FORMATION JOIN-UP AFT DEP ONLY.  
A 110-002 CAP SQUADRON ON ARPT.  
A 110-004 RIGHT BASE OPNS FOR RY 30R ESTABLISH WINGS LEVEL ON FINAL APCH NO LOWER THAN 300 FT AGL.

111 INSPECTOR: ( F )

112 LAST INSP: 05/08/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: CA LOC ID: BFL FAA SITE NR: 01291.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/LAX 7 SECT AERO CHT:

### GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

### SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

> 110 REMARKS

A 110-009 NOISE SENSITIVE AREAS S & E OF ARPT RECOMMENDED TURBOJET TRNG HRS WKDAY 0800-2200 WKENDS 1200-2200; NO MORE THAN TEN PRACTICE APCHS PER HR.  
A 110-011 RY 30R 50:1 TO DSPLD THLD.  
A 110-013 ARPT OPS NA BLO 1200 RVR WITHOUT SMGCS. ARPT OPS NOT INITIATED BLO 600 RVR OR AUTH BLO 500 RVR.  
A 30A CNTRLN LGTS ARE ONLY VSB ON RWY 30R.

111 INSPECTOR: ( F )

112 LAST INSP: 05/08/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/16/2026  
AFD EFF 06/11/2026