

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/10/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: BAR HARBOR 4 STATE: ME LOC ID: BHB FAA SITE NR: 07828.\*A  
> 2 AIRPORT NAME: HANCOCK COUNTY/BAR HARBOR 5 COUNTY: HANCOCK ME  
> 3 CBD TO AIRPORT (NM): 08 NW 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: HALIFAX

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: HANCOCK COUNTY  
> 12 ADDRESS: 50 STATE ST, STE 7  
ELLSWORTH, ME 04605  
> 13 PHONE NR: 207-667-9542  
> 14 MANAGER: LEROY MUISE  
> 15 ADDRESS: 115 CARUSO DR  
TRENTON, ME 04605  
> 16 PHONE NR: 207-667-7329  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0800-1800

### SERVICES

70 FUEL: 100LL A  
71 AIRFRAME RPRS: MINOR  
72 PWR PLANT RPRS: MINOR  
73 BOTTLE OXYGEN: NONE  
74 BULK OXYGEN: NONE  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES: INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

### FACILITIES

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 44-26-58.9390N ESTIMATED  
20 ARPT LONG: 068-21-41.3630W  
21 ARPT ELEV: 83.2 SURVEYED  
22 ACREAGE: 468  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: YES  
25 NPIAS/FED AGREEMENTS: NGPRY3  
> 26 FAR 139 INDEX: IV A U 11/2005

80 ARPT BCN: WG  
81 ARPT LGT SKED: SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 123.000  
83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: NO  
86 FSS: BANGOR  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	04/22	17/35
> 30 RUNWAY INDENT:	5,200	3,363
> 31 LENGTH:	100	75
> 32 WIDTH:	ASPH-G	ASPH-G
> 33 SURF TYPE-COND:	NONE	NONE
> 34 SURF TREATMENT:		
35 GROSS WT: S	72.0	13.0
36 (IN THSDS) D	100.0	20.0
37 2D		
38 2D/2D2		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	04/22	17/35
> 40 EDGE INTENSITY:	HIGH	
> 42 RWY MARK TYPE-COND:	NPI - G / PIR - G	BSC - G / BSC - G
> 43 VGSI:	V4L / V4L	/
44 THR COSSING HGT.:	55 / 55	/
45 VISUAL GLIDE ANGLE:	3.00 / 3.00	/
> 46 CNTRLN-TDZ:	N - N / N - N	N - N / N - N
> 47 RVR-RVV:	- N / - N	- N / - N
> 48 REIL:	Y / N	N / N
> 49 APCH LIGHTS:	/ MALSF	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	04/22	17/35
50 FAR 77 CATEGORY	C / PIR	A(V) / A(V)
> 51 DISPLACED THR:	/	684 / 111
> 52 CTLG OBSTN:	TREES /	TREE /
> 53 OBSTN MARKED/LGTD:	/	/
> 54 HGT ABOVE RWY END:	125 /	148 /
> 55 DIST FROM RWY END:	1,410 /	900 /
> 56 CNTRLN OFFSET:	500L /	60R /
57 OBSTN CLNC SLOPE:	9:1 / 34:1	5:1 / 50:1
58 CLOSE-IN OBSTN:	N / N	N / N

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

	04/22	17/35
> 60 TAKE OFF RUN AVBL (TORA):	5,200 / 5,200	/
> 61 TAKE OFF DIST AVBL (TODA):	5,200 / 5,200	/
> 62 ACLT STOP DIST AVBL (ASDA):	5,200 / 5,200	/
> 63 LNDG DIST AVBL (LDA):	5,200 / 5,200	/

### > 110 REMARKS

A 030 RWY 04/22 DUE TO HUMP AT MIDPT, OPPOSITE ENDS OF RWY NOT VSB AT GND LEVEL.  
A 030 RWY 17/35 NOT AVBL FOR PART 121/PART 380 OPS WITH SKED PAX CARRYING OPS MORE THAN 9 PAX SEATS AND NON-SKED PAX CARRYING OPS MORE THAN 30 PAX SEATS. NO PART 121/PART 380 OPS EXC FOR TAX ON RWY 17/35 BTN 04/22 AND TWY H.  
A 039 RWY 04/22 PCR VALUE: 350/F/D/X/T  
A 039 RWY 17/35 PCR VALUE: 40/F/D/Y/U  
A 057 RWY 17 10:1 TO DTHR.  
A 081 ACTVT MALSF RWY 22; REIL RWY 04; VASI RWY 04 & 22; HIRL RWY 04/22 - 122.7.  
A 110-003 BIRDS ON & INVOF ARPT.  
A 110-004 DURG VFR CONDS WHEN WIND SPEED LESS THAN 5 KTS AS RPRTD BY AWOS OR UNICOM, ALL ACFT USING RWY 04/22 ARE REQD TO TKOF & LAND ON RWY 22 FOR NOISE ABATEMENT PROCS.  
A 110-005 TWY BRAVO CLSD TO ALL ACFT GTR THAN 10000 LBS.  
A 110-006 PPR FOR OVERWEIGHT LDGS. PPR FOR UNSKED ACR OPS RQRG 14 CFR 139 ARFF. CTC AMGR.  
A 110-008 TWYS F & G CLSD DEC 1- MAR 31 ANNUALLY.  
A 110-009 SEAPLANE RAMP UNAVBL FOR ACFT OPS EXC PPR 207-667-7329.  
A 110-010 FICON NOT MNT MON-FRI 2100-0730, WKENDS & HOLDS.

111 INSPECTOR: ( F ) 112 LAST INSP: 09/10/2025 113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/10/2026  
AFD EFF 04/16/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/10/2026  
AFD EFF 04/16/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: ME LOC ID: BHB FAA SITE NR: 07828.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

## FACILITIES

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/
/	/	/	/
- / -	- / -	- / -	- / -
- / -	- / -	- / -	- / -
/	/	/	/
/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/

> 110 REMARKS

A 110-011 IF CD FREQ UNAVBL CTC BANGOR APCH AT 207-561-2500 EXTN 1.  
A 110-012 GRASS AREAS UNAVBL FOR ACFT OPS.  
A 110-013 48 HR PPR FOR UNSKED ACR OPS AT LEAST 31 PAX SEATS. CTC AMGR.

111 INSPECTOR: ( F )

112 LAST INSP: 09/10/2025

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 5/10/2026  
AFD EFF 04/16/2026