

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: KEKAHA,KAUAI 4 STATE: HI LOC ID: BKH FAA SITE NR: 52302.1*A
> 2 AIRPORT NAME: BARKING SANDS PMRF 5 COUNTY: KAUAI HI
> 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS

GENERAL

10 OWNERSHIP: NAVY
> 11 OWNER: US NAVY
> 12 ADDRESS: OCEANOGRAPHIC OFC - CODE 3142
WASHINGTON, DC 20373
> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

ALL

FACILITIES

18 AIRPORT USE: PRIVATE
19 ARPT LAT: 22-01-21.9840N ESTIMATED
20 ARPT LONG: 159-47-06.2450W
21 ARPT ELEV: 23.2 ESTIMATED
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING: NO

80 ARPT BCN: SWG
81 ARPT LGT SKED : SEE RMK
BCN LGT SKED: SS-SR
82 UNICOM: 122.800
83 WIND INDICATOR:
84 SEGMENTED CIRCLE: NONE
85 CONTROL TWR: YES
86 FSS: HONOLULU
87 FSS ON ARPT: NO
88 FSS PHONE NR:
89 TOLL FREE NR: 1-800-WX-BRIEF

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

16/34
6,002
150
ASPH

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

HIGH
- / - - / - - / -
40 40

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

A 017 OPR 1700-0400Z MON-FRI EXC HOL. OT BY OPR NEC ONLY.
A 081 AVBL ONLY DURING HRS OF OPERATION.
A 110-001 CLNC OBTAINED THRU CO PMRF HAW AREA. PHONE (HON) 471-6311,6254.
A 110-002 AIRFIELD RESTRICTED TO GROSS WEIGHT CAT 2 (ALL UP WEIGHT 60000) UNTIL FURTHER NOTICE PER ARPT MGR.
A 110-003 NS ABTMT - N SHORELINE KAUAI AND THE ISLAND OF NIHAU EXTREMELY NOISE SENSITIVE, ACFT AVOID BY AT LEAST 5 NM.
A 110-005 A+ AVBL 1700-0430Z MON-FRI, CLSD SAT, SUN AND HOL.
A 110-008 CAUTION - EXTV R/W EXTERNAL LOAD TFC. BIRD HAZ.
A 110-009 MISC - CRASH CREW CAN NML PROVIDE CAT 2 MIN RESPONSE, LTD CAT 3 MIN RESPONSE AVBL.
A 110-010 RWY-LGTS: RWY 16 AND RWY 34 - OLS.
A 110-011 RSTD - 72 HR PPR FOR ALL ACFT, USER REIMBURSE CONTRACTOR OVERTIME, DSN 315-421-6310/6311, C808-335-4310/4311. FOR R3101, CTC RNG OUTRIDER 322.85 OR TWR 126.2 PRIOR TO ENTRY.
A 110-012 CSTMS/AG/IMG FOR OVERSEAS ARR NOT AVAILABLE ON ROUTINE BASIS. SPECIAL REQUESTS RQR 5 DAYS PN; CTC CBP HONOLULU OFFICE C808-237-4601 TO ARRANGE INSPECTION; AIRCRAFT OPERATOR IS REQUIRED TO PAY EXPENSES. AG INSPECTION AVBL FOR MAINLAND ARR/DEP FLT; 24 HR PN RQR FOR INSPECTION., LIHUE AG C808-632-2511; WKEND/HOL SUBJ TO REIMBURSEMENT OVERTIME FEES.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: 12/04/1975

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: BKH FAA SITE NR: 52302.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY
> 51 DISPLACED THR:
> 52 CTLG OBSTN:
> 53 OBSTN MARKED/LGTD:
> 54 HGT ABOVE RWY END:
> 55 DIST FROM RWY END:

/ / / /
/ / / /
/ / / /
/ / / /
/ / / /
/ / / /

> 110 REMARKS

A 110-013 MISC - EXTREMELY LTD TOW CAPABILITY; AIRCREW MUST PROVIDE QUALIFIED DRIVER FOR TOW VEH. NO AIR STAIRS. NO LAVATORY SERVICE. NO FLT PLANNING SVC. AERODROME LTD TO MSN ESSENTIAL PAX ONLY. NO SPACE-A SUPPORT.
A 110-015 SERVICE: FUEL - LTD TO 50K FOR TSNT ACFT AND ONLY DD FORM 1896 (JET FUEL INDENTAPLATE) ACCEPTED. R/W HOT REFUEL RQR CREW MEMBER TO CONNECT FUEL HOSE TO ACFT. R/W (W/SKIDS) AND F/W COLD FUEL ONLY.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026

> 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: BKH FAA SITE NR: 52302.1*A
> 2 AIRPORT NAME: 5 COUNTY:
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT:

GENERAL

10 OWNERSHIP:
> 11 OWNER:
> 12 ADDRESS:

> 13 PHONE NR:
> 14 MANAGER:
> 15 ADDRESS:

> 16 PHONE NR:
> 17 ATTENDANCE SCHEDULE:

SERVICES

70 FUEL:

Information on aircraft operations is available from FAA's Aviation System Performance Metrics
<https://aspm.faa.gov>

18 AIRPORT USE:
19 ARPT LAT:
20 ARPT LONG:
21 ARPT ELEV:
22 ACREAGE:
> 23 RIGHT TRAFFIC:
> 24 NON-COMM LANDING:

FACILITIES

80 ARPT BCN:
81 ARPT LGT SKED :
BCN LGT SKED:
82 UNICOM:
83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY INDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:
> 42 RWY MARK TYPE-COND:

- / - - / - - / - - / -

OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/

> 110 REMARKS

A 110-016 CAUTION (1 OF 2) - NUMEROUS UNLIT OBST WITHIN RWY SAFETY ZONES AND APCH/DEPARTURE CLEAR ZONES. SAND BERMS, TREES AND VEGETATION LOCATED 152' WEST OF CNTRLN EXTENDING FULL LEN OF RWY AND INTO RWY 16 AND 34 APCH ZONES. VEGETATION LOCATED 57' WEST OF PAVEMENT EDGE STRIPES FOR TURN AROUND AREA AT SOUTH END OF RWY. TREES AND VEGETATION LOCATED 250' EAST OF CNTRLN EXTENDING INTO RWY 34 APCH ZONE. KINIKINI DITCH (15' DEEP X 50' WIDE) LOCATED 150' SOUTH OF RUNWAY 34 THLD EXTENDING FR OCEAN AROUND THE RWY TO THE EAST WITH ROUTINE BIRD ACT. VEGETATION LOCATED 135' NORTH OF RWY 16 THLD EXTENDING INTO RWY 16 APCH ZONE. AIRCRAFT ON TWY ALPHA AT RWY HOLD POSN ARE WITHIN THE RWY 16/34 APCH/DEPARTURE CLEA

A 110-017 CAUTION (2 OF 2) - TWR APN PCN 51 F/A/W/T; CONC PORTION PCN 49 R/C/W/T. FRESH WATER RINSE FACILITY LCTD AT N END OF CONC PORTION. AIRCRAFT WASH RACK PCN 31 F/A/W/T LCTD ADJ TO FABRIC HGR. HELIPAD 1 (100'X100') LTD TO LOCALLY ASSIGNED AIRCRAFT. HELIPADS 2 AND 3 (70'X70') LCTD ON TWY ALPHA ADJ TO NAVY LINE PARKING APRON. HELIPAD 4 (59'X59') LCTD ON TWY BRAVO AND USED FOR HOT REFUEL.

A 110-018 SERVICE LGT: PAPI RY 16/34 INSTALLED WITH 3 DEGREE GLIDE ANGLE AND 40 FT TCH FOR ACFT W/WHEEL TO COCKPIT HEIGHT OF 10 FT OR LESS.

A 110-019 CAUTION: EXTV R/W EXTERNAL LOAD TFC.

A 110-021 FOR CD CTC HONOLULU CONTROL FACILITY AT 808-840-6262.

A 110-022 SERVICE: JASU - 2(AM32-108).

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ:

AIRPORT MASTER RECORD

Data Source: https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/

PRINT DATE: 4/27/2026
AFD EFF 04/16/2026