

PRINT DATE: 4/20/2024 AFD EFF 04/18/2024

AIRPORT MASTER RECORD FORM APPROVED OMB 2120-0015 KEKAHA,KAUAI 4 STATE: HI FAA SITE NR: 52302.1*A > 1 ASSOC CITY: LOC ID: BKH > 2 AIRPORT NAME BARKING SANDS PMRF 5 COUNTY: KAUAI HI 3 CBD TO AIRPORT (NM): 05 NW 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: HAWAIIAN ISLANDS **SERVICES GENERAL** BASED AIRCRAFT 10 OWNERSHIP: > 70 FUEL: 90 SINGLE ENG: 0 NAVY > 11 OWNFR: **US NAVY** 91 MUI TI FNG: 0 > 12 ADDRESS: OCEANOGRAPHIC OFC - CODE 3142 92 JET: 0 WASHINGTON, DC 20373 93 HELICOPTERS: 0 > 13 PHONE NR: TOTAL: 0 > 14 MANAGER: > 15 ADDRESS: 94 GLIDERS: 0 95 MILITARY: 0 > 16 PHONE NR: 96 ULTRA-LIGHT: 0 > 17 ATTENDANCE SCHEDULE: **FACILITIES** > 80 ARPT BCN: SWG > 81 ARPT LGT SKED: SEE RMK 18 AIRPORT USE: **PRIVATE BCN LGT SKED:** SS-SR 22-01-21.9840N ESTIMATED 19 ARPT LAT: > 82 UNICOM: 122.800 20 ARPT LONG: 159-47-06.2450W > 83 WIND INDICATOR: 84 SEGMENTED CIRCLE: NONE 21 ARPT ELEV: 23.2 ESTIMATED 22 ACREAGE: 85 CONTROL TWR: YFS > 23 RIGHT TRAFFIC: 86 FSS: **HONOLULU** > 24 NON-COMM LANDING: NO 87 FSS ON ARPT: NO 88 FSS PHONE NR: 89 TOLL FREE NR: 1-800-WX-BRIEF **RUNWAY DATA** 16/34 > 30 RUNWAY INDENT: 6,002 > 31 LENGTH: 150 > 32 WIDTH: **ASPH** > 33 SURF TYPE-COND: LIGHTING/APCH AIDS HIGH > 40 EDGE INTENSITY: > 42 RWY MARK TYPE-COND: 40 40 **OBSTRUCTION DATA** 50 FAR 77 CATEGORY > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: (>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY > > 110 REMARKS OPR 1700-0400Z MON-FRI EXC HOL. OT BY OPR NEC ONLY. A 017 A 081 AVBL ONLY DURING HRS OF OPERATION. A 110-001 CLNC OBTAINED THRU CO PMRF HAW AREA. PHONE (HON) 471-6311,6254. AIRFIELD RESTRICTED TO GROSS WEIGHT CAT 2 (ALL UP WEIGHT 60000) UNTIL FURTHER NOTICE PER ARPT MGR. A 110-002 A 110-003 NS ABTMT - N SHORELINE KAUAI AND THE ISLAND OF NIHAU EXTREMELY NOISE SENSITIVE, ACFT AVOID BY AT LEAST 5 NM. A 110-005 A+ AVBL 1700-0430Z MON-FRI, CLSD SAT, SUN AND HOL. A 110-008 CAUTION - EXTV R/W EXTERNAL LOAD TFC. BIRD HAZ. MISC - CRASH CREW CAN NML PROVIDE CAT 2 MIN RESPONSE, LTD CAT 3 MIN RESPONSE AVBL. A 110-009 A 110-010 RWY-LGTS: RWY 16 AND RWY 34 - OLS. A 110-011 RSTD - 72 HR PPR FOR ALL ACFT, USER REIMBURSE CONTRACTOR OVERTIME, DSN 315-421-6310/6311, C808-335-4310/4311. FOR R3101, CTC RNG OUTRIDER 322.85 OR TWR 126.2 PRIOR TO ENTRY. CSTMS/AG/IMG FOR OVERSEAS ARR NOT AVAILABLE ON ROUTINE BASIS. SPECIAL REQUESTS RQR 5 DAYS PN; CTC CBP HONOLULU OFFICE C808-237-A 110-012 4601 TO ARRANGE INSPECTION; AIRCRAFT OPERATOR IS REQUIRED TO PAY EXPENSES. AG INSPECTION AVBL FOR MAINLAND ARR/DEP FLT; 24 HR PN

RQR FOR INSPECTION., LIHUE AG C808-632-2511; WKEND/HOL SUBJ TO REIMBURSEMENT OVERTIME FEES.

113 LAST INFO REQ:

12/04/1975

112 LAST INSP:

(N)

111 INSPECTOR:



AIRPORT MASTER RECORD

PRINT DATE: 4/20/2024 **AFD EFF 04/18/2024**

FORM APPROVED OMB 2120-0015 > 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: BKH FAA SITE NR: 52302.1*A > 2 AIRPORT NAME 5 COUNTY: 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: **GENERAL SERVICES BASED AIRCRAFT** 10 OWNERSHIP: > 70 FUEL: 90 SINGLE ENG: 91 MULTI ENG: > 11 OWNER: > 12 ADDRESS: 92 JET: 93 HELICOPTERS: > 13 PHONE NR: TOTAL: > 14 MANAGER: 94 GLIDERS: > 15 ADDRESS: 95 MILITARY: > 16 PHONE NR: 96 ULTRA-LIGHT: > 17 ATTENDANCE SCHEDULE: **FACILITIES** > 80 ARPT BCN: > 81 ARPT LGT SKED : 18 AIRPORT USE: **BCN LGT SKED:** 19 ARPT LAT: > 82 UNICOM: 20 ARPT LONG: > 83 WIND INDICATOR: 21 ARPT ELEV: 84 SEGMENTED CIRCLE: 22 ACREAGE: 85 CONTROL TWR: > 23 RIGHT TRAFFIC: 86 FSS: > 24 NON-COMM LANDING: 87 FSS ON ARPT: 88 FSS PHONE NR: 89 TOLL FREE NR: **RUNWAY DATA** > 30 RUNWAY INDENT: > 31 LENGTH: > 32 WIDTH: > 33 SURF TYPE-COND: **LIGHTING/APCH AIDS** > 40 EDGE INTENSITY: > 42 RWY MARK TYPE-COND: **OBSTRUCTION DATA** 50 FAR 77 CATEGORY > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: (>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY > > 110 REMARKS MISC - EXTREMELY LTD TOW CAPABILITY; AIRCREW MUST PROVIDE QUALIFIED DRIVER FOR TOW VEH. NO AIR STAIRS. NO LAVATORY SERVICE. NO FLT PLANNING SVC. AERODROME LTD TO MSN ESSENTIAL PAX ONLY. NO SPACE-A SUPPORT. A 110-013 SERVICE: A-GEAR - NOT AVBL FOR EMERG DIVERT WO PRIOR COORDN WITH AFLD MGR. A 110-014 A 110-015 SERVICE: FUEL - LTD TO 50K FOR TSNT ACFT AND ONLY DD FORM 1896 (JET FUEL INDENTAPLATE) ACCEPTED. R/W HOT REFUEL RQR CREW MEMBER TO CONNECT FUEL HOSE TO ACFT. R/W (W/SKIDS) AND F/W COLD FUEL ONLY. 111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:



AIRPORT MASTER RECORD

PRINT DATE: 4/20/2024 **AFD EFF 04/18/2024**

FORM APPROVED OMB 2120-0015 > 1 ASSOC CITY: ***CONTINUED*** 4 STATE: HI LOC ID: FAA SITE NR: 52302.1*A BKH > 2 AIRPORT NAME 5 COUNTY: 7 SECT AERO CHT: 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL **GENERAL SERVICES BASED AIRCRAFT** 10 OWNERSHIP: > 70 FUEL: 90 SINGLE ENG: > 11 OWNER: 91 MULTI FNG: > 12 ADDRESS: 92 JET: 93 HELICOPTERS: > 13 PHONE NR: TOTAL: > 14 MANAGER: > 15 ADDRESS: 94 GLIDERS: 95 MILITARY: > 16 PHONE NR: 96 ULTRA-LIGHT: > 17 ATTENDANCE SCHEDULE: **FACILITIES** > 80 ARPT BCN: > 81 ARPT LGT SKED : 18 AIRPORT USE: **BCN LGT SKED:** 19 ARPT LAT: > 82 UNICOM: 20 ARPT LONG: > 83 WIND INDICATOR: 21 ARPT ELEV: 84 SEGMENTED CIRCLE: 22 ACREAGE: 85 CONTROL TWR: > 23 RIGHT TRAFFIC: 86 FSS: > 24 NON-COMM LANDING: 87 FSS ON ARPT: 88 FSS PHONE NR: 89 TOLL FREE NR: **RUNWAY DATA** > 30 RUNWAY INDENT: > 31 LENGTH: > 32 WIDTH: > 33 SURF TYPE-COND: **LIGHTING/APCH AIDS** > 40 EDGE INTENSITY: - / -> 42 RWY MARK TYPE-COND: **OBSTRUCTION DATA** 50 FAR 77 CATEGORY > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: (>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY > > 110 REMARKS CAUTION (1 OF 2) - NUMEROUS UNLIT OBST WITHIN RWY SAFETY ZONES AND APCH/DEPARTURE CLEAR ZONES. SAND BERMS, TREES AND A 110-016 VEGETATION LOCATED 152 WEST OF CNTRLN EXTENDING FULL LEN OF RWY AND INTO RWY 16 AND 34 APCH ZONES. VEGETATION LOCATED 57' WEST OF PAVEMENT EDGE STRIPES FOR TURN AROUND AREA AT SOUTH END OF RWY. TREES AND VEGETATION LOCATED 250' EAST OF CNTRLN
EXTENDING INTO RWY 34 APCH ZONE. KINIKINI DITCH (15' DEEP X 50' WIDE) LOCATED 150' SOUTH OF RUNWAY 34 THLD EXTENDING FROCEAN AROUND
THE RWY TO THE EAST WITH ROUTINE BIRD ACT. VEGETATION LOCATED 135' NORTH OF RWY 16 THLD EXTENDING INTO RWY 16 APCH ZONE. AIRCRAFT
ON TWY ALPHA AT RWY HOLD POSN ARE WITHIN THE RWY 16/34 APCH/DEPARTURE CLEAR CAUTION (2 OF 2) - TWR APN PCN 51 F/AW/T; CONC PORTION PCN 49 R/C/W/T. FRESH WATER RINSE FACILITY LCTD AT N END OF CONC PORTION. A 110-017 AIRCRAFT WASH RACK PCN 31 F/A/W/T LCTD ADJ TO FABRIC HGR. HELIPAD 1 (100'X100') LTD TO LOCALLY ASSIGNED AIRCRAFT. HELIPADS 2 AND 3 (70'X70') LCTD ON TWY ALPHA ADJ TO NAVY LINE PARKING APRON. HELIPAD 4 (59'X59') LCTD ON TWY BRAVO AND USED FOR HOT REFUEL. SERVICE LGT: PAPI RY 16/34 INSTALLED WITH 3 DEGREE GLIDE ANGLE AND 40 FT TCH FOR ACFT W/WHEEL TO COCKPIT HEIGHT OF 10 FT OR LESS. A 110-018 CAUTION: EXTV R/W EXTERNAL LOAD TFC. A 110-019 A 110-021 FOR CD CTC HONOLULU CONTROL FACILITY AT 808-840-6262. A 110-022 SERVICE: JASU - 2(AM32-108). 111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ:



AIRPORT MASTER RECORD

PRINT DATE: 4/20/2024 **AFD EFF 04/18/2024**

FORM APPROVED OMB 2120-0015 ***CONTINUED*** > 1 ASSOC CITY: 4 STATE: HI LOC ID: BKH FAA SITE NR: 52302.1*A > 2 AIRPORT NAME: 5 COUNTY: 3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/HNL 7 SECT AERO CHT: **GENERAL SERVICES BASED AIRCRAFT** 10 OWNERSHIP: > 70 FUEL: 90 SINGLE ENG: > 11 OWNER: 91 MULTI ENG: > 12 ADDRESS: 92 JET: 93 HELICOPTERS: > 13 PHONE NR: TOTAL: > 14 MANAGER: 94 GLIDERS: > 15 ADDRESS: 95 MILITARY: 96 ULTRA-LIGHT: > 16 PHONE NR: > 17 ATTENDANCE SCHEDULE: **FACILITIES** > 80 ARPT BCN: > 81 ARPT LGT SKED : 18 AIRPORT USE: **BCN LGT SKED:** 19 ARPT LAT: > 82 UNICOM: 20 ARPT LONG: > 83 WIND INDICATOR: 21 ARPT ELEV: 84 SEGMENTED CIRCLE: 85 CONTROL TWR: 22 ACREAGE: > 23 RIGHT TRAFFIC: 86 FSS: > 24 NON-COMM LANDING: 87 FSS ON ARPT: 88 FSS PHONE NR: 89 TOLL FREE NR: **RUNWAY DATA** > 30 RUNWAY INDENT: > 31 LENGTH: > 32 WIDTH: > 33 SURF TYPE-COND: **LIGHTING/APCH AIDS** > 40 EDGE INTENSITY: - / -- / -- / -> 42 RWY MARK TYPE-COND: **OBSTRUCTION DATA** 50 FAR 77 CATEGORY > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: (>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY > > 110 REMARKS 111 INSPECTOR: 113 LAST INFO REQ: (N) 112 LAST INSP: