

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: BEVERLY 4 STATE: MA LOC ID: BVY FAA SITE NR: 08762.\*A  
> 2 AIRPORT NAME: BEVERLY RGNL 5 COUNTY: ESSEX MA  
> 3 CBD TO AIRPORT (NM): 03 NW 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT: NEW YORK

### GENERAL

10 OWNERSHIP: PUBLIC  
> 11 OWNER: CITY OF BEVERLY  
> 12 ADDRESS: CITY HALL, CABOT ST  
BEVERLY, MA 01915  
> 13 PHONE NR: 978-921-6000  
> 14 MANAGER: GABRIEL HANAFIN  
> 15 ADDRESS: 50 LP HENDERSON RD  
BEVERLY, MA 01915  
> 16 PHONE NR: 978-921-6072  
> 17 ATTENDANCE SCHEDULE:

ALL ALL 0830-1630

### SERVICES

70 FUEL: 100LL A A+  
71 AIRFRAME RPRS: MAJOR  
72 PWR PLANT RPRS: MAJOR  
73 BOTTLE OXYGEN: HIGH/LOW  
74 BULK OXYGEN:  
75 TSNT STORAGE: HGR, TIE  
76 OTHER SERVICES:  
AVNCS, INSTR, RNTL

### OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE: PUBLIC  
19 ARPT LAT: 42-35-02.9090N ESTIMATED  
20 ARPT LONG: 070-54-58.1200W  
21 ARPT ELEV: 107.2 SURVEYED  
22 ACREAGE: 470  
> 23 RIGHT TRAFFIC: NO  
> 24 NON-COMM LANDING: NO  
25 NPIAS/FED AGREEMENTS: NGPY3  
> 26 FAR 139 INDEX:

### FACILITIES

80 ARPT BCN: WG  
81 ARPT LGT SKED : SEE RMK  
BCN LGT SKED: SS-SR  
82 UNICOM: 122.950  
83 WIND INDICATOR: YES  
84 SEGMENTED CIRCLE: YES  
85 CONTROL TWR: YES  
86 FSS: BRIDGEPORT  
87 FSS ON ARPT: NO  
88 FSS PHONE NR:  
89 TOLL FREE NR: 1-800-WX-BRIEF

### RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

	09/27	16/34
> 30 RUNWAY INDENT:	4,755	5,001
> 31 LENGTH:	100	100
> 32 WIDTH:	ASPH-G	ASPH-E
> 33 SURF TYPE-COND:	GRVD	GRVD
> 34 SURF TREATMENT:	30.0	30.0
35 GROSS WT: S	114.0	55.0
36 (IN THSDS) D	180.0	103.0
37 2D		
38 2D/2D2		
> 39 PCN:		

### LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:  
> 42 RWY MARK TYPE-COND:  
> 43 VGSI:  
44 THR COSSING HGT.:  
45 VISUAL GLIDE ANGLE:  
> 46 CNTRLN-TDZ:  
> 47 RVR-RVV:  
> 48 REIL:  
> 49 APCH LIGHTS:

	MED	MED		
> 40 EDGE INTENSITY:	NPI - G / NPI - G	NPI - F / NPI - F	- / -	- / -
> 42 RWY MARK TYPE-COND:	P4L / P4L	P4L /	/	/
> 43 VGSI:	43 / 46	41 /	/	/
44 THR COSSING HGT.:	3.00 / 3.22	3.50 /	/	/
45 VISUAL GLIDE ANGLE:	- / -	- / -	- / -	- / -
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	/	/ Y	/	/
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	MALS /	/	/

### OBSTRUCTION DATA

50 FAR 77 CATEGORY  
> 51 DISPLACED THR:  
> 52 CTLG OBSTN:  
> 53 OBSTN MARKED/LGTD:  
> 54 HGT ABOVE RWY END:  
> 55 DIST FROM RWY END:  
> 56 CNTRLN OFFSET:  
57 OBSTN CLNC SLOPE:  
58 CLOSE-IN OBSTN:

	B(V) / C	C / C		
50 FAR 77 CATEGORY	/ 250	240 /	/	/
> 51 DISPLACED THR:	TREE / TREES	TREES /	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	15 / 22	32 / 27	/	/
> 54 HGT ABOVE RWY END:	300 / 396	1,000 / 750	/	/
> 55 DIST FROM RWY END:	150L / 125R	125R / 75L	/	/
> 56 CNTRLN OFFSET:	6:1 / 8:1	25:1 / 20:1	/	/
57 OBSTN CLNC SLOPE:	N / N	N / N	/	/
58 CLOSE-IN OBSTN:				

### DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):  
> 61 TAKE OFF DIST AVBL (TODA):  
> 62 ACLT STOP DIST AVBL (ASDA):  
> 63 LNDG DIST AVBL (LDA):

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

### REMARKS

A 039 RWY 09/27 PCR VALUE: 200/F/B/X/T  
A 039 RWY 16/34 PCR VALUE: 200/F/B/X/T  
A 049 RWY 16 NON-STD MALS - 800 FT.  
A 057 RWY 16 30:1 TO DTHR.  
A 057 RWY 27 50:1 TO DTHR.  
A 070 FUEL SVC 1030-2330Z++; AFT HRS REQ ONLY CALL 978-774-2070.  
A 081 WHEN TWR CLSD ACTVT MALS RWY 16; REIL RWY 34; PAPI RWY 16, 09, & 27; MRL RWY 09/27 & 16/34 - CTAF.  
A 110-002 BIRDS FQTLY ON OR INVOF ARPT; OCNL DEER OR COYOTE ON RWY.  
A 110-003 WHEN TWR NOT OPN, CLOSE FP WITH BOS APCH - 121.6.  
A 110-004 OVNGT PRKG FEE.  
A 110-006 NOISE ABATEMENT PROCS IN EFCT CTC AMGR 978-921-6072.  
A 110-017 ALL ARR/DEP ACFT FLW MANUFACTURER'S RCMDD PROCS FOR QUIET OPNS & MNM NOISE.  
A 110-021 NOISE SENSITIVE ARPT - VOLUNTARY COMPLIANCE REQD OF ALL ACFT EXCEEDING 75DB TO NOT LND/DEPART ARPT 2300-0700.  
A 110-022 NO TIEDOWN ROPES ON PUBLIC TSNT PRKG.  
A 110-025 NOISE SENSITIVE AREA OFF THE DER 27 TO THE W, SW, & S AND OFF THE DER 34 TO THE NW.

111 INSPECTOR: (S)

112 LAST INSP: 03/03/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026

> 1 ASSOC CITY: \*\*\*CONTINUED\*\*\* 4 STATE: MA LOC ID: BVY FAA SITE NR: 08762.\*A  
> 2 AIRPORT NAME: 5 COUNTY:  
> 3 CBD TO AIRPORT (NM): 6 REGION/ADO: ANE/NONE 7 SECT AERO CHT:

## GENERAL

10 OWNERSHIP:  
> 11 OWNER:  
> 12 ADDRESS:  
> 13 PHONE NR:  
> 14 MANAGER:  
> 15 ADDRESS:  
> 16 PHONE NR:  
> 17 ATTENDANCE SCHEDULE:

## SERVICES

70 FUEL:  
71 AIRFRAME RPRS:  
72 PWR PLANT RPRS:  
73 BOTTLE OXYGEN:  
74 BULK OXYGEN:  
75 TSNT STORAGE:  
76 OTHER SERVICES:

## OPERATIONS

Information on aircraft operations is available from FAA's Aviation System Performance Metrics <https://aspm.faa.gov>

18 AIRPORT USE:  
19 ARPT LAT:  
20 ARPT LONG:  
21 ARPT ELEV:  
22 ACREAGE:  
> 23 RIGHT TRAFFIC:  
> 24 NON-COMM LANDING:  
25 NPIAS/FED AGREEMENTS:  
> 26 FAR 139 INDEX:

## FACILITIES

80 ARPT BCN:  
81 ARPT LGT SKED :  
BCN LGT SKED:  
82 UNICOM:  
83 WIND INDICATOR:  
84 SEGMENTED CIRCLE:  
85 CONTROL TWR:  
86 FSS:  
87 FSS ON ARPT:  
88 FSS PHONE NR:  
89 TOLL FREE NR:

## RUNWAY DATA

> 30 RUNWAY INDENT:  
> 31 LENGTH:  
> 32 WIDTH:  
> 33 SURF TYPE-COND:  
> 34 SURF TREATMENT:  
35 GROSS WT: S  
36 (IN THSDS) D  
37 2D  
38 2D/2D2  
> 39 PCN:

## LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:	- / -	- / -	- / -	- / -
> 42 RWY MARK TYPE-COND:	/	/	/	/
> 43 VGSI:	/	/	/	/
44 THR COSSING HGT.:	/	/	/	/
45 VISUAL GLIDE ANGLE:	/	/	/	/
> 46 CNTRLN-TDZ:	- / -	- / -	- / -	- / -
> 47 RVR-RVV:	- / -	- / -	- / -	- / -
> 48 REIL:	/	/	/	/
> 49 APCH LIGHTS:	/	/	/	/

## OBSTRUCTION DATA

50 FAR 77 CATEGORY	/	/	/	/
> 51 DISPLACED THR:	/	/	/	/
> 52 CTLG OBSTN:	/	/	/	/
> 53 OBSTN MARKED/LGTD:	/	/	/	/
> 54 HGT ABOVE RWY END:	/	/	/	/
> 55 DIST FROM RWY END:	/	/	/	/
> 56 CNTRLN OFFSET:	/	/	/	/
57 OBSTN CLNC SLOPE:	/	/	/	/
58 CLOSE-IN OBSTN:	/	/	/	/

## DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):	/	/	/	/
> 61 TAKE OFF DIST AVBL (TODA):	/	/	/	/
> 62 ACLT STOP DIST AVBL (ASDA):	/	/	/	/
> 63 LNDG DIST AVBL (LDA):	/	/	/	/

## > 110 REMARKS

A 110-028 E RAMP TSNT SPACES: SPACE NRS 15, 16 & 17 ONLY.  
A 110-029 FUEL, PRKG CTC FBO 129.725 OR 978-774-2070.  
A 110-031 RWY 16 IS THE PREF CALM WIND RWY.  
A 110-032 RWY 16/34: DUE TO HUMP AT MIDPT, OPPOSITE ENDS OF THE RWY NOT VSB AT GND LEVEL.  
A 110-033 LDG FEES FOR TSNT ACFT.  
A 110-034 FLD COND NOT MNT 0200-1200Z++ 15 MAY-31 OCT; 0100-1200Z++ 01 NOV-14 MAY.  
A 110-035 NO ULTRALIGHT OR BANNER TOWING ALLOWED.  
A 110-036 FUEL SVC 1030-2330Z++, AFTER HRS REQ ONLY ON 978-774-2070.

111 INSPECTOR: (S)

112 LAST INSP: 03/03/2023

113 LAST INFO REQ:

# AIRPORT MASTER RECORD

Data Source: [https://www.faa.gov/air\\_traffic/flight\\_info/aeronav/aero\\_data/](https://www.faa.gov/air_traffic/flight_info/aeronav/aero_data/)

PRINT DATE: 6/14/2026  
AFD EFF 06/11/2026